
Subject: [PATCH v3] NFSd: set nfsd_serv to NULL after service destruction

Posted by Stanislav Kinsbursky on Tue, 03 Jul 2012 12:46:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

v3:

1) Rebased for 3.6 kernel.

v2:

1) Set global nfsd_serv pointer to NULL only if no running threads left.

Otherwise we will get NULL pointer dereference on last thread exit in
nfsd_last_thread().

This patch also introduces nfsd_destroy() helper for per-net NFSd shutdown.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
fs/nfsd/nfsctl.c |  8 ++++++
fs/nfsd/nfsd.h  | 11 ++++++++
fs/nfsd/nfssvc.c| 24 ++++++-----
3 files changed, 21 insertions(+), 22 deletions(-)
```

```
diff --git a/fs/nfsd/nfsctl.c b/fs/nfsd/nfsctl.c
index c55298e..fa49cff 100644
--- a/fs/nfsd/nfsctl.c
+++ b/fs/nfsd/nfsctl.c
@@ -673,9 +673,7 @@ static ssize_t __write_ports_addfd(char *buf)
```

```
    err = svc_addsock(nfsd_serv, fd, buf, SIMPLE_TRANSACTION_LIMIT);
    if (err < 0) {
-     if (nfsd_serv->sv_nrthreads == 1)
-         svc_shutdown_net(nfsd_serv, net);
-     svc_destroy(nfsd_serv);
+     nfsd_destroy(net);
        return err;
    }
```

```
@@ -744,9 +742,7 @@ out_close:
    svc_xprt_put(xprt);
}
out_err:
-    if (nfsd_serv->sv_nrthreads == 1)
-        svc_shutdown_net(nfsd_serv, net);
-    svc_destroy(nfsd_serv);
+    nfsd_destroy(net);
    return err;
}
```

```
diff --git a/fs/nfsd/nfsd.h b/fs/nfsd/nfsd.h
```

```

index 1671429..1336a65 100644
--- a/fs/nfsd/nfsd.h
+++ b/fs/nfsd/nfsd.h
@@ -73,6 +73,17 @@ int nfsd_nrpools(void);
int nfsd_get_nrthreads(int n, int *);
int nfsd_set_nrthreads(int n, int *);

+static inline void nfsd_destroy(struct net *net)
+{
+ int destroy = (nfsd_serv->sv_nrthreads == 1);
+
+ if (destroy)
+ svc_shutdown_net(nfsd_serv, net);
+ svc_destroy(nfsd_serv);
+ if (destroy)
+ nfsd_serv = NULL;
+}
+
#endif defined(CONFIG_NFSD_V2_ACL) || defined(CONFIG_NFSD_V3_ACL)
#ifndef CONFIG_NFSD_V2_ACL
extern struct svc_version nfsd_acl_version2;
diff --git a/fs/nfsd/nfssvc.c b/fs/nfsd/nfssvc.c
index ee709fc..240473c 100644
--- a/fs/nfsd/nfssvc.c
+++ b/fs/nfsd/nfssvc.c
@@ -254,8 +254,6 @@ static void nfsd_shutdown(void)

static void nfsd_last_thread(struct svc_serv *serv, struct net *net)
{
- /* When last nfsd thread exits we need to do some clean-up */
- nfsd_serv = NULL;
- nfsd_shutdown();

    svc_rpcb_cleanup(serv, net);
@@ -332,6 +330,7 @@ static int nfsd_get_default_max_blksize(void)
int nfsd_create_serv(void)
{
    int error;
+ struct net *net = current->nsproxy->net_ns;

    WARN_ON(!mutex_is_locked(&nfsd_mutex));
    if (nfsd_serv) {
@@ -346,7 +345,7 @@ int nfsd_create_serv(void)
        if (nfsd_serv == NULL)
            return -ENOMEM;

- error = svc_bind(nfsd_serv, current->nsproxy->net_ns);
+ error = svc_bind(nfsd_serv, net);

```

```

if (error < 0) {
    svc_destroy(nfsd_serv);
    return error;
@@ -427,11 +426,7 @@ int nfsd_set_nrthreads(int n, int *nthreads)
    if (err)
        break;
}
-
- if (nfsd_serv->sv_nrthreads == 1)
- svc_shutdown_net(nfsd_serv, net);
- svc_destroy(nfsd_serv);
-
+ nfsd_destroy(net);
    return err;
}

@@ -478,9 +473,7 @@ out_shutdown:
    if (error < 0 && !nfsd_up_before)
        nfsd_shutdown();
out_destroy:
- if (nfsd_serv->sv_nrthreads == 1)
- svc_shutdown_net(nfsd_serv, net);
- svc_destroy(nfsd_serv); /* Release server */
+ nfsd_destroy(net); /* Release server */
out:
    mutex_unlock(&nfsd_mutex);
    return error;
@@ -563,12 +556,13 @@ nfsd(void *vrqstp)
    nfsdstats.th_cnt--;

out:
- if (rqstp->rq_server->sv_nrthreads == 1)
- svc_shutdown_net(rqstp->rq_server, &init_net);
+ rqstp->rq_server = NULL;
/* Release the thread */
    svc_exit_thread(rqstp);

+ nfsd_destroy(&init_net);
+
/* Release module */
    mutex_unlock(&nfsd_mutex);
    module_put_and_exit(0);
@@ -682,9 +676,7 @@ int nfsd_pool_stats_release(struct inode *inode, struct file *file)

    mutex_lock(&nfsd_mutex);
    /* this function really, really should have been called svc_put() */
- if (nfsd_serv->sv_nrthreads == 1)

```

```
- svc_shutdown_net(nfsd_serv, net);
- svc_destroy(nfsd_serv);
+ nfsd_destroy(net);
mutex_unlock(&nfsd_mutex);
return ret;
}
```
