

---

Subject: [PATCH v3] NFSd: fix locking in nfsd\_forget\_delegations()  
Posted by [Stanislav Kinsbursky](#) on Tue, 03 Jul 2012 13:01:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

v3: rebased on 3.5-rc3 kernel

v2: dl\_recall\_lru list is used for delegations collect because it's modified both in unhash\_delegation() and nfsd\_break\_one\_deleg().

This patch adds recall\_lock hold to nfsd\_forget\_delegations() to protect nfsd\_process\_n\_delegations() call.

Also, looks like it would be better to collect delegations to some local on-stack list, and then unhash collected list. This split allows to simplify locking, because delegation traversing is protected by recall\_lock, when delegation unhash is protected by client\_mutex.

Signed-off-by: Stanislav Kinsbursky <[skinsbursky@parallels.com](mailto:skinsbursky@parallels.com)>

---

fs/nfsd/nfs4state.c | 21 ++++++-----  
1 files changed, 17 insertions(+), 4 deletions(-)

diff --git a/fs/nfsd/nfs4state.c b/fs/nfsd/nfs4state.c  
index 59b9efc..33eccee 100644

--- a/fs/nfsd/nfs4state.c

+++ b/fs/nfsd/nfs4state.c

@@ -4579,7 +4579,7 @@ void nfsd\_forget\_openowners(u64 num)  
 printk(KERN\_INFO "NFSD: Forgot %d open owners", count);  
}

-int nfsd\_process\_n\_delegations(u64 num, void (\*deleg\_func)(struct nfs4\_delegation \*))

+int nfsd\_process\_n\_delegations(u64 num, struct list\_head \*list)

```
{  
    int i, count = 0;  
    struct nfs4_file *fp, *fnext;  
    @@ -4588,7 +4588,7 @@ int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct  
nfs4_delegatio  
    for (i = 0; i < FILE_HASH_SIZE; i++) {  
        list_for_each_entry_safe(fp, fnext, &file_hashtbl[i], fi_hash) {  
            list_for_each_entry_safe(dp, dnext, &fp->fi_delegations, dl_perfile) {  
-        deleg_func(dp);  
+        list_move(&dp->dl_recall_lru, list);  
            if (++count == num)  
                return count;  
        }  
    }
```

```
    @@ -4601,9 +4601,16 @@ int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct  
nfs4_delegatio  
    void nfsd_forget_delegations(u64 num)  
    {
```

```

    unsigned int count;
+ LIST_HEAD(victims);
+ struct nfs4_delegation *dp, *dnext;
+
+ spin_lock(&recall_lock);
+ count = nfsd_process_n_delegations(num, &victims);
+ spin_unlock(&recall_lock);

    nfs4_lock_state();
- count = nfsd_process_n_delegations(num, unhash_delegation);
+ list_for_each_entry_safe(dp, dnext, &victims, dl_recall_lru)
+ unhash_delegation(dp);
    nfs4_unlock_state();

    printk(KERN_INFO "NFSD: Forgot %d delegations", count);
@@ -4612,10 +4619,16 @@ void nfsd_forget_delegations(u64 num)
void nfsd_recall_delegations(u64 num)
{
    unsigned int count;
+ LIST_HEAD(victims);
+ struct nfs4_delegation *dp, *dnext;

    nfs4_lock_state();
    spin_lock(&recall_lock);
- count = nfsd_process_n_delegations(num, nfsd_break_one_deleg);
+ count = nfsd_process_n_delegations(num, &victims);
+ list_for_each_entry_safe(dp, dnext, &victims, dl_recall_lru) {
+ list_del(&dp->dl_recall_lru);
+ nfsd_break_one_deleg(dp);
+ }
    spin_unlock(&recall_lock);
    nfs4_unlock_state();

```

---