
Subject: [PATCH v3 00/11] Series short description
Posted by [Stanislav Kinsbursky](#) on Tue, 03 Jul 2012 16:19:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

v3: Rebased on Bruce's tree, "for-3.6" branch

v2: Rebased on Bruce's tree, "for-3.5" branch

This patch set depends on "SUNRPC: separate per-net data creation from service creation" patch set sent earlier.

The following series implements...

Stanislav Kinsbursky (11):

- NFS: pass net to nfs_callback_down()
- NFS: callback service creation function introduced
- NFS: move per-net callback thread initialization to nfs_callback_up_net()
- NFS: callback up - transport backchannel cleanup
- NFS: callback service start function introduced
- NFS: callback up - users counting cleanup
- NFS: make nfs_callback_tcpport per network context
- NFS: make nfs_callback_tcpport6 per network context
- NFS: callback per-net usage counting introduced
- NFS: add debug messages to callback down function
- NFS: get net after idr allocation

```
fs/nfs/callback.c | 288 ++++++-----  
fs/nfs/callback.h |  4 -  
fs/nfs/client.c   |  5 +  
fs/nfs/netns.h    |  3 +  
fs/nfs/nfs4state.c |  6 +  
5 files changed, 202 insertions(+), 104 deletions(-)
```