

---

Subject: [PATCH v3 01/11] NFS: pass net to nfs\_callback\_down()  
Posted by [Stanislav Kinsbursky](#) on Tue, 03 Jul 2012 16:19:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

---  
fs/nfs/callback.c | 4 ++--  
fs/nfs/callback.h | 2 +-  
fs/nfs/client.c | 2 +-  
3 files changed, 4 insertions(+), 4 deletions(-)

```
diff --git a/fs/nfs/callback.c b/fs/nfs/callback.c
index 23ff18f..2d3019d 100644
--- a/fs/nfs/callback.c
+++ b/fs/nfs/callback.c
@@ -321,7 +321,7 @@ out_err:
 /*
  * Kill the callback thread if it's no longer being used.
  */
-void nfs_callback_down(int minorversion)
+void nfs_callback_down(int minorversion, struct net *net)
{
    struct nfs_callback_data *cb_info = &nfs_callback_info[minorversion];
```

```
@@ -329,7 +329,7 @@ void nfs_callback_down(int minorversion)
    cb_info->users--;
    if (cb_info->users == 0 && cb_info->task != NULL) {
        kthread_stop(cb_info->task);
-    svc_shutdown_net(cb_info->serv, &init_net);
+    svc_shutdown_net(cb_info->serv, net);
        svc_exit_thread(cb_info->rqst);
        cb_info->serv = NULL;
        cb_info->rqst = NULL;
diff --git a/fs/nfs/callback.h b/fs/nfs/callback.h
index a5527c9..6d900cf 100644
--- a/fs/nfs/callback.h
+++ b/fs/nfs/callback.h
@@ -194,7 +194,7 @@ extern __be32 nfs4_callback_recall(struct cb_recallargs *args, void
*dummy,
    struct cb_process_state *cps);
#ifdef CONFIG_NFS_V4
extern int nfs_callback_up(u32 minorversion, struct rpc_xprt *xprt);
-extern void nfs_callback_down(int minorversion);
+extern void nfs_callback_down(int minorversion, struct net *net);
extern int nfs4_validate_delegation_stateid(struct nfs_delegation *delegation,
    const nfs4_stateid *stateid);
extern int nfs4_set_callback_sessionid(struct nfs_client *clp);
diff --git a/fs/nfs/client.c b/fs/nfs/client.c
```

index 17ba6b9..28bc770 100644

--- a/fs/nfs/client.c

+++ b/fs/nfs/client.c

@@ -225,7 +225,7 @@ static void nfs4\_shutdown\_session(struct nfs\_client \*clp)

static void nfs4\_destroy\_callback(struct nfs\_client \*clp)

```
{  
    if (__test_and_clear_bit(NFS_CS_CALLBACK, &clp->cl_res_state))  
-   nfs_callback_down(clp->cl_mvops->minor_version);  
+   nfs_callback_down(clp->cl_mvops->minor_version, &init_net);  
}
```

static void nfs4\_shutdown\_client(struct nfs\_client \*clp)

---