
Subject: Re: [PATCH v2] NFSd: fix locking in nfsd_forget_delegations()

Posted by [Bryan Schumaker](#) on Thu, 12 Jul 2012 16:02:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 07/12/2012 11:43 AM, J. Bruce Fields wrote:

> On Fri, May 25, 2012 at 06:38:50PM +0400, Stanislav Kinsbursky wrote:

>> v2: dl_recall_lru list is used for delegations collect because it's modified

>> both in unhash_delegation() and nfsd_break_one_deleg().

>>

>> This patch adds recall_lock hold to nfsd_forget_delegations() to protect

>> nfsd_process_n_delegations() call.

>> Also, looks like it would be better to collect delegations to some local

>> on-stack list, and then unhash collected list. This split allows to

>> simplify locking, because delegation traversing is protected by recall_lock,

>> when delegation unhash is protected by client_mutex.

>

> Thanks, applying for 3.6 (assuming Bryan doesn't have any objection).

Nope, I don't have any objections.

- Bryan

>

> --b.

>

>>

>> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

>> ---

>> fs/nfsd/nfs4state.c | 21 ++++++++-----

>> 1 files changed, 17 insertions(+), 4 deletions(-)

>>

>> diff --git a/fs/nfsd/nfs4state.c b/fs/nfsd/nfs4state.c

>> index 21266c7..3d6848b 100644

>> --- a/fs/nfsd/nfs4state.c

>> +++ b/fs/nfsd/nfs4state.c

>> @@ -4694,7 +4694,7 @@ void nfsd_forget_openowners(u64 num)

>> printk(KERN_INFO "NFSD: Forgot %d open owners", count);

>> }

>>

>> -int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct nfs4_delegation *))

>> +int nfsd_process_n_delegations(u64 num, struct list_head *list)

>> {

>> int i, count = 0;

>> struct nfs4_file *fp, *fnext;

>> @@ -4703,7 +4703,7 @@ int nfsd_process_n_delegations(u64 num, void (*deleg_func)(struct
nfs4_delegatio

>> for (i = 0; i < FILE_HASH_SIZE; i++) {

>> list_for_each_entry_safe(fp, fnext, &file_hashtbl[i], fi_hash) {

```

>> list_for_each_entry_safe(dp, dnext, &fp->fi_delegations, dl_perfile) {
>> - deleg_func(dp);
>> + list_move(&dp->dl_recall_lru, list);
>> if (++count == num)
>> return count;
>> }
>> @@ -4716,9 +4716,16 @@ int nfsd_process_n_delegations(u64 num, void
(*deleg_func)(struct nfs4_delegatio
>> void nfsd_forget_delegations(u64 num)
>> {
>> unsigned int count;
>> + LIST_HEAD(victims);
>> + struct nfs4_delegation *dp, *dnext;
>> +
>> + spin_lock(&recall_lock);
>> + count = nfsd_process_n_delegations(num, &victims);
>> + spin_unlock(&recall_lock);
>>
>> nfs4_lock_state();
>> - count = nfsd_process_n_delegations(num, unhash_delegation);
>> + list_for_each_entry_safe(dp, dnext, &victims, dl_recall_lru)
>> + unhash_delegation(dp);
>> nfs4_unlock_state();
>>
>> printk(KERN_INFO "NFSD: Forgot %d delegations", count);
>> @@ -4727,10 +4734,16 @@ void nfsd_forget_delegations(u64 num)
>> void nfsd_recall_delegations(u64 num)
>> {
>> unsigned int count;
>> + LIST_HEAD(victims);
>> + struct nfs4_delegation *dp, *dnext;
>>
>> nfs4_lock_state();
>> spin_lock(&recall_lock);
>> - count = nfsd_process_n_delegations(num, nfsd_break_one_deleg);
>> + count = nfsd_process_n_delegations(num, &victims);
>> + list_for_each_entry_safe(dp, dnext, &victims, dl_recall_lru) {
>> + list_del(&dp->dl_recall_lru);
>> + nfsd_break_one_deleg(dp);
>> + }
>> spin_unlock(&recall_lock);
>> nfs4_unlock_state();
>>
>>
>> --
>> To unsubscribe from this list: send the line "unsubscribe linux-nfs" in
>> the body of a message to majordomo@vger.kernel.org
>> More majordomo info at http://vger.kernel.org/majordomo-info.html

```
