
Subject: Re: [PATCH v3 03/11] NFS: move per-net callback thread initialization to nfs_callback_up_net()

Posted by Stanislav Kinsbursky on Wed, 25 Jul 2012 10:18:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

> On Tue, Jul 03, 2012 at 08:19:46PM +0400, Stanislav Kinsbursky wrote:
>> This new function in now called before nfs_minorversion_callback_svc_setup()).
>>
>> Also few small changes:
>> 1) current network namespace in nfs_callback_up() was replaced by transport net.
>> 2) svc_shutdown_net() was moved prior to callback usage counter decrement
>> (because in case of per-net data allocation failure svc_shutdown_net() have to
>> be skipped).
>>
>> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
>> ---
>> fs/nfs/callback.c | 125 ++++++-----
>> fs/nfs/client.c | 2 -
>> 2 files changed, 79 insertions(+), 48 deletions(-)
>>
>> diff --git a/fs/nfs/callback.c b/fs/nfs/callback.c
>> index f8d0c21..b61ed61 100644
>> --- a/fs/nfs/callback.c
>> +++ b/fs/nfs/callback.c
>> @@ -63,6 +63,32 @@ static struct kernel_param_ops param_ops_portnr = {
>>
>> module_param_named(callback_tcpport, nfs_callback_set_tcpport, portnr, 0644);
>>
>> +static int nfs4_callback_up_net(struct svc_serv *serv, struct net *net)
>> +{
>> + int ret;
>> +
>> + ret = svc_create_xprt(serv, "tcp", net, PF_INET,
>> + nfs_callback_set_tcpport, SVC SOCK_ANONYMOUS);
>> + if (ret <= 0)
>> + goto out_err;
>> + nfs_callback_tcpport = ret;
>> + dprintk("NFS: Callback listener port = %u (af %u, net %p)\n",
>> + nfs_callback_tcpport, PF_INET, net);
>> +
>> + ret = svc_create_xprt(serv, "tcp", net, PF_INET6,
>> + nfs_callback_set_tcpport, SVC SOCK_ANONYMOUS);
>> + if (ret > 0) {
>> + nfs_callback_tcpport6 = ret;
>> + dprintk("NFS: Callback listener port = %u (af %u, net %p)\n",
>> + nfs_callback_tcpport6, PF_INET6, net);
>> + } else if (ret != -EAFNOSUPPORT)

```

>> + goto out_err;
>> + return 0;
>> +
>> +out_err:
>> + return (ret) ? ret : -ENOMEM;
>> +}
>> +
>> /*
>>   * This is the NFSv4 callback kernel thread.
>> */
>> @@ -104,36 +130,21 @@ nfs4_callback_svc(void *vrqstp)
>> static struct svc_rqst *
>> nfs4_callback_up(struct svc_serv *serv, struct rpc_xprt *xprt)
>> {
>> - int ret;
>> -
>> - ret = svc_create_xprt(serv, "tcp", &init_net, PF_INET,
>> -   nfs_callback_set_tcport, SVC_SOCK_ANONYMOUS);
>> - if (ret <= 0)
>> -   goto out_err;
>> - nfs_callback_tcport = ret;
>> - dprintk("NFS: Callback listener port = %u (af %u)\n",
>> -   nfs_callback_tcport, PF_INET);
>> -
>> - ret = svc_create_xprt(serv, "tcp", &init_net, PF_INET6,
>> -   nfs_callback_set_tcport, SVC_SOCK_ANONYMOUS);
>> - if (ret > 0) {
>> -   nfs_callback_tcport6 = ret;
>> -   dprintk("NFS: Callback listener port = %u (af %u)\n",
>> -     nfs_callback_tcport6, PF_INET6);
>> - } else if (ret == -EAFNOSUPPORT)
>> -   ret = 0;
>> - else
>> -   goto out_err;
>> -
>>   return svc_prepare_thread(serv, &serv->sv_pools[0], NUMA_NO_NODE);
>> -
>> -out_err:
>> - if (ret == 0)
>> -   ret = -ENOMEM;
>> - return ERR_PTR(ret);
>> }
>>
>> #if defined(CONFIG_NFS_V4_1)
>> +static int nfs41_callback_up_net(struct svc_serv *serv, struct net *net)
>> +{
>> +/*
>> + * Create an svc_sock for the back channel service that shares the

```

```

>> + * fore channel connection.
>> + * Returns the input port (0) and sets the svc_serv bc_xprt on success
>> + */
>> + return svc_create_xprt(serv, "tcp-bc", net, PF_INET, 0,
>> +     SVC SOCK_ANONYMOUS);
>> +}
>> +
>> /*
>> * The callback service for NFSv4.1 callbacks
>> */
>> @@ -176,19 +187,6 @@ static struct svc_rqst *
>> nfs41_callback_up(struct svc_serv *serv, struct rpc_xprt *xprt)
>> {
>>     struct svc_rqst *rqstp;
>> - int ret;
>> -
>> - /*
>> - * Create an svc_sock for the back channel service that shares the
>> - * fore channel connection.
>> - * Returns the input port (0) and sets the svc_serv bc_xprt on success
>> - */
>> - ret = svc_create_xprt(serv, "tcp-bc", &init_net, PF_INET, 0,
>> -     SVC SOCK_ANONYMOUS);
>> - if (ret < 0) {
>> -     rqstp = ERR_PTR(ret);
>> -     goto out;
>> - }
>>
>> /*
>> * Save the svc_serv in the transport so that it can
>> @@ -204,7 +202,6 @@ nfs41_callback_up(struct svc_serv *serv, struct rpc_xprt *xprt)
>>     svc_xprt_put(serv->sv_bc_xprt);
>>     serv->sv_bc_xprt = NULL;
>> }
>> -out:
>>     dprintk("--> %s return %ld\n", __func__,
>>     IS_ERR(rqstp) ? PTR_ERR(rqstp) : 0);
>>     return rqstp;
>> @@ -228,6 +225,11 @@ static inline void nfs_callback_bc_serv(u32 minorversion, struct
rpc_xprt *xprt,
>>     xprt->bc_serv = cb_info->serv;
>> }
>> #else
>> +static int nfs41_callback_up_net(struct svc_serv *serv, struct net *net)
>> +{
>> + return 0;
>> +}
>> +

```

```

>> static inline int nfs_minorversion_callback_svc_setup(u32 minorversion,
>>   struct svc_serv *serv, struct rpc_xprt *xprt,
>>   struct svc_rqst **rqstp, int (**callback_svc)(void *vrqstp))
>> @@ -241,6 +243,36 @@ static inline void nfs_callback_bc_serv(u32 minorversion, struct
>>   rpc_xprt *xprt,
>> }
>> #endif /* CONFIG_NFS_V4_1 */
>>
>> +static int nfs_callback_up_net(int minorversion, struct svc_serv *serv, struct net *net)
>> +{
>> + int ret;
>> +
>> + dprintk("NFS: create per-net callback data; net=%p\n", net);
>> +
>> + ret = svc_bind(serv, net);
>> + if (ret < 0) {
>> + printk(KERN_WARNING "NFS: bind callback service failed\n");
>> + goto err_bind;
>> + }
>> +
>> + if (minorversion) {
>> + ret = nfs41_callback_up_net(serv, net);
>> + if (ret < 0)
>> + goto err_socks;
>> + }
>> +
>> + if (ret == 0)
>> + ret = nfs4_callback_up_net(serv, net);
>
> So in the minorversion 1 case, and in the absence of errors, you set up
> both the 4.1 and 4.0 callback xprts?
>
> That doesn't look right. You should need only one or the other.
>
```

Thanks for the catch, Bruce.

I'll fix it and resend.

But currently I'm thinking, that for 3.6 kernel probably it's better to push
this code through Trond's tree.

--

Best regards,
Stanislav Kinsbursky