

---

Subject: Re: [PATCH v2 03/11] memcg: change defines to an enum  
Posted by [Michal Hocko](#) on Fri, 10 Aug 2012 15:43:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Thu 09-08-12 17:01:11, Glauber Costa wrote:

> This is just a cleanup patch for clarity of expression. In earlier  
> submissions, people asked it to be in a separate patch, so here it is.  
>  
> [ v2: use named enum as type throughout the file as well ]  
>  
> Signed-off-by: Glauber Costa <glommer@parallels.com>  
> CC: Michal Hocko <mhocko@suse.cz>  
> CC: Johannes Weiner <jannes@cmpxchg.org>  
> Acked-by: Kamezawa Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

Acked-by: Michal Hocko <mhocko@suse.cz>

> ---  
> mm/memcontrol.c | 26 ++++++-----  
> 1 file changed, 16 insertions(+), 10 deletions(-)  
>  
> diff --git a/mm/memcontrol.c b/mm/memcontrol.c  
> index 2cef99a..b0e29f4 100644  
> --- a/mm/memcontrol.c  
> +++ b/mm/memcontrol.c  
> @@ -393,9 +393,12 @@ enum charge\_type {  
> };  
>  
> /\* for encoding cft->private value on file \*/  
> -#define \_MEM\_ (0)  
> -#define \_MEMSWAP\_ (1)  
> -#define \_OOM\_TYPE\_ (2)  
> +enum res\_type {  
> + \_MEM,  
> + \_MEMSWAP,  
> + \_OOM\_TYPE,  
> +};  
> +  
> #define MEMFILE\_PRIVATE(x, val) ((x) << 16 | (val))  
> #define MEMFILE\_TYPE(val) ((val) >> 16 & 0xffff)  
> #define MEMFILE\_ATTR(val) ((val) & 0xffff)  
> @@ -3983,7 +3986,8 @@ static ssize\_t mem\_cgroup\_read(struct cgroup \*cont, struct cftype \*cft,  
> struct mem\_cgroup \*memcg = mem\_cgroup\_from\_cont(cont);  
> char str[64];  
> u64 val;  
> - int type, name, len;  
> + int name, len;

```

> + enum res_type type;
>
>   type = MEMFILE_TYPE(cft->private);
>   name = MEMFILE_ATTR(cft->private);
> @@ -4019,7 +4023,8 @@ static int mem_cgroup_write(struct cgroup *cont, struct cftype *cft,
>     const char *buffer)
> {
>   struct mem_cgroup *memcg = mem_cgroup_from_cont(cont);
> - int type, name;
> + enum res_type type;
> + int name;
>   unsigned long long val;
>   int ret;
>
> @@ -4095,7 +4100,8 @@ out:
> static int mem_cgroup_reset(struct cgroup *cont, unsigned int event)
> {
>   struct mem_cgroup *memcg = mem_cgroup_from_cont(cont);
> - int type, name;
> + int name;
> + enum res_type type;
>
>   type = MEMFILE_TYPE(event);
>   name = MEMFILE_ATTR(event);
> @@ -4423,7 +4429,7 @@ static int mem_cgroup_usage_register_event(struct cgroup *cgrp,
>   struct mem_cgroup *memcg = mem_cgroup_from_cont(cgrp);
>   struct mem_cgroup_thresholds *thresholds;
>   struct mem_cgroup_threshold_ary *new;
> - int type = MEMFILE_TYPE(cft->private);
> + enum res_type type = MEMFILE_TYPE(cft->private);
>   u64 threshold, usage;
>   int i, size, ret;
>
> @@ -4506,7 +4512,7 @@ static void mem_cgroup_usage_unregister_event(struct cgroup
> *cgrp,
>   struct mem_cgroup *memcg = mem_cgroup_from_cont(cgrp);
>   struct mem_cgroup_thresholds *thresholds;
>   struct mem_cgroup_threshold_ary *new;
> - int type = MEMFILE_TYPE(cft->private);
> + enum res_type type = MEMFILE_TYPE(cft->private);
>   u64 usage;
>   int i, j, size;
>
> @@ -4584,7 +4590,7 @@ static int mem_cgroup_oom_register_event(struct cgroup *cgrp,
> {
>   struct mem_cgroup *memcg = mem_cgroup_from_cont(cgrp);
>   struct mem_cgroup_eventfd_list *event;
> - int type = MEMFILE_TYPE(cft->private);

```

```
> + enum res_type type = MEMFILE_TYPE(cft->private);
>
> BUG_ON(type != _OOM_TYPE);
> event = kmalloc(sizeof(*event), GFP_KERNEL);
> @@ -4609,7 +4615,7 @@ static void mem_cgroup_oom_unregister_event(struct cgroup *cgrp,
> {
> struct mem_cgroup *memcg = mem_cgroup_from_cont(cgrp);
> struct mem_cgroup_eventfd_list *ev, *tmp;
> - int type = MEMFILE_TYPE(cft->private);
> + enum res_type type = MEMFILE_TYPE(cft->private);
>
> BUG_ON(type != _OOM_TYPE);
>
> --
> 1.7.11.2
>
> --
> To unsubscribe from this list: send the line "unsubscribe cgroups" in
> the body of a message to majordomo@vger.kernel.org
> More majordomo info at http://vger.kernel.org/majordomo-info.html
```

--  
Michał Hocko  
SUSE Labs

---