

---

Subject: Re: [PATCH v2 05/11] Add a \_\_GFP\_KMEMCG flag  
Posted by [KAMEZAWA Hiroyuki](#) on Fri, 10 Aug 2012 17:07:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

(2012/08/09 22:01), Glauber Costa wrote:

> This flag is used to indicate to the callees that this allocation is a  
> kernel allocation in process context, and should be accounted to  
> current's memcg. It takes numerical place of the of the recently removed  
> \_\_GFP\_NO\_KSWAPD.  
>  
> Signed-off-by: Glauber Costa <glommer@parallels.com>  
> CC: Christoph Lameter <cl@linux.com>  
> CC: Pekka Enberg <penberg@cs.helsinki.fi>  
> CC: Michal Hocko <mhocko@suse.cz>  
> CC: Kamezawa Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>  
> CC: Johannes Weiner <jannes@cmpxchg.org>  
> CC: Suleiman Souhlal <suleiman@google.com>  
> CC: Rik van Riel <riel@redhat.com>  
> CC: Mel Gorman <mel@csn.ul.ie>

Okay, so, only memcg-aware allocations are accounted.  
It seems a safe way to go.

Acked-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

---