
Subject: [PATCH v4 01/10] NFS: pass net to nfs_callback_down()
Posted by Stanislav Kinsbursky on Mon, 20 Aug 2012 14:00:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
fs/nfs/callback.c |  4 +---  
fs/nfs/callback.h |  2 +-  
fs/nfs/nfs4client.c|  2 +-  
3 files changed, 4 insertions(+), 4 deletions(-)
```

```
diff --git a/fs/nfs/callback.c b/fs/nfs/callback.c  
index 4c8459e..51297b2 100644  
--- a/fs/nfs/callback.c  
+++ b/fs/nfs/callback.c  
@@ -301,7 +301,7 @@ out_err:  
/*  
 * Kill the callback thread if it's no longer being used.  
 */  
-void nfs_callback_down(int minorversion)  
+void nfs_callback_down(int minorversion, struct net *net)  
{  
    struct nfs_callback_data *cb_info = &nfs_callback_info[minorversion];  
  
@@ -309,7 +309,7 @@ void nfs_callback_down(int minorversion)  
    cb_info->users--;  
    if (cb_info->users == 0 && cb_info->task != NULL) {  
        kthread_stop(cb_info->task);  
-    svc_shutdown_net(cb_info->serv, &init_net);  
+    svc_shutdown_net(cb_info->serv, net);  
    svc_exit_thread(cb_info->rqst);  
    cb_info->serv = NULL;  
    cb_info->rqst = NULL;  
diff --git a/fs/nfs/callback.h b/fs/nfs/callback.h  
index b44d7b1..3094044 100644  
--- a/fs/nfs/callback.h  
+++ b/fs/nfs/callback.h  
@@ -194,7 +194,7 @@ extern __be32 nfs4_callback_recall(struct cb_recallargs *args, void  
*dummy,  
    struct cb_process_state *cps);  
#if IS_ENABLED(CONFIG_NFS_V4)  
extern int nfs_callback_up(u32 minorversion, struct rpc_xprt *xprt);  
-extern void nfs_callback_down(int minorversion);  
+extern void nfs_callback_down(int minorversion, struct net *net);  
extern int nfs4_validate_delegation_stateid(struct nfs_delegation *delegation,  
    const nfs4_stateid *stateid);  
extern int nfs4_set_callback_sessionid(struct nfs_client *clp);  
diff --git a/fs/nfs/nfs4client.c b/fs/nfs/nfs4client.c
```

```
index b895629..1dfa13 100644
--- a/fs/nfs/nfs4client.c
+++ b/fs/nfs/nfs4client.c
@@ -85,7 +85,7 @@ error:
 static void nfs4_destroy_callback(struct nfs_client *clp)
 {
 if (__test_and_clear_bit(NFS_CS_CALLBACK, &clp->cl_res_state))
- nfs_callback_down(clp->cl_mvops->minor_version);
+ nfs_callback_down(clp->cl_mvops->minor_version, &init_net);
 }

 static void nfs4_shutdown_client(struct nfs_client *clp)
```
