
Subject: [PATCH 4/6] fuse: rework fuse_readpages()
Posted by [Maxim Patlasov](#) on Fri, 07 Sep 2012 17:41:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

The patch uses 'nr_pages' argument of fuse_readpages() as the heuristics for number of page pointers to allocate.

This can be improved further by taking in consideration fc->max_read and gaps between page indices, but it's not clear whether it's worthy or not.

```
fs/fuse/file.c | 10 ++++++---  
1 files changed, 8 insertions(+), 2 deletions(-)
```

```
diff --git a/fs/fuse/file.c b/fs/fuse/file.c  
index c811f3d..9a6dcc6 100644
```

```
--- a/fs/fuse/file.c
```

```
+++ b/fs/fuse/file.c
```

```
@@ -641,6 +641,7 @@ struct fuse_fill_data {  
    struct fuse_req *req;  
    struct file *file;  
    struct inode *inode;  
+ unsigned nr_pages;  
};
```

```
static int fuse_readpages_fill(void *_data, struct page *page)  
@@ -656,8 +657,10 @@ static int fuse_readpages_fill(void *_data, struct page *page)  
    (req->num_pages == FUSE_MAX_PAGES_PER_REQ ||  
     (req->num_pages + 1) * PAGE_CACHE_SIZE > fc->max_read ||  
     req->pages[req->num_pages - 1]->index + 1 != page->index) {  
+ int nr_alloc = min_t(unsigned, data->nr_pages,  
+     FUSE_MAX_PAGES_PER_REQ);  
    fuse_send_readpages(req, data->file);  
- data->req = req = fuse_get_req_multipage(fc, FUSE_MAX_PAGES_PER_REQ);  
+ data->req = req = fuse_get_req_multipage(fc, nr_alloc);  
    if (IS_ERR(req)) {  
        unlock_page(page);  
        return PTR_ERR(req);  
@@ -666,6 +669,7 @@ static int fuse_readpages_fill(void *_data, struct page *page)  
    page_cache_get(page);  
    req->pages[req->num_pages] = page;  
    req->num_pages++;  
+ data->nr_pages--;  
    return 0;  
}
```

```
@@ -676,6 +680,7 @@ static int fuse_readpages(struct file *file, struct address_space *mapping,  
    struct fuse_conn *fc = get_fuse_conn(inode);  
    struct fuse_fill_data data;
```

```
int err;
+ int nr_alloc = min_t(unsigned, nr_pages, FUSE_MAX_PAGES_PER_REQ);

err = -EIO;
if (is_bad_inode(inode))
@@ -683,7 +688,8 @@ static int fuse_readpages(struct file *file, struct address_space *mapping,

data.file = file;
data.inode = inode;
- data.req = fuse_get_req_multipage(fc, FUSE_MAX_PAGES_PER_REQ);
+ data.req = fuse_get_req_multipage(fc, nr_alloc);
+ data.nr_pages = nr_pages;
err = PTR_ERR(data.req);
if (IS_ERR(data.req))
goto out;
```
