Subject: Re: ploop and mount options
Posted by Corin Langosch on Wed, 12 Sep 2012 11:59:57 GMT
View Forum Message <> Reply to Message

On 08.09.2012 at 15:31 +0200, Kir Kolyshkin < kir@openvz.org> wrote:

>

- > In fact I just implemented that as a --mount opts option to vzctl set.
- > See these git commits:
- > http://git.openvz.org/?p=vzctl;a=commit;h=af95fbdf
- > http://git.openvz.org/?p=vzctl;a=commit;h=287d0d
- > http://git.openvz.org/?p=vzctl;a=commit;h=7eb61c

>

> Feel free to test and report your results.

That's really great news. :)

I just checked out the repo and tried to compile with:

./autogen.sh ./configure --prefix=/usr

Now configure complains:

checking ploop/dynload.h usability... no checking ploop/dynload.h presence... no checking for ploop/dynload.h... no configure: error:

The ploop library headers not found or way too old. You need to either install recent ploop library headers (most probably ploop-devel package), or use ./configure --without-ploop

Now I also checked out the repo "ploop", but is doesn't contain the missing file "dynload.h". Where can I get it?

I also wonder how to build the nice tar.gz archives which can be found on the website. Is there some script to build them once compilation succeeds?

Corin