

---

Subject: [PATCH 06/11] fuse: rework fuse\_do\_ioctl()  
Posted by [Maxim Patlasov](#) on Wed, 19 Sep 2012 16:32:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fuse\_do\_ioctl() already calculates the number of pages it's going to use. It is stored in 'num\_pages' variable. So the patch simply uses it for allocating fuse\_req.

Signed-off-by: Maxim Patlasov <[mpatlasov@parallels.com](mailto:mpatlasov@parallels.com)>

---

fs/fuse/file.c | 2 +-  
1 files changed, 1 insertions(+), 1 deletions(-)

```
diff --git a/fs/fuse/file.c b/fs/fuse/file.c
index d72d638..08899a6 100644
--- a/fs/fuse/file.c
+++ b/fs/fuse/file.c
@@ -1893,7 +1893,7 @@ long fuse_do_ioctl(struct file *file, unsigned int cmd, unsigned long
arg,
    num_pages++;
}

- req = fuse_get_req(fc, FUSE_MAX_PAGES_PER_REQ);
+ req = fuse_get_req(fc, num_pages);
if (IS_ERR(req)) {
    err = PTR_ERR(req);
    req = NULL;
```

---