
Subject: Re: [PATCH v3 06/16] memcg: infrastructure to match an allocation to the right cache

Posted by [Glauber Costa](#) on Tue, 25 Sep 2012 13:57:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 09/24/2012 09:56 PM, Tejun Heo wrote:

> Hello, Glauber.

>

> On Mon, Sep 24, 2012 at 12:46:35PM +0400, Glauber Costa wrote:

>>>> + #ifdef CONFIG_MEMCG_KMEM

>>>> + /* Slab accounting */

>>>> + struct kmem_cache *slabs[MAX_KMEM_CACHE_TYPES];

>>>> + #endif

>>>

>>> Bah, 400 entry array in struct mem_cgroup. Can't we do something a bit more flexible?

>>>

>>

>> I guess. I still would like it to be an array, so we can easily access its fields. There are two ways around this:

>>

>> 1) Do like the events mechanism and allocate this in a separate structure. Add a pointer chase in the access, and I don't think it helps much because it gets allocated anyway. But we could at least defer it to the time when we limit the cache.

>

> Start at some reasonable size and then double it as usage grows? How many kmem_caches do we typically end up using?

>

So my Fedora box here, recently booted on a Fedora kernel, will have 111 caches. How would 150 sound to you?
