
Subject: Re: [PATCH v5 01/10] ipc: remove forced assignment of selected message
Posted by [Stanislav Kinsbursky](#) on Thu, 27 Sep 2012 06:53:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

> Quoting Stanislav Kinsbursky (skinsbursky@parallels.com):
>> This is a cleanup patch. The assignment is redundant.
>>
>> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
>> ---
>> ipc/msg.c | 1 -
>> 1 files changed, 0 insertions(+), 1 deletions(-)
>>
>> diff --git a/ipc/msg.c b/ipc/msg.c
>> index 7385de2..f3bfbb8 100644
>> --- a/ipc/msg.c
>> +++ b/ipc/msg.c
>> @@ -787,7 +787,6 @@ long do_msgrcv(int msqid, long *pmtyp, void __user *mtext,
>> !security_msg_queue_msgrcv(msq, walk_msg, current,
>> msgtyp, mode)) {
>>
>> - msg = walk_msg;
>> if (mode == SEARCH_LESSEQUAL &&
>> walk_msg->m_type != 1) {
>> msg = walk_msg;
>>
> Perhaps your tree is different from mine, but it looks to me like it would
> be simpler to remove the 'msg = walk_msg' from both the 'if' and 'else',
> and keep them above the if/else?
>

Yep, thanks. Will update.

--
Best regards,
Stanislav Kinsbursky
