
Subject: Re: [PATCH v5 04/14] kmem accounting basic infrastructure
Posted by [Michal Hocko](#) on Tue, 16 Oct 2012 12:14:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tue 16-10-12 14:16:41, Glauber Costa wrote:

> This patch adds the basic infrastructure for the accounting of kernel
> memory. To control that, the following files are created:
>
> * memory.kmem.usage_in_bytes
> * memory.kmem.limit_in_bytes
> * memory.kmem.failcnt
> * memory.kmem.max_usage_in_bytes
>
> They have the same meaning of their user memory counterparts. They
> reflect the state of the "kmem" res_counter.
>
> Per cgroup kmem memory accounting is not enabled until a limit is set
> for the group. Once the limit is set the accounting cannot be disabled
> for that group. This means that after the patch is applied, no
> behavioral changes exists for whoever is still using memcg to control
> their memory usage, until memory.kmem.limit_in_bytes is set for the
> first time.
>
> We always account to both user and kernel resource_counters. This
> effectively means that an independent kernel limit is in place when the
> limit is set to a lower value than the user memory. A equal or higher
> value means that the user limit will always hit first, meaning that kmem
> is effectively unlimited.
>
> People who want to track kernel memory but not limit it, can set this
> limit to a very high number (like RESOURCE_MAX - 1page - that no one
> will ever hit, or equal to the user memory)
>
> [v4: make kmem files part of the main array;
> do not allow limit to be set for non-empty cgroups]
> [v5: cosmetic changes]
>
> Signed-off-by: Glauber Costa <glommer@parallels.com>
> Acked-by: Kamezawa Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>
> CC: Michal Hocko <mhocko@suse.cz>
> CC: Johannes Weiner <hannes@cmpxchg.org>
> CC: Tejun Heo <tj@kernel.org>

Acked-by: Michal Hocko <mhocko@suse.cz>

> ---

> mm/memcontrol.c | 116

+++++

```

> 1 file changed, 115 insertions(+), 1 deletion(-)
>
> diff --git a/mm/memcontrol.c b/mm/memcontrol.c
> index 71d259e..30eafeb 100644
> --- a/mm/memcontrol.c
> +++ b/mm/memcontrol.c
> @@ -266,6 +266,10 @@ struct mem_cgroup {
> };
>
> /*
> + * the counter to account for kernel memory usage.
> + */
> + struct res_counter kmem;
> + /*
> + * Per cgroup active and inactive list, similar to the
> + * per zone LRU lists.
> + */
> @@ -280,6 +284,7 @@ struct mem_cgroup {
> + * Should the accounting and control be hierarchical, per subtree?
> + */
> + bool use_hierarchy;
> + unsigned long kmem_accounted; /* See KMEM_ACCOUNTED_*, below */
>
> + bool oom_lock;
> + atomic_t under_oom;
> @@ -332,6 +337,20 @@ struct mem_cgroup {
> #endif
> };
>
> +/* internal only representation about the status of kmem accounting. */
> +enum {
> + KMEM_ACCOUNTED_ACTIVE = 0, /* accounted by this cgroup itself */
> +};
> +
> +#define KMEM_ACCOUNTED_MASK (1 << KMEM_ACCOUNTED_ACTIVE)
> +
> +#ifdef CONFIG_MEMCG_KMEM
> +static void memcg_kmem_set_active(struct mem_cgroup *memcg)
> +{
> + set_bit(KMEM_ACCOUNTED_ACTIVE, &memcg->kmem_accounted);
> +}
> +#endif
> +
> + /* Stuffs for move charges at task migration. */
> + /*
> + * Types of charges to be moved. "move_charge_at_immitgrate" is treated as a
> + @@ -390,6 +409,7 @@ enum res_type {
> + _MEM,

```

```

> _MEMSWAP,
> _OOM_TYPE,
> + _KMEM,
> };
>
> #define MEMFILE_PRIVATE(x, val) ((x) << 16 | (val))
> @@ -1433,6 +1453,10 @@ done:
> res_counter_read_u64(&memcg->memsw, RES_USAGE) >> 10,
> res_counter_read_u64(&memcg->memsw, RES_LIMIT) >> 10,
> res_counter_read_u64(&memcg->memsw, RES_FAILCNT));
> + printk(KERN_INFO "kmem: usage %lluB, limit %lluB, failcnt %llu\n",
> + res_counter_read_u64(&memcg->kmem, RES_USAGE) >> 10,
> + res_counter_read_u64(&memcg->kmem, RES_LIMIT) >> 10,
> + res_counter_read_u64(&memcg->kmem, RES_FAILCNT));
> }
>
> /*
> @@ -3940,6 +3964,9 @@ static ssize_t mem_cgroup_read(struct cgroup *cont, struct cftype
*cft,
> else
> val = res_counter_read_u64(&memcg->memsw, name);
> break;
> + case _KMEM:
> + val = res_counter_read_u64(&memcg->kmem, name);
> + break;
> default:
> BUG();
> }
> @@ -3947,6 +3974,57 @@ static ssize_t mem_cgroup_read(struct cgroup *cont, struct cftype
*cft,
> len = scnprintf(str, sizeof(str), "%llu\n", (unsigned long long)val);
> return simple_read_from_buffer(buf, nbytes, ppos, str, len);
> }
> +
> +static int memcg_update_kmem_limit(struct cgroup *cont, u64 val)
> +{
> + int ret = -EINVAL;
> + #ifdef CONFIG_MEMCG_KMEM
> + struct mem_cgroup *memcg = mem_cgroup_from_cont(cont);
> + /*
> + * For simplicity, we won't allow this to be disabled. It also can't
> + * be changed if the cgroup has children already, or if tasks had
> + * already joined.
> + *
> + * If tasks join before we set the limit, a person looking at
> + * kmem.usage_in_bytes will have no way to determine when it took
> + * place, which makes the value quite meaningless.
> + *

```

```

> + * After it first became limited, changes in the value of the limit are
> + * of course permitted.
> + *
> + * Taking the cgroup_lock is really offensive, but it is so far the only
> + * way to guarantee that no children will appear. There are plenty of
> + * other offenders, and they should all go away. Fine grained locking
> + * is probably the way to go here. When we are fully hierarchical, we
> + * can also get rid of the use_hierarchy check.
> + */
> + cgroup_lock();
> + mutex_lock(&set_limit_mutex);
> + if (!memcg->kmem_accounted && val != RESOURCE_MAX) {
> +   if (cgroup_task_count(cont) || (memcg->use_hierarchy &&
> +     !list_empty(&cont->children))) {
> +     ret = -EBUSY;
> +     goto out;
> +   }
> +   ret = res_counter_set_limit(&memcg->kmem, val);
> +   VM_BUG_ON(ret);
> +
> +   memcg_kmem_set_active(memcg);
> + } else
> +   ret = res_counter_set_limit(&memcg->kmem, val);
> +out:
> + mutex_unlock(&set_limit_mutex);
> + cgroup_unlock();
> + #endif
> + return ret;
> +}
> +
> +static void memcg_propagate_kmem(struct mem_cgroup *memcg,
> +   struct mem_cgroup *parent)
> +{
> +   memcg->kmem_accounted = parent->kmem_accounted;
> +}
> +
> +/*
> + * The user of this function is...
> + * RES_LIMIT.
> + @@ -3978,8 +4056,12 @@ static int mem_cgroup_write(struct cgroup *cont, struct cftype *cft,
> +   break;
> +   if (type == _MEM)
> +     ret = mem_cgroup_resize_limit(memcg, val);
> - else
> + else if (type == _MEMSWAP)
> +   ret = mem_cgroup_resize_memsw_limit(memcg, val);
> + else if (type == _KMEM)
> +   ret = memcg_update_kmem_limit(cont, val);

```

```

> + else
> + return -EINVAL;
> break;
> case RES_SOFT_LIMIT:
> ret = res_counter_memparse_write_strategy(buffer, &val);
> @@ -4045,12 +4127,16 @@ static int mem_cgroup_reset(struct cgroup *cont, unsigned int
event)
> case RES_MAX_USAGE:
> if (type == _MEM)
> res_counter_reset_max(&memcg->res);
> + else if (type == _KMEM)
> + res_counter_reset_max(&memcg->kmem);
> else
> res_counter_reset_max(&memcg->memsw);
> break;
> case RES_FAILCNT:
> if (type == _MEM)
> res_counter_reset_failcnt(&memcg->res);
> + else if (type == _KMEM)
> + res_counter_reset_failcnt(&memcg->kmem);
> else
> res_counter_reset_failcnt(&memcg->memsw);
> break;
> @@ -4728,6 +4814,31 @@ static struct cftype mem_cgroup_files[] = {
> .read = mem_cgroup_read,
> },
> #endif
> +#ifdef CONFIG_MEMCG_KMEM
> + {
> + .name = "kmem.limit_in_bytes",
> + .private = MEMFILE_PRIVATE(_KMEM, RES_LIMIT),
> + .write_string = mem_cgroup_write,
> + .read = mem_cgroup_read,
> + },
> + {
> + .name = "kmem.usage_in_bytes",
> + .private = MEMFILE_PRIVATE(_KMEM, RES_USAGE),
> + .read = mem_cgroup_read,
> + },
> + {
> + .name = "kmem.failcnt",
> + .private = MEMFILE_PRIVATE(_KMEM, RES_FAILCNT),
> + .trigger = mem_cgroup_reset,
> + .read = mem_cgroup_read,
> + },
> + {
> + .name = "kmem.max_usage_in_bytes",
> + .private = MEMFILE_PRIVATE(_KMEM, RES_MAX_USAGE),

```

```

> + .trigger = mem_cgroup_reset,
> + .read = mem_cgroup_read,
> + },
> +#endif
> { }, /* terminate */
> };
>
> @@ -4973,6 +5084,7 @@ mem_cgroup_create(struct cgroup *cont)
> if (parent && parent->use_hierarchy) {
> res_counter_init(&memcg->res, &parent->res);
> res_counter_init(&memcg->memsw, &parent->memsw);
> + res_counter_init(&memcg->kmem, &parent->kmem);
> /*
> * We increment refcnt of the parent to ensure that we can
> * safely access it on res_counter_charge/uncharge.
> @@ -4980,9 +5092,11 @@ mem_cgroup_create(struct cgroup *cont)
> * mem_cgroup(see mem_cgroup_put).
> */
> mem_cgroup_get(parent);
> + memcg_propagate_kmem(memcg, parent);
> } else {
> res_counter_init(&memcg->res, NULL);
> res_counter_init(&memcg->memsw, NULL);
> + res_counter_init(&memcg->kmem, NULL);
> /*
> * Deeper hierarchy with use_hierarchy == false doesn't make
> * much sense so let cgroup subsystem know about this
> --
> 1.7.11.7
>
> --
> To unsubscribe, send a message with 'unsubscribe linux-mm' in
> the body to majordomo@kvack.org. For more info on Linux MM,
> see: http://www.linux-mm.org/ .
> Don't email: <a href=mailto:"dont@kvack.org"> email@kvack.org </a>

```

--
Michal Hocko
SUSE Labs
