
Subject: Re: [PATCH v5 09/14] memcg: kmem accounting lifecycle management
Posted by [Glauber Costa](#) on Thu, 18 Oct 2012 09:42:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 10/18/2012 03:28 AM, David Rientjes wrote:

> On Tue, 16 Oct 2012, Glauber Costa wrote:

```
>
>> diff --git a/mm/memcontrol.c b/mm/memcontrol.c
>> index 1182188..e24b388 100644
>> --- a/mm/memcontrol.c
>> +++ b/mm/memcontrol.c
>> @@ -344,6 +344,7 @@ struct mem_cgroup {
>> /* internal only representation about the status of kmem accounting. */
>> enum {
>>     KMEM_ACCOUNTED_ACTIVE = 0, /* accounted by this cgroup itself */
>>     + KMEM_ACCOUNTED_DEAD, /* dead memcg, pending kmem charges */
>
> "dead memcg with pending kmem charges" seems better.
>
ok.

>> };
>>
>> #define KMEM_ACCOUNTED_MASK (1 << KMEM_ACCOUNTED_ACTIVE)
>> @@ -353,6 +354,22 @@ static void memcg_kmem_set_active(struct mem_cgroup *memcg)
>> {
>>     set_bit(KMEM_ACCOUNTED_ACTIVE, &memcg->kmem_accounted);
>> }
>> +
>> +static bool memcg_kmem_is_active(struct mem_cgroup *memcg)
>> +{
>>     return test_bit(KMEM_ACCOUNTED_ACTIVE, &memcg->kmem_accounted);
>> }
>
> I think all of these should be inline.
>
They end up being, to the best of my knowledge the compiler can and will
inline such simple functions regardless of their marking, unless you
explicitly mark them noinline.
```



```
>> +
>> +static void memcg_kmem_mark_dead(struct mem_cgroup *memcg)
>> +{
>>     if (test_bit(KMEM_ACCOUNTED_ACTIVE, &memcg->kmem_accounted))
>>         set_bit(KMEM_ACCOUNTED_DEAD, &memcg->kmem_accounted);
>> }
>
```

> The set_bit() doesn't happen atomically with the test_bit(), what
> synchronization is required for this?
>

I believe the explanation Michal gave in answer to this is comprehensive.
