

---

Subject: Re: [PATCH v6 06/10] glge driver: rename internal SEM\_SET macro to SEM\_INIT

Posted by [Serge E. Hallyn](#) on Tue, 23 Oct 2012 17:26:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quoting Jitendra Kalsaria (jitendra.kalsaria@qlogic.com):

>  
>  
> >From: Serge Hallyn [mailto:serge.hallyn@canonical.com]  
> >Sent: Tuesday, October 23, 2012 9:33 AM  
> >To: Stanislav Kinsbursky  
> >Cc: akpm@linux-foundation.org; catalin.marin@arm.com; will.deacon@arm.com;  
dhowells@redhat.com; manfred@colorfullife.com; hughd@google.com; jmorris@namei.org;  
mtk.manpages@gmail.com; kosaki.motohiro@jp.fujitsu.com; >paulmck@linux.vnet.ibm.com;  
sds@tycho.nsa.gov; devel@openvz.org; a.p.zijlstra@chello.nl; cmetcalf@tilera.com; Dept-Eng  
Linux Driver; Ron Mercer; viro@zeniv.linux.org.uk; eparis@parisplace.org; tglix@linutronix.de;  
Jitendra Kalsaria; >netdev; linux-kernel; linux-security-module@vger.kernel.org;  
ebiederm@xmission.com; casey@schaufler-ca.com  
> >Subject: Re: [PATCH v6 06/10] glge driver: rename internal SEM\_SET macro to SEM\_INIT  
> >  
> >Quoting Stanislav Kinsbursky (skinsbursky@parallels.com):  
> >> The reason for shit patch is that SET\_SET is desired to be a part of new part  
> >> of API of IPC sys\_semctl() system call.  
> >> The name itself for IPC is quite natural, because all linux-specific commands  
> >> names for IPC system calls are originally created by replacing "IPC\_" part by  
> >> "SEM\_"("MSG\_", "SHM\_") part.  
> >> So, I'm hoping, that this change doesn't really matters for "QLogic qlge NIC  
> >  
> >Can't speak for the driver maintainer, but it does look sane.  
> >  
> >Acked-by: Serge E. Hallyn <serge.hallyn@ubuntu.com>  
>  
> I don't get it why you are Acking on old series (V6) when he has already submitted newer V7  
series.

Hm, this is the newest one I've got sitting here queued. I'll look at another mbox. Thanks for the friendly heads up.

---