
Subject: [PATCH 1/5] ipc: wrap new sysctls for CRIU inside
CONFIG_CHECKPOINT_RESTORE

Posted by [Stanislav Kinsbursky](#) on Fri, 26 Oct 2012 11:05:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

This patch set wraps "msg_next_id", "sem_next_id" and "shm_next_id" inside
CONFIG_CHECKPOINT_RESTORE macro.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

ipc/ipc_sysctl.c | 4 ++++

1 files changed, 4 insertions(+), 0 deletions(-)

diff --git a/ipc/ipc_sysctl.c b/ipc/ipc_sysctl.c

index d06d77a..130dfec 100644

--- a/ipc/ipc_sysctl.c

+++ b/ipc/ipc_sysctl.c

@@ -158,7 +158,9 @@ static int proc_ipcauto_dointvec_minmax(ctl_table *table, int write,

static int zero;

static int one = 1;

+#ifdef CONFIG_CHECKPOINT_RESTORE

static int int_max = INT_MAX;

+#endif

static struct ctl_table ipc_kern_table[] = {

{

@@ -228,6 +230,7 @@ static struct ctl_table ipc_kern_table[] = {

.extra1 = &zero,

.extra2 = &one,

},

+#ifdef CONFIG_CHECKPOINT_RESTORE

{

.procname = "sem_next_id",

.data = &init_ipc_ns.ids[IPC_SEM_IDS].next_id,

@@ -255,6 +258,7 @@ static struct ctl_table ipc_kern_table[] = {

.extra1 = &zero,

.extra2 = &int_max,

},

+#endif

}

};
