
Subject: OpenVZ via Veth with Proxmox

Posted by [limitmaker](#) on Mon, 12 Nov 2012 22:19:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm new to networking.

I can gain internet via venet by setting the ip address to 192.16.1.x ; however, this doesn't allow me to set an ip address for each container.

I'm trying to point an ip address to use for a virtual container. I'm guessing I need to use veth?

What I'm Building:

I am using Proxmox to build a Virtual Server Environment with KVM and OpenVZ.

- I have Proxmox Virtual Environment Installed with KVM and OpenVZ.
- I can create a virtual container with venet and gain internet access

My Problem:

- Deciding the best solution on how to enable each network with it's own IP address
- Trying to point an ip address to use for a virtual container.

I have a dedicated server that is being hosted by my provider and it is virtualization capable; however, I do not have experience beyond installing and managing lamp servers on a single IP address.

They have issued to me what appears to be 2 ethernet cards.

I have multiple ip addresses on one NIC (Eth0) that has a vlan with eth0:0, eth0:1, eth0:2, etc.

What is the best way to set up the network to point to my array of IP addresses to different containers or hardware virtualizations?

What should my files show?

pveversion -v

```
pve-manager: 2.2-26 (pve-manager/2.2/c1614c8c)
running kernel: 2.6.32-16-pve
proxmox-ve-2.6.32: 2.2-80
```

pve-kernel-2.6.32-16-pve: 2.6.32-80
lvm2: 2.02.95-1pve2
clvm: 2.02.95-1pve2
corosync-pve: 1.4.4-1
openais-pve: 1.1.4-2
libqb: 0.10.1-2
redhat-cluster-pve: 3.1.93-1
resource-agents-pve: 3.9.2-3
fence-agents-pve: 3.1.9-1
pve-cluster: 1.0-28
qemu-server: 2.0-64
pve-firmware: 1.0-21
libpve-common-perl: 1.0-37
libpve-access-control: 1.0-25
libpve-storage-perl: 2.0-34
vncterm: 1.0-3
vzctl: 4.0-1pve2
vzprocps: 2.0.11-2
vzquota: 3.1-1
pve-qemu-kvm: 1.2-7
kvm-control-daemon: 1.1-1

sysctl -p

net.ipv4.conf.all.rp_filter = 1
net.ipv4.conf.default.forwarding = 1
net.ipv4.conf.default.proxy_arp = 0
kernel.sysrq = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
net.ipv4.ip_forward = 1

ifconfig

eth0 Link encap:Ethernet HWaddr 00:XX:67:6a:XX:e9
inet addr:XX.XX.XX.X7 Bcast:XX.XX.XX.63 Mask:255.255.255.224
inet6 addr: fe80::21e:67ff:fe6a:36e9/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:3685980 errors:0 dropped:0 overruns:0 frame:0
TX packets:2437943 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:2826075165 (2.6 GiB) TX bytes:325157714 (310.0 MiB)
Interrupt:19 Memory:c1b00000-c1b20000

eth0:0 Link encap:Ethernet HWaddr 00:XX:67:6a:XX:e9
inet addr:XX.XX.XX.X4 Bcast:XX.XX.XX.X55 Mask:255.255.255.255
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
Interrupt:19 Memory:c1b00000-c1b20000

eth0:1 Link encap:Ethernet HWaddr 00:XX:67:6a:XX:e9
inet addr:XX.XX.XX.X5 Bcast:XX.XX.XX.X55 Mask:255.255.255.255
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
Interrupt:19 Memory:c1b00000-c1b20000

eth0:2 Link encap:Ethernet HWaddr 00:XX:67:6a:XX:e9
inet addr:XX.XX.XX.X6 Bcast:XX.XX.XX.X55 Mask:255.255.255.255
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
Interrupt:19 Memory:c1b00000-c1b20000

eth0:3 Link encap:Ethernet HWaddr 00:XX:67:6a:XX:e9
inet addr:XX.XX.XX.X7 Bcast:XX.XX.XX.X55 Mask:255.255.255.255
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
Interrupt:19 Memory:c1b00000-c1b20000

lo Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
inet6 addr: ::1/128 Scope:Host
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:32140 errors:0 dropped:0 overruns:0 frame:0
TX packets:32140 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:7208623 (6.8 MiB) TX bytes:7208623 (6.8 MiB)

venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
inet6 addr: fe80::1/128 Scope:Link
UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
RX packets:84 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:3 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:5835 (5.6 KiB) TX bytes:0 (0.0 B)

/etc/network/interfaces

```
# network interface settings
auto lo
iface lo inet loopback

auto eth0
iface eth0 inet static
    address XX.XX.XX.X7
    netmask 255.255.255.224
    gateway XX.XX.XX.X3

iface eth1 inet manual

auto eth0:0
iface eth0:0 inet static
    address XX.XX.XX.X4
    netmask 255.255.255.255

auto eth0:1
iface eth0:1 inet static
    address XX.XX.XX.X5
    netmask 255.255.255.255

auto eth0:2
iface eth0:2 inet static
    address XX.XX.XX.X6
    netmask 255.255.255.255

auto eth0:3
iface eth0:3 inet static
    address XX.XX.XX.X7
    netmask 255.255.255.255
```

I'm lost! Thank you!
