
Subject: Stopping VE hangs

Posted by [claude4334](#) on Wed, 30 Jan 2013 08:02:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all,

I am new to OpenVZ and I am experiencing an issue when trying to stop a VE. I have created the VE from an unmodified template with "vzctl create 668 --ostemplate ubuntu-10.04-x86" then "vzctl start 668 and everything works fine when the VE is running.

The problem comes when I try to stop it using "vzctl stop 668" ; the shutdown child process becomes defunct and vzctl hangs forever. However, when I interrupt it (Ctrl-Z bg), the process exits with a waitpid error. This does not work if I start vzctl detached though (vzctl stop 668 &). Running vzctl stop with strace works, even though waitpid fails (see trace below).

Shutting down the VE from within (vzctl enter 668 ; shutdown -h now) works fine.

My setup is a Ubuntu 12.04 host system with patched kernel 2.6.32 ; vzctl version 4.1.2-11.git.3b72d81. Same problem happened with a Ubuntu 10.04 quest (I upgraded hoping newer libs would solve the problem)

below is the strace result. Thank you for your help

Regards,

Claude

```
-----  
execve("/usr/local/sbin/vzctl", ["vzctl", "stop", "668"], [/* 20 vars */]) = 0  
brk(0)                               = 0x82e9000  
uname({sys="Linux", node="virconel", ...}) = 0  
access("/etc/ld.so.nohwcap", F_OK)    = -1 ENOENT (No such file or directory)  
mmap2(NULL, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =  
0xb7877000  
access("/etc/ld.so.preload", R_OK)   = -1 ENOENT (No such file or directory)  
open("/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 3  
fstat64(3, {st_mode=S_IFREG|0644, st_size=76900, ...}) = 0  
mmap2(NULL, 76900, PROT_READ, MAP_PRIVATE, 3, 0) = 0xb7864000  
close(3)                               = 0  
access("/etc/ld.so.nohwcap", F_OK)   = -1 ENOENT (No such file or directory)  
open("/usr/local/lib/libvzctl-4.1.2-11.git.3b72d81.so", O_RDONLY|O_CLOEXEC) = 3  
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\20d\0\0004\0 \0\0 "..., 512) = 512  
fstat64(3, {st_mode=S_IFREG|0755, st_size=692622, ...}) = 0  
mmap2(NULL, 218716, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) =  
0xb782e000  
mmap2(0xb7861000, 8192, PROT_READ|PROT_WRITE,  
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x32) = 0xb7861000  
mmap2(0xb7863000, 1628, PROT_READ|PROT_WRITE,  
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xb7863000
```

```

close(3) = 0
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/i386-linux-gnu/libdl.so.2", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\n\0\0004\0\0\0 "..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0644, st_size=13940, ...}) = 0
mmap2(NULL, 16504, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) =
0xb7829000
mmap2(0xb782c000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2) = 0xb782c000
close(3) = 0
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/i386-linux-gnu/libutil.so.1", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\n\0\0004\0\0\0"... , 512) = 512
fstat64(3, {st_mode=S_IFREG|0644, st_size=9796, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7828000
mmap2(NULL, 12420, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) =
0xb7824000
mmap2(0xb7826000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1) = 0xb7826000
close(3) = 0
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/i386-linux-gnu/libc.so.6", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0000\226\1\000 4\0\0\0 "..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0755, st_size=1730024, ...}) = 0
mmap2(NULL, 1743580, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0)
= 0xb767a000
mprotect(0xb781d000, 4096, PROT_NONE) = 0
mmap2(0xb781e000, 12288, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1a3) = 0xb781e000
mmap2(0xb7821000, 10972, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xb7821000
close(3) = 0
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/usr/lib/i386-linux-gnu/libxml2.so.2", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\271\1\0004\0\0\0 "..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0644, st_size=1360484, ...}) = 0
mmap2(NULL, 1362932, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0)
= 0xb752d000
mmap2(0xb7674000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x147) = 0xb7674000
mmap2(0xb7679000, 3060, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xb7679000
close(3) = 0
access("/etc/ld.so.nohwcap", F_OK) = -1 ENOENT (No such file or directory)
open("/lib/libcgroup.so.1", O_RDONLY|O_CLOEXEC) = 3
read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\300&\0\0 004\0\0\0 "..., 512) = 512
fstat64(3, {st_mode=S_IFREG|0644, st_size=67432, ...}) = 0

```



```

mprotect(0xb72d3000, 4096, PROT_READ) = 0
mprotect(0xb782c000, 4096, PROT_READ) = 0
mprotect(0xb7674000, 16384, PROT_READ) = 0
mprotect(0xb7826000, 4096, PROT_READ) = 0
mprotect(0xb7861000, 4096, PROT_READ) = 0
mprotect(0x8055000, 4096, PROT_READ) = 0
mprotect(0xb7899000, 4096, PROT_READ) = 0
munmap(0xb7864000, 76900) = 0
set_tid_address(0xb72639e8) = 5240
set_robust_list(0xb72639f0, 0xc) = 0
futex(0xbfd6e274, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 1, NULL,
b7263980) = -1 EAGAIN (Resource temporarily unavailable)
rt_sigaction(SIGRTMIN, {0xb726a570, [], SA_RESTORER|SA_SIGINFO, 0xb7273f30}, NULL, 8)
= 0
rt_sigaction(SIGRT_1, {0xb726a5f0, [], SA_RESTORER|SA_RESTART|SA_SIGINFO,
0xb7273f30}, NULL, 8) = 0
rt_sigprocmask(SIG_UNBLOCK, [RTMIN RT_1], NULL, 8) = 0
getrlimit(RLIMIT_STACK, {rlim_cur=8192*1024, rlim_max=RLIM_INFINITY}) = 0
uname({sys="Linux", node="virconel", ...}) = 0
brk(0) = 0x82e9000
brk(0x830a000) = 0x830a000
rt_sigaction(SIGPIPE, {SIG_IGN, [], SA_RESTORER, 0xb76a8288}, NULL, 8) = 0
openat(AT_FDCWD, "/usr/local/libexec/vzctl/modules",
O_RDONLY|O_NONBLOCK|O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 3
getdents64(3, /* 2 entries */, 32768) = 48
stat64("/usr/local/libexec/vzctl/modules/..", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
stat64("/usr/local/libexec/vzctl/modules/.", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
getdents64(3, /* 0 entries */, 32768) = 0
close(3) = 0
open("/etc/vz/vz.conf", O_RDONLY|O_LARGEFILE) = 3
stat64("/etc/vz/vz.conf", {st_mode=S_IFREG|0644, st_size=1404, ...}) = 0
fstat64(3, {st_mode=S_IFREG|0644, st_size=1404, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7876000
read(3, "## Global parameters\nVIRTUOZZO=y"..., 4096) = 1404
read(3, "", 4096) = 0
close(3) = 0
munmap(0xb7876000, 4096) = 0
open("/var/log/vzctl.log", O_WRONLY|O_CREAT|O_APPEND|O_LARGEFILE, 0666) = 3
fstat64(3, {st_mode=S_IFREG|0644, st_size=17940, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xb7876000
fstat64(3, {st_mode=S_IFREG|0644, st_size=17940, ...}) = 0
_llseek(3, 17940, [17940], SEEK_SET) = 0
stat64("/etc/vz/conf/668.conf", {st_mode=S_IFREG|0644, st_size=1608, ...}) = 0
open("/etc/vz/conf/668.conf", O_RDONLY|O_LARGEFILE) = 4
stat64("/etc/vz/conf/668.conf", {st_mode=S_IFREG|0644, st_size=1608, ...}) = 0
fstat64(4, {st_mode=S_IFREG|0644, st_size=1608, ...}) = 0

```



```
waitpid(5241, 0xbfd6ccac, 0) = -1 ECHILD (No child processes)
--- SIGCHLD (Child exited) @ 0 (0) ---
write(2, "Error in waitpid(5241)", 22Error in waitpid(5241)) = 22
write(2, ": No child processes", 20: No child processes) = 20
write(2, "\n", 1
) = 1
time(NULL) = 1359532812
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2945, ...}) = 0
write(3, "2013-01-30T09:00:12+0100 vzctl :"... , 85) = 85
write(1, "Killing container ... \n", 22Killing container ...
) = 22
time(NULL) = 1359532812
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2945, ...}) = 0
write(3, "2013-01-30T09:00:12+0100 vzctl :"... , 64) = 64
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0xb72639e8) = 5244
waitpid(5244, 0xbfd6ccac, 0) = -1 ECHILD (No child processes)
--- SIGCHLD (Child exited) @ 0 (0) ---
write(2, "Error in waitpid(5244)", 22Error in waitpid(5244)) = 22
write(2, ": No child processes", 20: No child processes) = 20
write(2, "\n", 1
) = 1
time(NULL) = 1359532812
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2945, ...}) = 0
write(3, "2013-01-30T09:00:12+0100 vzctl :"... , 85) = 85
write(2, "Unable to stop container", 24Unable to stop container) = 24
write(2, "\n", 1
) = 1
time(NULL) = 1359532812
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2945, ...}) = 0
write(3, "2013-01-30T09:00:12+0100 vzctl :"... , 67) = 67
unlink("/vz/lock/668.lck") = 0
close(4) = 0
close(3) = 0
munmap(0xb7876000, 4096) = 0
exit_group(3) = ?
```
