
Subject: Re: Networking problem

Posted by [exotic2013](#) on Sun, 10 Feb 2013 18:54:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Linux XXX-55-141-13.phx.dedicated.codero.com 2.6.32-042stab072.10.debug #1 SMP Wed Jan 16 19:10:00 MSK 2013 x86_64 x86_64 x86_64 GNU/Linux

vzctl version 3.3

CTID	NPROC	STATUS	IP_ADDR	HOSTNAME
101	58	running	XXX.55.141.14	zxwebhosting.com
102	15	running	XXX.55.141.16	zxgamers.com

NAMESERVER="69.64.66.11 69.64.66.10"
KMEMSIZE="4762632192"
NUMPROC="unlimited"
VMGUARPAGES="unlimited"
NUMTCPSOCK="unlimited"
TCPSNDBUF="unlimited"
TCPRCVBUF="unlimited"
NUMOTHERSOCK="unlimited"
LOCKEDPAGES="1162752"
PRIVVMPAGES="unlimited"
SHMPAGES="unlimited"
OOMGUARPAGES="unlimited"
NUMFLOCK="unlimited"
NUMPTY="unlimited"
OTHERSOCKBUF="unlimited"
DGRAMRCVBUF="unlimited"
NUMFILE="unlimited"
DISKSPACE="26214400:26214400"
DISKINODES="13107200:13107200"
PHYSPAGES="0:2325504"
NUMSIGINFO="unlimited"
DCACHESIZE="2381316096"
NUMIPTENT="unlimited"
CPUUNITS="3000"
CPULIMIT="800"
CPUS="6"
AVNUMPROC="unlimited"
SWAPPAGES="0:786432"
QUOTATIME="0"
QUOTAUGIDLIMIT="9223372036854775807"
IP_ADDRESS="XXX.55.141.16"
DISABLED="no"
VE_ROOT="/vz/root/\$VEID"

```
VE_PRIVATE="/vz/private/$VEID"
OSTEMPLATE="centos-4-x86_64"
ORIGIN_SAMPLE="102"
DEVICES="c:10:200:rw c:108:0:rw "
CAPABILITY=" NET_ADMIN:on"
DEVNODES="net/tun:rw "
```

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue state UNKNOWN
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP qlen 1000
    link/ether 00:25:90:7a:75:96 brd ff:ff:ff:ff:ff:ff
    inet 10.132.3.164/27 brd 10.132.3.191 scope global eth0
    inet6 fe80::225:90ff:fe7a:7596/64 scope link
        valid_lft forever preferred_lft forever
3: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP qlen 1000
    link/ether 00:25:90:7a:75:97 brd ff:ff:ff:ff:ff:ff
    inet XXX.55.141.13/24 brd XXX.55.141.255 scope global eth1
    inet6 fe80::225:90ff:fe7a:7597/64 scope link
        valid_lft forever preferred_lft forever
4: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
state UNKNOWN
    link/void
    inet6 fe80::1/128 scope link
        valid_lft forever preferred_lft forever
```

```
XXX.55.141.14 dev venet0 scope link
XXX.55.141.15 dev venet0 scope link
XXX.55.141.16 dev venet0 scope link
10.132.3.160/27 dev eth0 proto kernel scope link src 10.132.3.164
XXX.55.141.0/24 dev eth1 proto kernel scope link src 216.55.141.13
169.254.0.0/16 dev eth0 scope link metric 1002
169.254.0.0/16 dev eth1 scope link metric 1003
default via 216.55.141.1 dev eth1
```

Chain INPUT (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

Chain FORWARD (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

```
SOLUSVM_TRAFFIC_IN all -- anywhere      anywhere
SOLUSVM_TRAFFIC_OUT all -- anywhere      anywhere
    all -- zxwebhosting.com  anywhere
    all -- anywhere          zxwebhosting.com
    all -- zxwebhosting.com  anywhere
    all -- anywhere          zxwebhosting.com
    all -- XXX-55-142-16.dedicated.abac.net anywhere
    all -- anywhere          216-55-142-16.dedicated.abac.net
```

Chain OUTPUT (policy ACCEPT)

```
target  prot opt source      destination
```

Chain SOLUSVM_TRAFFIC_IN (1 references)

```
target  prot opt source      destination
    all -- anywhere          216-55-141-16.dedicated.codero.net
    all -- anywhere          zxwebhosting.com
    all -- anywhere          zxwebhosting.com
```

Chain SOLUSVM_TRAFFIC_OUT (1 references)

```
target  prot opt source      destination
    all -- XXX-55-141-16.dedicated.codero.net anywhere
    all -- zxwebhosting.com  anywhere
    all -- zxwebhosting.com  anywhere
```
