
Subject: Re: Networking problem

Posted by [exotic2013](#) on Sun, 10 Feb 2013 18:54:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Linux XXX-55-141-13.phx.dedicated.codero.com 2.6.32-042stab072.10.debug #1 SMP Wed Jan 16 19:10:00 MSK 2013 x86_64 x86_64 x86_64 GNU/Linux

vzctl version 3.3

CTID	NPROC	STATUS	IP_ADDR	HOSTNAME
101	58	running	XXX.55.141.14	zxwebhosting.com
102	15	running	XXX.55.141.16	zxgamers.com

NAMESERVER="69.64.66.11 69.64.66.10"

KMEMSIZE="4762632192"

NUMPROC="unlimited"

VMGUARPAGES="unlimited"

NUMTCPSOCK="unlimited"

TCPSNDBUF="unlimited"

TCPRCVBUF="unlimited"

NUMOTHERSOCK="unlimited"

LOCKEDPAGES="1162752"

PRIVVMPAGES="unlimited"

SHMPAGES="unlimited"

OOMGUARPAGES="unlimited"

NUMFLOCK="unlimited"

NUMPTY="unlimited"

OTHERSOCKBUF="unlimited"

DGRAMRCVBUF="unlimited"

NUMFILE="unlimited"

DISKSPACE="26214400:26214400"

DISKINODES="13107200:13107200"

PHYSPAGES="0:2325504"

NUMSIGINFO="unlimited"

DCACHESIZE="2381316096"

NUMIPTENT="unlimited"

CPUUNITS="3000"

CPULIMIT="800"

CPUS="6"

AVNUMPROC="unlimited"

SWAPPAGES="0:786432"

QUOTATIME="0"

QUOTAUGIDLIMIT="9223372036854775807"

IP_ADDRESS="XXX.55.141.16"

DISABLED="no"

VE_ROOT="/vz/root/\$VEID"

```
VE_PRIVATE="/vz/private/$VEID"
OSTEMPLATE="centos-4-x86_64"
ORIGIN_SAMPLE="102"
DEVICES="c:10:200:rw c:108:0:rw "
CAPABILITY="NET_ADMIN:on"
DEVNODES="net/tun:rw "
```

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue state UNKNOWN
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        inet6 ::1/128 scope host
            valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP qlen 1000
    link/ether 00:25:90:7a:75:96 brd ff:ff:ff:ff:ff:ff
    inet 10.132.3.164/27 brd 10.132.3.191 scope global eth0
        inet6 fe80::225:90ff:fe7a:7596/64 scope link
            valid_lft forever preferred_lft forever
3: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP qlen 1000
    link/ether 00:25:90:7a:75:97 brd ff:ff:ff:ff:ff:ff
    inet XXX.55.141.13/24 brd XXX.55.141.255 scope global eth1
        inet6 fe80::225:90ff:fe7a:7597/64 scope link
            valid_lft forever preferred_lft forever
4: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN
    link/void
    inet6 fe80::1/128 scope link
        valid_lft forever preferred_lft forever
```

```
XXX.55.141.14 dev venet0 scope link
XXX.55.141.15 dev venet0 scope link
XXX.55.141.16 dev venet0 scope link
10.132.3.160/27 dev eth0 proto kernel scope link src 10.132.3.164
XXX.55.141.0/24 dev eth1 proto kernel scope link src 216.55.141.13
169.254.0.0/16 dev eth0 scope link metric 1002
169.254.0.0/16 dev eth1 scope link metric 1003
default via 216.55.141.1 dev eth1
```

```
Chain INPUT (policy ACCEPT)
target     prot opt source          destination
```

```
Chain FORWARD (policy ACCEPT)
target     prot opt source          destination
```

```
SOLUSVM_TRAFFIC_IN all -- anywhere anywhere
SOLUSVM_TRAFFIC_OUT all -- anywhere anywhere
    all -- zxwebhosting.com anywhere
    all -- anywhere      zxwebhosting.com
    all -- zxwebhosting.com anywhere
    all -- anywhere      zxwebhosting.com
    all -- XXX-55-142-16.dedicated.abac.net anywhere
    all -- anywhere      216-55-142-16.dedicated.abac.net
```

Chain OUTPUT (policy ACCEPT)

```
target  prot opt source          destination
```

Chain SOLUSVM_TRAFFIC_IN (1 references)

```
target  prot opt source          destination
    all -- anywhere      216-55-141-16.dedicated.codero.net
    all -- anywhere      zxwebhosting.com
    all -- anywhere      zxwebhosting.com
```

Chain SOLUSVM_TRAFFIC_OUT (1 references)

```
target  prot opt source          destination
    all -- XXX-55-141-16.dedicated.codero.net anywhere
    all -- zxwebhosting.com  anywhere
    all -- zxwebhosting.com  anywhere
```
