
Subject: How to use tc to limit traffic?

Posted by [postcd](#) on Tue, 11 Mar 2014 17:01:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello, how one can use tc (man page) to limit outgoing and incoming traffic on OpenVZ virtual machines?

There is a guide:

https://wiki.openvz.org/Traffic_shaping_with_tc#Limiting_incoming_bandwidth

says:

Quote:

Limiting outgoing bandwidth

We can limit container outgoing bandwidth by setting the tc filter on eth0.

DEV=eth0

```
tc qdisc del dev $DEV root
```

```
tc qdisc add dev $DEV root handle 1: cbq avpkt 1000 bandwidth 100mbit
```

```
tc class add dev $DEV parent 1: classid 1:1 cbq rate 256kbit allot 1500 prio 5 bounded isolated
```

```
tc filter add dev $DEV parent 1: protocol ip prio 16 u32 match ip src X.X.X.X flowid 1:1
```

```
tc qdisc add dev $DEV parent 1:1 sfq perturb 10
```

X.X.X.X is an IP address of container.

[edit] Limiting incoming bandwidth

This can be done by setting the tc filter on venet0:

DEV=venet0

```
tc qdisc del dev $DEV root
```

```
tc qdisc add dev $DEV root handle 1: cbq avpkt 1000 bandwidth 100mbit
```

```
tc class add dev $DEV parent 1: classid 1:1 cbq rate 256kbit allot 1500 prio 5 bounded isolated
```

```
tc filter add dev $DEV parent 1: protocol ip prio 16 u32 match ip dst X.X.X.X flowid 1:1
```

```
tc qdisc add dev $DEV parent 1:1 sfq perturb 10
```

Note that X.X.X.X is an IP address of container.

I see these are commands, probably need to run one by one?

But first is DEV=venet0 and DEV=eth0 , so im unsure how to limit certain container in example?

Thanks if you have any idea
