

---

Subject: Re: Problems with Gentoo template creation  
Posted by [Ronald Tanner](#) on Tue, 15 Aug 2006 07:45:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks. I have just updated the wiki page  
[http://wiki.openvz.org/Gentoo\\_template\\_creation](http://wiki.openvz.org/Gentoo_template_creation)  
with your comments.

one last (?) question remains:  
Don't you think that the steps described in "Set up udev"  
[http://wiki.openvz.org/Gentoo\\_template\\_creation#Set\\_up\\_udev](http://wiki.openvz.org/Gentoo_template_creation#Set_up_udev)  
are obsolete when RC\_DEVICES is set to "static" in /etc/conf.d/rc?

Regards  
Ronald

Kir Kolyshkin wrote:  
> Ronald Tanner wrote:  
>> And there is another step in the preparation of the os template which  
>> needs some explanation. Why do I have to replace /etc/mtab with  
>> a link to /proc/mounts?  
> This is because VE root filesystem is mounted by the host system, not  
> the guest -- and therefore root fs will not appear in /etc/mtab. It will  
> lead to df command non-working.  
>  
> If you will replace /etc/mtab with a symlink to /proc/mounts, you will  
> always have up-to-date information of what is mounted in /etc/mtab.  
--

Ronald Tanner  
SEMAFOR Informatik & Energie AG                      tel. +41 61 690 9888  
Sperrstrasse 104B                                      fax. +41 61 690 9880  
CH 4057 Basel    Switzerland                      mailto:tanner@semafor.ch

---