
Subject: Re: Problems with Gentoo template creation
Posted by [Ronald Tanner](#) on Tue, 15 Aug 2006 07:45:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks. I have just updated the wiki page
http://wiki.openvz.org/Gentoo_template_creation
with your comments.

one last (?) question remains:
Don't you think that the steps described in "Set up udev"
http://wiki.openvz.org/Gentoo_template_creation#Set_up_udev
are obsolete when RC_DEVICES is set to "static" in /etc/conf.d/rc?

Regards
Ronald

Kir Kolyshkin wrote:
> Ronald Tanner wrote:
>> And there is another step in the preparation of the os template which
>> needs some explanation. Why do I have to replace /etc/mtab with
>> a link to /proc/mounts?
> This is because VE root filesystem is mounted by the host system, not
> the guest -- and therefore root fs will not appear in /etc/mtab. It will
> lead to df command non-working.
>
> If you will replace /etc/mtab with a symlink to /proc/mounts, you will
> always have up-to-date information of what is mounted in /etc/mtab.
--

Ronald Tanner
SEMAFOR Informatik & Energie AG tel. +41 61 690 9888
Sperrstrasse 104B fax. +41 61 690 9880
CH 4057 Basel Switzerland mailto:tanner@semafor.ch
