

---

Posted by [Samoylov\\_Mihail](#) on Tue, 15 Aug 2006 09:54:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
modprobe vzetdev
echo "vzetdev" >>/etc/modules
vzctl set VEID|NAME --veth_add vethVEID.VLANID,MAC1,VE_DEV,MAC2 --save
```

```
function host_network_setup()
{
##HOSTNAME_VE
```

```
ifconfig vethVEID.VLANID 0
```

```
echo 1 > /proc/sys/net/ipv4/conf/vethVEID.VLANID/forwarding
echo 1 > /proc/sys/net/ipv4/conf/vethVEID.VLANID/proxy_arp
```

```
vconfig add IF VLANID
ifconfig eth0.VLANID 0
```

```
brctl addbr vzbrVLANID
brctl addif vzbrVLANID vethVEID.VLANID
brctl addif vzbrVLANID eth0.VLANID
```

```
ifconfig vzbrVLANID 0
echo 1 > /proc/sys/net/ipv4/conf/vzbrVLANID/forwarding
echo 1 > /proc/sys/net/ipv4/conf/vzbrVLANID/proxy_arp
```

```
ip r add IP dev vzbrVLANID
}
```

```
touch /etc/init.d/ip
chmod +x /etc/init.d/ip
update-rc.d ip defaults
```

```
/etc/init.d/ip:
#!/bin/sh
```

```
/sbin/ifconfig VE_DEV 0
```

```
/sbin/ip addr add IP/MASK dev VE_DEV  
/sbin/ip ro del default  
/sbin/ip route add default dev VE_DEV
```

---