
Subject: venet adds ip to wrong interface
Posted by [thenob](#) on Mon, 15 Sep 2014 15:49:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

We have a openvz-host, with 2 ethernet interfaces.
However when we add a container it looks like vps-net_add is attaching the IP to the wrong interface.

HOST-NODE:

```
# ifconfig
eth0   Link encap:Ethernet HWaddr 0C:C4:7A:06:F0:BD
       inet addr:10.10.48.28 Bcast:10.10.48.255 Mask:255.255.255.0
eth1   Link encap:Ethernet HWaddr 0C:C4:7A:06:F0:BC
       inet addr:192.168.89.33 Bcast:192.168.89.255 Mask:255.255.255.0
```

```
# vzctl set 106 --ipdel all --save
CT configuration saved to /etc/vz/conf/106.conf
# vzctl set 106 --ipadd 10.10.48.92 --save
CT configuration saved to /etc/vz/conf/106.conf
# vzctl start 106
```

```
.....
Adding IP address(es): 10.10.48.92
arp send: 10.10.48.92 is detected on another computer : 00:07:ec:57:e8:18
vps-net_add WARNING: arp send -c 1 -w 1 -D -e 10.10.48.92 eth1 FAILED
```

--> it sends arp for 10.10.48.92 on eth1, instead off eth0
If I config a 192.168.89.x-adress, vps-net_add sends arps to eth0 (instead of eth1)

Note:

When the container is running, the IP-interfaces do work, however we don't want to let the host sends wrong ARP's on our network!

How can we fix this?
(without using veth/bridges)