
Subject: RHEL 7.1 VPS - initscripts upgrade causes networking failures

Posted by [jochum](#) on Mon, 16 Mar 2015 23:56:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi All:

In upgrading my RHEL container from 7.0 to 7.1 container today, I found that upgrading initscripts (from initscripts-9.49.17-1.el7_0.1.x86_64 to initscripts-9.49.24-1.el7.x86_64) causes networking to fail after a reboot. Before the reboot:

```
[root@lss-vps141 ~]# ifconfig -a
```

```
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 0 (Local Loopback)
    RX packets 4 bytes 304 (304.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 304 (304.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
venet0: flags=211<UP,BROADCAST,POINTOPOINT,RUNNING,NOARP> mtu 1500
    inet 127.0.0.1 netmask 255.255.255.255 broadcast 0.0.0.0 destination 127.0.0.1
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 0 (UNSPEC)
    RX packets 306 bytes 453581 (442.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 152 bytes 8093 (7.9 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
venet0:0: flags=211<UP,BROADCAST,POINTOPOINT,RUNNING,NOARP> mtu 1500
    inet 135.1.58.141 netmask 255.255.255.255 broadcast 135.1.58.141 destination
    135.1.58.141
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 0 (UNSPEC)
```

```
[root@lss-vps141 ~]# systemctl status -l network.service
```

```
network.service - LSB: Bring up/down networking
  Loaded: loaded (/etc/rc.d/init.d/network)
  Active: active (exited) since Mon 2015-03-16 19:49:58 EDT; 1min 29s ago
  Process: 1031 ExecStop=/etc/rc.d/init.d/network stop (code=exited, status=0/SUCCESS)
  Process: 1185 ExecStart=/etc/rc.d/init.d/network start (code=exited, status=0/SUCCESS)
```

```
Mar 16 19:49:58 lss-vps141 systemd[1]: Starting LSB: Bring up/down networking...
Mar 16 19:49:58 lss-vps141 network[1185]: Bringing up loopback interface: [ OK ]
Mar 16 19:49:58 lss-vps141 network[1185]: Bringing up interface venet0: arping: Device venet0
not available.
Mar 16 19:49:58 lss-vps141 network[1185]: [ OK ]
Mar 16 19:49:58 lss-vps141 systemd[1]: Started LSB: Bring up/down networking.
```

After the upgrade and reboot, the same command no longer shows the venet0:0 entry, and error messages in the systemctl status output:

```
[root@lss-vps141 ~]# ifconfig -a
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 0 (Local Loopback)
    RX packets 4 bytes 304 (304.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 304 (304.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
venet0: flags=211<UP,BROADCAST,POINTOPOINT,RUNNING,NOARP> mtu 1500
    inet 127.0.0.1 netmask 255.255.255.255 broadcast 0.0.0.0 destination 127.0.0.1
    unspec 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00 txqueuelen 0 (UNSPEC)
    RX packets 612 bytes 907174 (885.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 300 bytes 16279 (15.8 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
[root@lss-vps141 ~]# systemctl status -l network.service
network.service - LSB: Bring up/down networking
    Loaded: loaded (/etc/rc.d/init.d/network)
    Active: active (exited) since Mon 2015-03-16 19:52:42 EDT; 9s ago
    Process: 1484 ExecStop=/etc/rc.d/init.d/network stop (code=exited, status=0/SUCCESS)
    Process: 1639 ExecStart=/etc/rc.d/init.d/network start (code=exited, status=0/SUCCESS)
```

```
Mar 16 19:52:42 lss-vps141 network[1639]: Bringing up loopback interface: [ OK ]
Mar 16 19:52:42 lss-vps141 network[1639]: Bringing up interface venet0: arping: Device venet0
not available.
Mar 16 19:52:42 lss-vps141 network[1639]: Determining if ip address 135.1.58.141 is already in
use for device venet0...
Mar 16 19:52:42 lss-vps141 network[1639]: arping: Device venet0 not available.
Mar 16 19:52:42 lss-vps141 network[1639]: ERROR :
[/etc/sysconfig/network-scripts/ifup-aliases] Error, some other host already uses address
135.1.58.141.
Mar 16 19:52:42 lss-vps141 network[1639]: [ OK ]
Mar 16 19:52:42 lss-vps141 systemd[1]: Started LSB: Bring up/down networking.
[root@lss-vps141 ~]#
```

Does anyone know how to fix (or get around) this?

thanks,

Paul
