
Subject: Mounting host directory inside container
Posted by [nebbian](#) on Thu, 17 Nov 2016 02:56:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm looking for information on how to mount a directory that is visible to the host (/backup/openssl/vmbackup/) into a container (/backup/), so that the container can read/write to that directory.

I've previously deployed several OpenVZ 6 hosts, each with an OpenVZ container in it, and the way that always worked back then was to create a .mount file for the container, eg:

```
nano /etc/vz/conf/100.mount
```

```
#!/bin/bash
. /etc/vz/vz.conf
. ${VE_CONFFILE}
SRC=/backup/openssl/vmbackup
DST=/backup
if [ ! -e ${VE_ROOT}${DST} ]; then mkdir -p ${VE_ROOT}${DST}; fi
mount -o noatime -n -t simfs ${SRC} ${VE_ROOT}${DST} -o ${SRC}
```

Now in OpenVZ 7, I can't find a way to do this reliably. The documentation doesn't see fit to mention how to do this (at least that I could find, and I've looked at all the PDFs in the documentation).

The only way that sort of works (but doesn't persist across reboots) is to use the following:

```
mount --bind /backup/openssl/vmbackup/
/vz/root/c507428f-75d1-4ba6-b0ae-15424855b765/backup/
```

However this doesn't persist across reboots, so it's not a good solution. I've tried adding several variants of the following line to /etc/fstab on the host:

```
/backup/openssl/vmbackup/    /vz/root/c507428f-75d1-4ba6-b0ae-15424855b765/backup/
none    bind    0 0
```

however this doesn't seem to work when I do a mount -a, so won't work across reboots.

How are you supposed to mount a host directory inside a container?

Thanks for any ideas.
