

---

Subject: [OpenVZ 7] Container Templates  
Posted by [63DYxLP1](#) on Sun, 22 Sep 2019 22:13:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Everyone,

How do I access all of the container templates listed here?

Link: <https://src.openvz.org/projects/OVZT>

Most of the templates do appear to be available, however there are several that aren't available via vzpkg.

```
[root@ ~]# vzpkg list
debian-10.0-x86_64
debian-10.0-x86_64 jsdk
debian-10.0-x86_64 jre
debian-10.0-x86_64 php
debian-10.0-x86_64 proftpd
debian-10.0-x86_64 wordpress
debian-10.0-x86_64 cyrus-imap
debian-10.0-x86_64 mod_perl
debian-10.0-x86_64 spamassassin
debian-10.0-x86_64 mysql
debian-10.0-x86_64 devel
debian-10.0-x86_64 webalizer
debian-10.0-x86_64 phppgadmin
debian-10.0-x86_64 mailman
debian-10.0-x86_64 imp
debian-10.0-x86_64 postgresql
debian-10.0-x86_64 tomcat
debian-8.0-x86_64
debian-8.0-x86_64-minimal
debian-8.0-x86_64 jsdk
debian-8.0-x86_64 phpmyadmin
debian-8.0-x86_64 jre
debian-8.0-x86_64 php
debian-8.0-x86_64 proftpd
debian-8.0-x86_64 wordpress
debian-8.0-x86_64 cyrus-imap
debian-8.0-x86_64 squirrelmail
debian-8.0-x86_64 mod_perl
debian-8.0-x86_64 spamassassin
debian-8.0-x86_64 mysql
debian-8.0-x86_64 devel
debian-8.0-x86_64 webalizer
debian-8.0-x86_64 phppgadmin
debian-8.0-x86_64 mailman
```

debian-8.0-x86\_64 imp  
debian-8.0-x86\_64 postgresql  
debian-8.0-x86\_64 tomcat  
debian-9.0-x86\_64  
debian-9.0-x86\_64-minimal  
debian-9.0-x86\_64 jsdk  
debian-9.0-x86\_64 phpmyadmin  
debian-9.0-x86\_64 jre  
debian-9.0-x86\_64 php  
debian-9.0-x86\_64 proftpd  
debian-9.0-x86\_64 wordpress  
debian-9.0-x86\_64 cyrus-imap  
debian-9.0-x86\_64 mod\_perl  
debian-9.0-x86\_64 spamassassin  
debian-9.0-x86\_64 mysql  
debian-9.0-x86\_64 devel  
debian-9.0-x86\_64 webalizer  
debian-9.0-x86\_64 phppgadmin  
debian-9.0-x86\_64 mailman  
debian-9.0-x86\_64 imp  
debian-9.0-x86\_64 postgresql  
debian-9.0-x86\_64 tomcat  
debian-7.0-x86\_64  
debian-7.0-x86\_64 jsdk  
debian-7.0-x86\_64 phpmyadmin  
debian-7.0-x86\_64 jre  
debian-7.0-x86\_64 php  
debian-7.0-x86\_64 proftpd  
debian-7.0-x86\_64 wordpress  
debian-7.0-x86\_64 cyrus-imap  
debian-7.0-x86\_64 squirrelmail  
debian-7.0-x86\_64 mod\_perl  
debian-7.0-x86\_64 spamassassin  
debian-7.0-x86\_64 mysql  
debian-7.0-x86\_64 devel  
debian-7.0-x86\_64 webalizer  
debian-7.0-x86\_64 phppgadmin  
debian-7.0-x86\_64 mailman  
debian-7.0-x86\_64 postgresql  
debian-7.0-x86\_64 tomcat  
suse-42.2-x86\_64  
suse-42.2-x86\_64 jsdk  
suse-42.2-x86\_64 jre  
suse-42.2-x86\_64 php  
suse-42.2-x86\_64 cyrus-imap  
suse-42.2-x86\_64 mod\_perl  
suse-42.2-x86\_64 spamassassin  
suse-42.2-x86\_64 mysql

```
suse-42.2-x86_64  devel
suse-42.2-x86_64  webalizer
suse-42.2-x86_64  phppgadmin
suse-42.2-x86_64  mailman
suse-42.2-x86_64  vsftpd
suse-42.2-x86_64  postgresql
suse-42.2-x86_64  tomcat
suse-42.1-x86_64
suse-42.1-x86_64  jsdk
suse-42.1-x86_64  jre
suse-42.1-x86_64  php
suse-42.1-x86_64  cyrus-imap
suse-42.1-x86_64  mod_perl
suse-42.1-x86_64  spamassassin
suse-42.1-x86_64  mysql
suse-42.1-x86_64  devel
suse-42.1-x86_64  webalizer
suse-42.1-x86_64  phppgadmin
suse-42.1-x86_64  mailman
suse-42.1-x86_64  vsftpd
suse-42.1-x86_64  postgresql
suse-42.1-x86_64  tomcat
suse-42.3-x86_64                2019-09-12 22:31:33
suse-42.3-x86_64  jsdk
suse-42.3-x86_64  jre
suse-42.3-x86_64  php
suse-42.3-x86_64  cyrus-imap
suse-42.3-x86_64  mod_perl
suse-42.3-x86_64  spamassassin
suse-42.3-x86_64  mysql
suse-42.3-x86_64  devel
suse-42.3-x86_64  webalizer
suse-42.3-x86_64  phppgadmin
suse-42.3-x86_64  mailman
suse-42.3-x86_64  vsftpd
suse-42.3-x86_64  postgresql
suse-42.3-x86_64  tomcat
ubuntu-14.04-x86_64
ubuntu-14.04-x86_64  jsdk
ubuntu-14.04-x86_64  phpmyadmin
ubuntu-14.04-x86_64  jre
ubuntu-14.04-x86_64  php
ubuntu-14.04-x86_64  proftpd
ubuntu-14.04-x86_64  wordpress
ubuntu-14.04-x86_64  cyrus-imap
ubuntu-14.04-x86_64  squirrelmail
ubuntu-14.04-x86_64  mod_perl
ubuntu-14.04-x86_64  spamassassin
```

ubuntu-14.04-x86\_64 mysql  
ubuntu-14.04-x86\_64 devel  
ubuntu-14.04-x86\_64 webalizer  
ubuntu-14.04-x86\_64 phppgadmin  
ubuntu-14.04-x86\_64 mailman  
ubuntu-14.04-x86\_64 imp  
ubuntu-14.04-x86\_64 postgresql  
ubuntu-14.04-x86\_64 tomcat  
ubuntu-18.04-x86\_64  
ubuntu-18.04-x86\_64 jsdk  
ubuntu-18.04-x86\_64 phpmyadmin  
ubuntu-18.04-x86\_64 jre  
ubuntu-18.04-x86\_64 php  
ubuntu-18.04-x86\_64 proftpd  
ubuntu-18.04-x86\_64 mariadb  
ubuntu-18.04-x86\_64 wordpress  
ubuntu-18.04-x86\_64 cyrus-imap  
ubuntu-18.04-x86\_64 mod\_perl  
ubuntu-18.04-x86\_64 spamassassin  
ubuntu-18.04-x86\_64 mysql  
ubuntu-18.04-x86\_64 devel  
ubuntu-18.04-x86\_64 webalizer  
ubuntu-18.04-x86\_64 phppgadmin  
ubuntu-18.04-x86\_64 mailman  
ubuntu-18.04-x86\_64 imp  
ubuntu-18.04-x86\_64 postgresql  
ubuntu-18.04-x86\_64 tomcat  
ubuntu-16.04-x86\_64  
ubuntu-16.04-x86\_64 jsdk  
ubuntu-16.04-x86\_64 phpmyadmin  
ubuntu-16.04-x86\_64 jre  
ubuntu-16.04-x86\_64 php  
ubuntu-16.04-x86\_64 proftpd  
ubuntu-16.04-x86\_64 mariadb  
ubuntu-16.04-x86\_64 wordpress  
ubuntu-16.04-x86\_64 cyrus-imap  
ubuntu-16.04-x86\_64 squirrelmail  
ubuntu-16.04-x86\_64 mod\_perl  
ubuntu-16.04-x86\_64 spamassassin  
ubuntu-16.04-x86\_64 devel  
ubuntu-16.04-x86\_64 webalizer  
ubuntu-16.04-x86\_64 phppgadmin  
ubuntu-16.04-x86\_64 mailman  
ubuntu-16.04-x86\_64 imp  
ubuntu-16.04-x86\_64 postgresql  
ubuntu-16.04-x86\_64 tomcat  
ubuntu-17.10-x86\_64  
ubuntu-17.10-x86\_64-minimal

```
ubuntu-17.10-x86_64 jsdk
ubuntu-17.10-x86_64 phpmyadmin
ubuntu-17.10-x86_64 jre
ubuntu-17.10-x86_64 php
ubuntu-17.10-x86_64 proftpd
ubuntu-17.10-x86_64 mariadb
ubuntu-17.10-x86_64 wordpress
ubuntu-17.10-x86_64 cyrus-imap
ubuntu-17.10-x86_64 mod_perl
ubuntu-17.10-x86_64 spamassassin
ubuntu-17.10-x86_64 mysql
ubuntu-17.10-x86_64 devel
ubuntu-17.10-x86_64 webalizer
ubuntu-17.10-x86_64 phppgadmin
ubuntu-17.10-x86_64 mailman
ubuntu-17.10-x86_64 imp
ubuntu-17.10-x86_64 postgresql
ubuntu-17.10-x86_64 tomcat
centos-7-x86_64          2019-09-12 21:49:31
centos-7-x86_64    jsdk
centos-7-x86_64    jre
centos-7-x86_64    php
centos-7-x86_64    cyrus-imap
centos-7-x86_64    spamassassin
centos-7-x86_64    mysql
centos-7-x86_64    devel
centos-7-x86_64    mailman
centos-7-x86_64    vsftpd
centos-7-x86_64    postgresql
centos-7-x86_64    tomcat
centos-7-x86_64    mod_ssl
centos-6-x86_64          2019-09-12 21:02:52
centos-6-x86_64    jsdk
centos-6-x86_64    jre
centos-6-x86_64    php
centos-6-x86_64    cyrus-imap
centos-6-x86_64    vzftpd
centos-6-x86_64    mod_perl
centos-6-x86_64    spamassassin
centos-6-x86_64    mysql
centos-6-x86_64    devel
centos-6-x86_64    webalizer
centos-6-x86_64    mailman
centos-6-x86_64    postgresql
centos-6-x86_64    tomcat
centos-6-x86_64    mod_ssl
sles-15-x86_64
sles-15-x86_64    jsdk
```

sles-15-x86_64	jre
sles-15-x86_64	mariadb
sles-15-x86_64	spamassassin
sles-15-x86_64	devel
sles-15-x86_64	vsftpd
sles-15-x86_64	postgresql
sles-15-x86_64	tomcat
sles-11-x86_64	
sles-11-x86_64	jsdk
sles-11-x86_64	jre
sles-11-x86_64	mod_perl
sles-11-x86_64	spamassassin
sles-11-x86_64	mysql
sles-11-x86_64	devel
sles-11-x86_64	webalizer
sles-11-x86_64	mailman
sles-11-x86_64	vsftpd
sles-11-x86_64	postgresql
sles-11-x86_64	tomcat
sles-12-x86_64	
sles-12-x86_64	jsdk
sles-12-x86_64	jre
sles-12-x86_64	mariadb
sles-12-x86_64	mod_perl
sles-12-x86_64	spamassassin
sles-12-x86_64	devel
sles-12-x86_64	webalizer
sles-12-x86_64	mailman
sles-12-x86_64	vsftpd
sles-12-x86_64	postgresql
sles-12-x86_64	tomcat
vzlinux-7-x86_64	
vzlinux-7-x86_64	jsdk
vzlinux-7-x86_64	jre
vzlinux-7-x86_64	php
vzlinux-7-x86_64	cyrus-imap
vzlinux-7-x86_64	spamassassin
vzlinux-7-x86_64	mysql
vzlinux-7-x86_64	devel
vzlinux-7-x86_64	mailman
vzlinux-7-x86_64	vsftpd
vzlinux-7-x86_64	postgresql
vzlinux-7-x86_64	tomcat
vzlinux-7-x86_64	mod_ssl
vzlinux-6-x86_64	
vzlinux-6-x86_64	jsdk
vzlinux-6-x86_64	jre
vzlinux-6-x86_64	php

```

vzlinux-6-x86_64 cyrus-imap
vzlinux-6-x86_64 vzftpd
vzlinux-6-x86_64 mod_perl
vzlinux-6-x86_64 spamassassin
vzlinux-6-x86_64 mysql
vzlinux-6-x86_64 devel
vzlinux-6-x86_64 webalizer
vzlinux-6-x86_64 mailman
vzlinux-6-x86_64 postgresql
vzlinux-6-x86_64 tomcat
vzlinux-6-x86_64 mod_ssl
fedora-23-x86_64          2019-09-13 00:55:10
fedora-23-x86_64 jsdk
fedora-23-x86_64 phpmyadmin
fedora-23-x86_64 jre
fedora-23-x86_64 php
fedora-23-x86_64 proftpd
fedora-23-x86_64 wordpress
fedora-23-x86_64 cyrus-imap
fedora-23-x86_64 squirrelmail
fedora-23-x86_64 mod_perl
fedora-23-x86_64 spamassassin
fedora-23-x86_64 mysql
fedora-23-x86_64 devel
fedora-23-x86_64 webalizer
fedora-23-x86_64 phppgadmin
fedora-23-x86_64 mailman
fedora-23-x86_64 postgresql
fedora-23-x86_64 tomcat
fedora-23-x86_64 mod_ssl

```

```

[root@ ~]# yum install *-ez.noarch
Loaded plugins: fastestmirror, langpacks, openvz, priorities, vzlinux
Loading mirror speeds from cached hostfile
* openvz-os: mirrors.evowise.com
* openvz-updates: mirrors.evowise.com
102 packages excluded due to repository priority protections
Package ubuntu-16.04-x86_64-ez-7.0.0-14.vz7.noarch already installed and latest version
Package centos-6-x86_64-ez-7.0.0-4.vz7.noarch already installed and latest version
Package sles-15-x86_64-ez-7.0.0-2.vz7.noarch already installed and latest version
Package sles-12-x86_64-ez-7.0.0-5.vz7.noarch already installed and latest version
Package debian-7.0-x86_64-ez-7.0.0-2.vz7.noarch already installed and latest version
Package centos-7-x86_64-ez-7.0.0-25.vz7.noarch already installed and latest version
Package ubuntu-17.10-x86_64-ez-7.0.0-4.vz7.noarch already installed and latest version
Package vzlinux-7-x86_64-ez-7.0.0-14.vz7.noarch already installed and latest version
Package suse-42.1-x86_64-ez-7.0.0-5.vz7.noarch already installed and latest version
Package sles-11-x86_64-ez-7.0.0-10.vz7.noarch already installed and latest version
Package vzlinux-6-x86_64-ez-7.0.0-5.vz7.noarch already installed and latest version

```

Package debian-8.0-x86\_64-ez-7.0.0-9.vz7.noarch already installed and latest version  
Package ubuntu-18.04-x86\_64-ez-7.0.0-17.vz7.noarch already installed and latest version  
Package debian-10.0-x86\_64-ez-7.0.0-8.vz7.noarch already installed and latest version  
Package suse-42.3-x86\_64-ez-7.0.0-2.vz7.noarch already installed and latest version  
Package fedora-23-x86\_64-ez-7.0.0-10.vz7.noarch already installed and latest version  
Package ubuntu-14.04-x86\_64-ez-7.0.0-4.vz7.noarch already installed and latest version  
Package suse-42.2-x86\_64-ez-7.0.0-6.vz7.noarch already installed and latest version  
Package debian-9.0-x86\_64-ez-7.0.0-10.vz7.noarch already installed and latest version  
Nothing to do

As an example, what would be the proper method to access the Fedora 30 template?

Thank you all in advance!

---