Subject: Re: [ckrm-tech] [RFC][PATCH] UBC: user resource beancounters Posted by Chandra Seetharaman on Thu, 24 Aug 2006 23:52:52 GMT

View Forum Message <> Reply to Message

On Thu, 2006-08-24 at 10:27 -0700, Rohit Seth wrote:

```
<snip>
>> What do you mean by "resource management part for non-container world
> > already exist?
> >
>> It does not. CKRM/Resource Groups is trying to do that, but is not in
> > Linus's tree.
> >
> Please, non-container is the environment that exist today in Linux.
> Actually cpuset does provide some part of it. But beyond that no.
cpuset provides resource isolation, not necessarily resource
management.
> But then we are all using different terminology like beancounters,
> containers, resource groups and now non-containers...
<snip>
>> I'm sure when container support gets in then for the above scenario it
> > will read -1 ...
>> So, how can one get the list of tasks belonging to a resource group in
> > that case?
>>>
>
> ...and that brings to the starting question...why do you need it?
Like I said earlier, there is _no_ other way to get the list of tasks
belonging to a resource group.
> Commands like ps and top will show appropriate container number for each
> task.
There is _no_ container number in the non-container environment (or it
will be same for _all_ tasks).
> -rohit
```

_		
	Chandra Seetharaman	Be careful what you choose
	- sekharan@us.ibm.com	
-		