
Subject: Re: [ckrm-tech] [PATCH 5/7] BC: user interface (syscalls)
Posted by [Chandra Seetharaman](#) on Wed, 30 Aug 2006 19:15:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tue, 2006-08-29 at 18:55 +0400, Kirill Korotaev wrote:

> Add the following system calls for BC management:

```
> 1. sys_get_bcid    - get current BC id
> 2. sys_set_bcid   - change exec_ and fork_ BCs on current
> 3. sys_set_bclimit - set limits for resources consumtions
> 4. sys_get_bcstat  - return br_resource_parm on resource
>
> Signed-off-by: Pavel Emelianov <xemul@sw.ru>
> Signed-off-by: Kirill Korotaev <dev@sw.ru>
>
> ---
<snip>
```

```
> +
> +asmlinkage long sys_set_bclimit(bcid_t id, unsigned long resource,
> + unsigned long __user *limits)
> +{
> +    int error;
> +    unsigned long flags;
> +    struct beancounter *bc;
> +    unsigned long new_limits[2];
> +
> +    error = -EPERM;
> +    if(!capable(CAP_SYS_RESOURCE))
> +        goto out;
> +
> +    error = -EINVAL;
> +    if (resource >= BC_RESOURCES)
> +        goto out;
> +
> +    error = -EFAULT;
> +    if (copy_from_user(&new_limits, limits, sizeof(new_limits)))
> +        goto out;
> +
> +    error = -EINVAL;
> +    if (new_limits[0] > BC_MAXVALUE || new_limits[1] > BC_MAXVALUE ||
> +        new_limits[0] > new_limits[1])
> +        goto out;
> +
> +    error = -ENOENT;
> +    bc = beancounter_findcreate(id, BC_LOOKUP);
> +    if (bc == NULL)
> +        goto out;
```

Moving this to be before copy_from_user() would be efficient.

```
> +
> + spin_lock_irqsave(&bc->bc_lock, flags);
> + bc->bc_parms[resource].barrier = new_limits[0];
> + bc->bc_parms[resource].limit = new_limits[1];
> + spin_unlock_irqrestore(&bc->bc_lock, flags);
> +
> + put_beancounter(bc);
> + error = 0;
> +out:
> + return error;
> +}
<snip>
--
```

Chandra Seetharaman | Be careful what you choose....
- sekharan@us.ibm.com |you may get it.
