Subject: Re: [ckrm-tech] [PATCH] BC: resource beancounters (v4) (added user memory) Posted by Srivatsa Vaddagiri on Tue, 12 Sep 2006 10:29:43 GMT View Forum Message <> Reply to Message On Tue, Sep 12, 2006 at 02:24:25PM +0400, Pavel Emelianov wrote: > Srivatsa Vaddagiri wrote: > > On Mon, Sep 11, 2006 at 11:02:06AM +0400, Pavel Emelianov wrote: > >> Sure. At the beginning I have one task with one BC. Then > >> 1. A thread is spawned and new BC is created; > > >> Why do we have to create a BC for every new thread? A new BC is needed > > for every new service level instead IMO. And typically there wont be > > unlimited service levels. > That's the scenario we started from - each domain is served in a separate > BC with *threaded* Apache. Sure ..but you can still meet that requirement by creating fixed set of BCs (for each domain) and let each new thread be associated with a corresponding BC (w/o requiring to create BC for every new thread), depending on which domain's request it is serving? > > >>> 2. New thread touches a new page (e.g. maps a new file) which is charged >>> to new BC (and this means that this BC's must stay in memory till page is > >> uncharged); >>> 3. Thread exits after serving the request, but since it's mm is shared >>> with parent all the touched pages stay resident and, thus, the new BC is still >>> pinned in memory. >>> Steps 1-3 are done multiple times for new pages (new files). >>> Remember that we're discussing the case when pages are not recharged. > > > > > > >

> Using Tomcat but need to do more? Need to support web services, security? > Get stuff done quickly with pre-integrated technology to make your job easier > Download IBM WebSphere Application Server v.1.0.1 based on Apache Geronimo http://sel.as-us.falkag.net/sel?cmd=lnk&kid=120709&b id=263057&dat=121642

- > ckrm-tech mailing list
 > https://lists.sourceforge.net/lists/listinfo/ckrm-tech

Regards, vatsa