
Subject: Re: Cant login to VE via SSH

Posted by [dreamwiz](#) on Wed, 13 Sep 2006 22:35:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Chris.S wrote on Thu, 14 September 2006 01:23did you change your sysctl config file like it says to do?

Yep, here's 2 different that I have tried (2 different because I wasnt sure if the existing one was supposed to be modified or replaced with the one in the installation manual):

```
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl( and
# sysctl.conf(5) for more details.
# Controls IP packet forwarding
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp = 0
# Controls source route verification
net.ipv4.conf.default.rp_filter = 1
# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0
# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 1
# Controls whether core dumps will append the PID to the core filename.
# Useful for debugging multi-threaded applications.
kernel.core_uses_pid = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```

and

```
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl( and
# sysctl.conf(5) for more details.
# Controls IP packet forwarding
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp = 0
# Controls source route verification
net.ipv4.conf.default.rp_filter = 1
# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0
# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 1
# Controls whether core dumps will append the PID to the core filename.
```

```
# Useful for debugging multi-threaded applications.
kernel.core_uses_pid = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0

# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl( and
# sysctl.conf(5) for more details.

# Controls IP packet forwarding
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp
# Controls source route verification
net.ipv4.conf.default.rp_filter = 1
# Enables source route verification
net.ipv4.conf.all.rp_filter = 1

# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0

# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 1

# Controls whether core dumps will append the PID to the core filename.
# Useful for debugging multi-threaded applications.
kernel.core_uses_pid = 1
net.ipv4.tcp_syncookies = 1
net.ipv4.tcp_synack_retries = 2

net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```
