
Subject: Re: OpenVZ and Gentoo (partly solved)
Posted by [wimalopaan](#) on Thu, 05 Jan 2006 16:25:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Am Donnerstag, 5. Januar 2006 17:15 schrieb Kirill Korotaev:
> found it!
> you need to start VPS and then do bind mount, since vzctl redo mounts on
> VPS start, so my 1st proposal for you was wrong. sorry :)

no problem. It tried it already, and now I get "permisinn denied" if I try to access the directory from inside the VPS.

> the best way you can do it actually is to insert your special mounts in
> VPS mount script which will be automatically run on VPS start.

This must be done on the host. Is there a possibility to execute scripts by vzctl start?

> Please note, on 2.6.8 kernel bind mount is still rw :(

o.k.

>
> Kirill
>
> > Am Donnerstag, 5. Januar 2006 16:27 schrieb Kirill Korotaev:
> >>can you give me an access? it will be much faster...
> >>if so, send me a private mail with login please.
> >
> > Sorry, thats not possible ...
> >
> >>Kirill
> >>
> >>>Am Donnerstag, 5. Januar 2006 15:25 schrieb Kirill Korotaev:
> >>>>The network issue is partly solved: I do not use the gentoo net.lo
> >>>>script for net.venet0 anymore, instead I setup the interfaces venet0
> >>>>and venet0:0 with the attached workaround-script.
> >>>>
> >>>>But, how do I bind-mount directories from host to the VPS, e.g. to
> >>>>use /usr/portage in the VPD too. If I try to (on host)
> >>>>
> >>>>gs ~ # mount /usr/portage /vz/private/2001/usr/portage/ -o bind,ro
> >>>
> >>>>try /vz/root/2001/usr/portage after VPS is mounted.
> >>>
> >>>does not solve the problem.
> >>>
> >>>on host:

```
> >>>
> >>>gs ~ # vzctl mount 2001
> >>>VPS is mounted
> >>>gs ~ # mount /usr/portage /vz/root/2001/usr/portage -o bind,ro
> >>>gs ~ # mount
> >>>/dev/hda1 on / type ext3 (rw,noatime)
> >>>proc on /proc type proc (rw)
> >>>sysfs on /sys type sysfs (rw)
> >>>udev on /dev type tmpfs (rw,nosuid)
> >>>devpts on /dev/pts type devpts (rw)
> >>>/dev/hdb1 on /tftpboot type ext3 (rw,noatime)
> >>>shm on /dev/shm type tmpfs (rw,noexec,nosuid,nodev)
> >>>192.168.39.1:/home/lmeier on /root/lmeier type nfs
> >>> (rw,addr=192.168.39.1) none on proc type proc (rw)
> >>>/usr/portage on /vz/root/2001/usr/portage type none (ro,bind)
> >>>gs ~ #
> >>>
> >>>in the VPS:
> >>>
> >>>ovz01 usr # ls
> >>>bin include libexec portage sbin src
> >>>i386-pc-linux-gnu lib local portage.vps share tmp
> >>>ovz01 usr # ls -l portage
> >>>total 0
> >>>ovz01 usr #
> >>>
> >>>>l get
> >>>>
> >>>>ovz01 usr # ls
> >>>>bin i386-pc-linux-gnu include lib libexec local portage sbin
> >>>>share src tmp
> >>>>ovz01 usr # ls portage
> >>>>ovz01 usr #
> >>>>
> >>>>on the VPS ovz01. Whats wrong?
> >>>>
> >>>>- Wilhelm
> >>>>
> >>>>>Am Mittwoch, 4. Januar 2006 17:28 schrieb Wilhelm Meier:
> >>>>>Am Mittwoch, 4. Januar 2006 09:51 schrieb Kirill Korotaev:
> >>>>>so you run Gentoo inside VPS yeah?
> >>>>>
> >>>>>Well, I try to ...
> >>>>>
> >>>>>>the problem seems to be in your initscripts, which didn't mount
> >>>>>>/proc on VPS start and didn't create /dev/ptyX entries for terminal
> >>>>>> devices. Looks like the only process in your VPS is init,
> >>>>>> strange...
```

```

> >>>>
> >>>>I created the needed /dev/ttyp0 and /dev/ttyp0 by hand
> >>>>in /vz/private/<id>/dev/ and mount also /proc by hand. Then it is
> >>>>possible to enter the gentoo-VPS:
> >>>>
> >>>>gs ~ # vzctl enter 2001
> >>>>entered into VPS 2001
> >>>>ovz01 / # ps aux
> >>>>USER      PID %CPU %MEM   VSZ RSS TTY      STAT START  TIME
> >>>>COMMAND root      1  0.0  0.1 1368 480 ?      Ss 17:06
> >>>>0:00 ini root    14644 0.0  0.3 1740 780 ?      Ss 17:14
> >>>>0:00 vzctl: ttyp0 root    15669 0.5  0.5 2244 1288 ttyp0  Ss
> >>>>17:14 0:00 bash -i root   15671 0.0  0.3 2376 836 ttyp0
> >>>> R+ 17:14 0:00 ps aux ovz01 / #
> >>>>
> >>>>I also copied /etc/init.d/net.lo to the VPS and some additional
> >>>>scripts, which are apparently missing.
> >>>>But in the gentoo-VPS I get still:
> >>>>
> >>>>ovz01 / # /etc/init.d/net.venet0 start
> >>>>* Starting
> >>>>*      no interface module has been loaded
> >>>>ovz01 / #
> >>>>ovz01 / # /sbin/ifconfig -a
> >>>>lo      Link encap:Local Loopback
> >>>>      LOOPBACK MTU:16436 Metric:1
> >>>>      RX packets:38 errors:0 dropped:0 overruns:0 frame:0
> >>>>      TX packets:38 errors:0 dropped:0 overruns:0 carrier:0
> >>>>      collisions:0 txqueuelen:0
> >>>>      RX bytes:2660 (2.5 Kb) TX bytes:2660 (2.5 Kb)
> >>>>
> >>>>venet0  Link encap:UNSPEC HWaddr
> >>>>00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
> >>>>      BROADCAST POINTOPOINT NOARP MTU:1500 Metric:1
> >>>>      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
> >>>>      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
> >>>>      collisions:0 txqueuelen:0
> >>>>      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
> >>>>
> >>>>ovz01 / #
> >>>>
> >>>>If I try that with a debian-guest on the gentoo-host, I get:
> >>>>
> >>>>gs ~ # vzctl enter 2002
> >>>>entered into VPS 2002
> >>>>root@ovz02:/# ifconfig -a
> >>>>lo      Link encap:Local Loopback
> >>>>      LOOPBACK MTU:16436 Metric:1

```

```
> >>>>> RX packets:38 errors:0 dropped:0 overruns:0 frame:0
> >>>>> TX packets:38 errors:0 dropped:0 overruns:0 carrier:0
> >>>>> collisions:0 txqueuelen:0
> >>>>> RX bytes:2660 (2.5 KiB) TX bytes:2660 (2.5 KiB)
> >>>>
> >>>>>venet0 Link encap:UNSPEC HWaddr
> >>>>>00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
> >>>>> inet addr:127.0.0.1 P-t-P:127.0.0.1 Bcast:0.0.0.0
> >>>>>Mask:255.255.255.255
> >>>>> UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
> >>>>> RX packets:3 errors:0 dropped:0 overruns:0 frame:0
> >>>>> TX packets:3 errors:0 dropped:0 overruns:0 carrier:0
> >>>>> collisions:0 txqueuelen:0
> >>>>> RX bytes:252 (252.0 b) TX bytes:252 (252.0 b)
> >>>>
> >>>>>venet0:0 Link encap:UNSPEC HWaddr
> >>>>>00-00-FF-FF-FF-FF-00-00-00-00-00-00-00-00-00-00-00-00-00
> >>>>> inet addr:192.168.39.22 P-t-P:192.168.39.22 Bcast:0.0.0.0
> >>>>>Mask:255.255.255.255
> >>>>> UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
> >>>>
> >>>>>root@ovz02:/#
> >>>>
> >>>>>So the interface venet0:0 is missing in the gentoo-guest.
> >>>>
> >>>>>kir@ who is in charge of Gentoo will be available after Jan 7 only,
> >>>>>but I can check what's wrong with your VPS if you provide me the
> >>>>>credentials in private email.
> >>>>>
> >>>>>>Kirill
> >>>>>
> >>>>>>Hi,
> >>>>>
> >>>>>>I want to use OpenVZ with Gentoo. I did the install of OpenVZ as
> >>>>>>described in
> >>>>>>
> >>>>>>http://dev.croup.de/proj/gentoo-vps/wiki
> >>>>>
> >>>>>>When I try to enter, I get:
> >>>>>>
> >>>>>>gs ~ # vzctl start 2001
> >>>>>>Starting VPS ...
> >>>>>>VPS is mounted
> >>>>>>Setting CPU units: 1000
> >>>>>>VPS start in progress...
> >>>>>>gs ~ # vzctl status 2001
> >>>>>>VPSID 2001 exist mounted running
> >>>>>>gs ~ # vzctl enter 2001
```

```
> >>>>>>Unable to open pty: No such file or directory
> >>>>>>enter failed
> >>>>>>gs ~ #
> >>>>>>
> >>>>>>and
> >>>>>>
> >>>>>>gs ~ # vzctl exec 2001 ps aux
> >>>>>>Error, do this: mount -t proc proc /proc
> >>>>>>gs ~ # vzctl exec 2001 mount -t proc none /proc
> >>>>>>gs ~ # vzctl exec 2001 ps aux
> >>>>>>USER      PID %CPU %MEM   VSZ RSS TTY      STAT START TIME
> >>>>>>COMMAND root      1 0.0 0.1 1368 480 ?      Ss 00:30
> >>>>>>0:00 ini root    22894 0.0 0.3 2372 832 ?      Rs 00:31
> >>>>>>0:00 ps aux gs ~ #
> >>>>>>
> >>>>>>Any hints?
> >>>>>>--
> >>>>>>Wilhelm Meier
> >>>>>>email: meier@informatik.fh-kl.de
--  
--  
Wilhelm Meier  
email: meier@informatik.fh-kl.de
```
