
Posted by [enpx](#) on Wed, 11 Oct 2006 13:01:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
vzctl set 101 --ipadd 192.168.199.1 --save
```

```
[root@m1 ~]# vzctl exec 101 ip address
```

```
1: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
    inet6 ::1/128 scope host  
        valid_lft forever preferred_lft forever
```

```
3: venet0: <BROADCAST,POINTOPOINT,NOARP,UP> mtu 1500 qdisc noqueue  
    link/void  
    inet 127.0.0.1/32 scope host venet0  
    inet 192.168.199.1/32 scope global venet0:1
```

```
[root@m1 ~]# vzctl exec 101 ip route
```

```
192.0.2.0/24 dev venet0  scope host  
default via 192.0.2.1 dev venet0
```

[http://forum.openvz.org/index.php?t=tree&th=1302&mid=7332&&rev=&reveal=\)](http://forum.openvz.org/index.php?t=tree&th=1302&mid=7332&&rev=&reveal=))

