
Subject: Re: OpenVZ and Debian
Posted by [adebisi](#) on Mon, 16 Jan 2006 21:25:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ok looklike it works now.

I am actually trying to create a vs debian.

Anyway i had to add following to your init script:

(from functions file taken from redhat 9)

Quote:

```
#. /etc/rc.d/init.d/functions
```

```
action() {  
    STRING=$1  
    echo -n "$STRING "  
    shift  
    #initlog $INITLOG_ARGS -c "$*" && success "$$STRING" || failure "$$STRING"  
    rc=$?  
    echo  
    return $rc  
}
```

```
echo_success() {  
    [ "$BOOTUP" = "color" ] && $MOVE_TO_COL  
    echo -n "[ "  
    [ "$BOOTUP" = "color" ] && $SETCOLOR_SUCCESS  
    echo -n "$OK"  
    [ "$BOOTUP" = "color" ] && $SETCOLOR_NORMAL  
    echo -n " ]"  
    echo -ne "\r"  
    return 0  
}
```

```
success() {  
    # if [ -z "${IN_INITLOG:-}" ]; then  
    #     initlog $INITLOG_ARGS -n $0 -s "$1" -e 1  
    #     else  
    #         silly hack to avoid EPIPE killing rc.sysinit  
    #         trap "" SIGPIPE  
    #         echo "$0 \"\$1\" 1" >&21  
    #         trap - SIGPIPE  
    [ "$BOOTUP" != "verbose" -a -z "$LSB" ] && echo_success  
    return 0  
}
```

```
#Disable everywhere initlog command cause i didnt find any #initlog package for debian.
```

Of course i could also create a file functions with these functions and let your script include it.

I used your binary packages to do that.

So .. i am checking and let you know if it works totally or not.
