## Subject: java urlencode problem Posted by arnargestsson on Fri, 01 Dec 2006 07:32:04 GMT

View Forum Message <> Reply to Message

Hi,

I've recently made use of Openvz in our environment. My experience is that it works very well. Our servers are mainly Apache/Tomcat webservers and I use Centos-default template. However, I've stumbled across one thing that I've not been able to solve its that url-encode-ing behaves differently on the VE than on the host it selv. That is to say when I urlencode for example "árar" I get from the VE

```
%3Frar
%3Frar
but on the host I get
%E1rar
%E1rar
```

which what I expected. I've made a small test rutine in java to test it, I pasted it in here below.

I wonder if any of you have come across this? All help would be greatly appreciated.

## TIA

```
Arnar
----- Code snip -----
import java.net.*;
import java.io.*;
public class urlenctest {
    /**
     * @param args
    public static void main(String[] args) {
         // TODO Auto-generated method stub
         String enc="";
         try{
              if( args.length > 1){
                  enc = args[1];
              System.out.println(URLEncoder.encode(args[0]));
           System.out.println(URLEncoder.encode(args[0], enc));
         }catch( UnsupportedEncodingException ue ){
              ue.printStackTrace();
         }
```

```
}
}
```

Page 2 of 2 ---- Generated from OpenVZ Forum