
Subject: Re: Separate logfile and console loglevel
Posted by [kfh](#) on Tue, 05 Dec 2006 11:07:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tuesday den 5. December 2006 11:47, Igor Sukhih wrote:

> > On Thursday den 30. November 2006 14:59, Dmitry Mishin wrote:

> >>> Separate logfile and console loglevel

> >>> The separation is implemented as follows

> >>>

> >>> 1: split --quite and --verbose from LOG_LEVEL

> >>> console loglevel is 0 as default

> >>

> >> This patch make sense.

> >

> > I worked on the patch, made --verbose accept argument (--verbose=<int>)

> > Added new parameter VERBOSE=<int> to /etc/vz/vz.conf. Default is 1 if

> > unset. --verbose alone increments by 1

> >

> >>> 2: Make messages more quiet by default

> >>> logger(0,...) -> logger(1, ...)

> >>>

> >>> 3: Make logfile more verbose by default

> >>> LOG_LEVEL=2

> >>

> >> Why do you need them? For me, it is convinient to see at the VE start,

> >> which IP it has. It is better, than additional `vzlist` later.

> >

> > If I use a script to start 10 VEs, it would be nice to see only partial

> > info. I could do that with --verbose=0. If one fails I can use

> > --verbose=2 What do you think about the output below?

>

> I'm Ok with it the only problem the --verbose option already released

> and this is can break already worked scripts.

--verbose still works. It increments current verbose by 1.

If I run:

vzctl --verbose=0 --verbose --verbose start 1010

verbose will be 2 (0 + 1 + 1)

> > Regards,

> >

> > Ps.

> > vzquota, /etc/vz/dists/scripts/none and vps-net_add/vps-net_del are just

> > "exit 0"

>

> They do exit with error in place error happened.
I was unclear. My scripts only contains "exit 0".
I don't know if the standard scripts make any output by default.

> --
> Igor.
/Kristian.
