Subject: Re: Separate logfile and console loglevel Posted by kfh on Tue, 05 Dec 2006 11:07:10 GMT

View Forum Message <> Reply to Message

On Tuesday den 5. December 2006 11:47, Igor Sukhih wrote:

```
>> On Thursday den 30. November 2006 14:59, Dmitry Mishin wrote:
>>> Separate logfile and console loglevel
>>>> The separation is implemented as follows
> >>>
>>>> 1: split --quite and --verbose from LOG LEVEL
        console loglevel is 0 as default
> >>
>>> This patch make sense.
>> I worked on the patch, made --verbose accept argument (--verbose=<int>)
> > Added new parameter VERBOSE=<int> to /etc/vz/vz.conf. Default is 1 if
> > unset. --verbose alone increments by 1
>>>> 2: Make messages more quiet by default
        logger(0,...) \rightarrow logger(1,...)
>>>> 3: Make logfile more verbose by default
        LOG_LEVEL=2
> >>>
> >>
>>> Why do you need them? For me, it is convinient to see at the VE start,
>>> which IP it has. It is better, than additional `vzlist` later.
> >
>> If I use a script to start 10 VEs, it would be nice to see only partial
> > info. I could do that with --verbose=0. If one fails I can use
>> --verbose=2 What do you think about the output below?
> I'm Ok with it the only problem the --verbose option already released
> and this is can break already worked scripts.
--verbose still works. It increments current verbose by 1.
If I run:
vzctl --verbose=0 --verbose --verbose start 1010
verbose will be 2(0+1+1)
> > Regards,
> >
> > Ps.
> > vzquota, /etc/vz/dists/scripts/none and vps-net_add/vps-net_del are just
> = "exit 0"
```

> They do exit with error in place error happened.
I was unclear. My scripts only contains "exit 0".
I don't know if the standard scripts make any output by default.

> --

> Igor. /Kristian.