
Subject: Re: Problem init vz

Posted by [gral](#) on Fri, 15 Dec 2006 14:57:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi the output is here

```
root@vps1 [/]# cat /tmp/out
execve("/usr/sbin/vzctl", ["vzctl", "start", "102"], [/ * 23 vars */]) = 0
uname({sys="Linux", node="vps1.nuthost.com", ...}) = 0
brk(0) = 0x508000
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95556000
access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/x86_64/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or
directory)
stat("/usr/lib/vzctl/lib/tls/x86_64", 0x7fbffedd0) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/tls/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or directory)
stat("/usr/lib/vzctl/lib/tls", 0x7fbffedd0) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/x86_64/libvzctl.so.0.0.2", O_RDONLY) = -1 ENOENT (No such file or
directory)
stat("/usr/lib/vzctl/lib/x86_64", 0x7fbffedd0) = -1 ENOENT (No such file or directory)
open("/usr/lib/vzctl/lib/libvzctl.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\r\340\1366"... , 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=138744, ...}) = 0
mmap(0x39f6e00000, 1183264, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x39f6e00000
mprotect(0x39f6e1f000, 1056288, PROT_NONE) = 0
mmap(0x39f6f1f000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1f000) = 0x39f6f1f000
close(3) = 0
open("/usr/lib/vzctl/lib/libvzctl-simfs.so.0.0.2", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\360\r\300"... , 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=10432, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95557000
mmap(0x39f6c00000, 1054976, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x39f6c00000
mprotect(0x39f6c02000, 1046784, PROT_NONE) = 0
mmap(0x39f6d01000, 4096, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x39f6d01000
close(3) = 0
open("/usr/lib/vzctl/lib/libdl.so.2", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/etc/ld.so.cache", O_RDONLY) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=37748, ...}) = 0
mmap(NULL, 37748, PROT_READ, MAP_PRIVATE, 3, 0) = 0x2a95558000
close(3) = 0
open("/lib64/libdl.so.2", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\17@"..., 832) = 832
```

```

fstat(3, {st_mode=S_IFREG|0755, st_size=17943, ...}) = 0
mmap(0x3405400000, 1056968, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3405400000
mprotect(0x3405402000, 1048776, PROT_NONE) = 0
mmap(0x3405501000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x3405501000
close(3) = 0
open("/usr/lib/vzctl/lib/libutil.so.1", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/lib64/libutil.so.1", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\21\20"..., 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=17367, ...}) = 0
mmap(0x3407100000, 1057048, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3407100000
mprotect(0x3407102000, 1048856, PROT_NONE) = 0
mmap(0x3407201000, 8192, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1000) = 0x3407201000
close(3) = 0
open("/usr/lib/vzctl/lib/libc.so.6", O_RDONLY) = -1 ENOENT (No such file or directory)
open("/lib64/tls/libc.so.6", O_RDONLY) = 3
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\304"..., 832) = 832
fstat(3, {st_mode=S_IFREG|0755, st_size=1493409, ...}) = 0
mmap(0x3404f00000, 2310088, PROT_READ|PROT_EXEC,
MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x3404f00000
mprotect(0x340502b000, 1085384, PROT_NONE) = 0
mmap(0x340512b000, 20480, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x12b000) = 0x340512b000
mmap(0x3405130000, 16328, PROT_READ|PROT_WRITE,
MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x3405130000
close(3) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95562000
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95563000
mprotect(0x340512b000, 8192, PROT_READ) = 0
arch_prctl(ARCH_SET_FS, 0x2a95562ee0) = 0
munmap(0x2a95558000, 37748) = 0
brk(0) = 0x508000
brk(0x529000) = 0x529000
rt_sigaction(SIGPIPE, {SIG_IGN}, NULL, 0) = 0
open("/usr/lib/vzctl/modules/", O_RDONLY|O_NONBLOCK|O_DIRECTORY) = -1 ENOENT (No
such file or directory)
open("/etc/vz/vz.conf", O_RDONLY) = 3
stat("/etc/vz/vz.conf", {st_mode=S_IFREG|0644, st_size=689, ...}) = 0
fstat(3, {st_mode=S_IFREG|0644, st_size=689, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95558000
read(3, "## Global parameters\nVIRTUOZZO=y"..., 4096) = 689
read(3, "", 4096) = 0

```

```

close(3) = 0
munmap(0x2a95558000, 4096) = 0
open("/var/log/vzctl.log", O_WRONLY|O_APPEND|O_CREAT, 0666) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=36543, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95558000
fstat(3, {st_mode=S_IFREG|0644, st_size=36543, ...}) = 0
lseek(3, 36543, SEEK_SET) = 36543
stat("/etc/vz/conf/102.conf", {st_mode=S_IFREG|0644, st_size=2417, ...}) = 0
open("/etc/vz/conf/102.conf", O_RDONLY) = 4
stat("/etc/vz/conf/102.conf", {st_mode=S_IFREG|0644, st_size=2417, ...}) = 0
fstat(4, {st_mode=S_IFREG|0644, st_size=2417, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95559000
read(4, "# Copyright (C) 2000-2006 SWsof"..., 4096) = 2417
read(4, "", 4096) = 0
close(4) = 0
munmap(0x2a95559000, 4096) = 0
fcntl(0, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl(1, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
fcntl(2, F_GETFL) = 0x8002 (flags O_RDWR|O_LARGEFILE)
open("/dev/vzctl", O_RDWR) = 4
ioctl(4, 0x400c2e05, 0x7fbfff0c0) = 0
stat("/vz/lock", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
getpid() = 8344
open("/vz/lock/102.lckxit5Qf", O_RDWR|O_CREAT|O_EXCL, 0600) = 5
write(5, "8344\n\n", 6) = 6
close(5) = 0
link("/vz/lock/102.lckxit5Qf", "/vz/lock/102.lck") = 0
unlink("/vz/lock/102.lckxit5Qf") = 0
rt_sigaction(SIGINT, {SIG_IGN}, NULL, 0) = 0
ioctl(4, 0x400c2e05, 0x7fbfff0d0) = -1 ESRCH (No such process)
ioctl(4, 0x400c2e05, 0x7fbffef20) = -1 ESRCH (No such process)
stat("/etc/vz/dists/centos-4-i386-default.conf", 0x7fbfffe980) = -1 ENOENT (No such file or
directory)
stat("/etc/vz/dists/centos-4-i386.conf", 0x7fbfffe980) = -1 ENOENT (No such file or directory)
stat("/etc/vz/dists/centos-4.conf", {st_mode=S_IFREG|0644, st_size=963, ...}) = 0
open("/etc/vz/dists/centos-4.conf", O_RDONLY) = 5
fstat(5, {st_mode=S_IFREG|0644, st_size=963, ...}) = 0
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0x2a95559000
read(5, "# Copyright (C) 2000-2006 SWsof"..., 4096) = 963
stat("/etc/vz/dists/scripts/redhat-add_ip.sh", {st_mode=S_IFREG|0755, st_size=4942, ...}) = 0
stat("/etc/vz/dists/scripts/redhat-del_ip.sh", {st_mode=S_IFREG|0755, st_size=1880, ...}) = 0
stat("/etc/vz/dists/scripts/redhat-set_hostname.sh", {st_mode=S_IFREG|0755, st_size=1815, ...})
= 0
stat("/etc/vz/dists/scripts/set_dns.sh", {st_mode=S_IFREG|0755, st_size=1668, ...}) = 0
stat("/etc/vz/dists/scripts/set_userpass.sh", {st_mode=S_IFREG|0755, st_size=1519, ...}) = 0

```



```

stat("/vz/root", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
stat("/vz/root/102", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 0
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 0
pipe([5, 6])
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95562f70) = 8345
wait4(8345, [{WIFEXITED(s) && WEXITSTATUS(s) == 11}], 0, NULL) = 8345
--- SIGCHLD (Child exited) @ 0 (0) ---
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 0
write(2, "Initializing quota ...", 22) = 22
write(2, "\n", 1)
stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
write(3, "2006-12-15T08:54:24-0600 vzctl :\"..., 66) = 66
stat("/usr/sbin/vzquota", {st_mode=S_IFREG|0755, st_size=57096, ...}) = 0
rt_sigaction(SIGCHLD, NULL, {SIG_DFL}, 0
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x2a95562f70) = 8346
wait4(8346, [{WIFEXITED(s) && WEXITSTATUS(s) == 1}], 0, NULL) = 8346
--- SIGCHLD (Child exited) @ 0 (0) ---
rt_sigaction(SIGCHLD, {SIG_DFL}, NULL, 0
write(2, "vzquota init failed [1]", 23) = 23
write(2, "\n", 1)
stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=1279, ...}) = 0
write(3, "2006-12-15T08:55:15-0600 vzctl :\"..., 67) = 67
unlink("/vz/lock/102.lck")
close(4)
close(3)
munmap(0x2a95558000, 4096)
exit_group(61)
root@vps1 [/]#

```

Any help will be very appreciated!.

Thanks a lot!

gRal