
Subject: ***SOLVED*** What does this mean? --> Inappropriate ioctl for device
Posted by [Guido64](#) on Tue, 16 Jan 2007 01:35:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello list,

Last night I did a "apt-get update && apt-get upgrade" on my host and several vps systems.

Several security updates were downloaded and installed.
Since then no vps is starting anymore.

The error messages I receive are:

```
-----  
2007-01-16T02:37:57+0100 vzctl : Setting CPU units: 1000  
2007-01-16T02:37:57+0100 vzctl : WARNING: Settings were not saved and will be reset to  
original values on next start (use --save flag)  
2007-01-16T02:37:57+0100 vzctl : VE 101 : Starting VE ...  
2007-01-16T02:37:57+0100 vzctl : VE 101 : VE is mounted  
2007-01-16T02:37:57+0100 vzctl : VE 101 : Adding IP address(es): 192.168.166.5  
2007-01-16T02:37:57+0100 vzctl : VE 101 : Unable to add IP 192.168.166.5: Inappropriate ioctl  
for device  
2007-01-16T02:37:57+0100 vzctl : VE 101 : Unable to del IP 192.168.166.5: Inappropriate ioctl for  
device  
2007-01-16T02:37:57+0100 vzctl : VE 101 : VE start failed  
2007-01-16T02:37:57+0100 vzctl : VE 101 : Stopping VE ...  
2007-01-16T02:37:57+0100 vzctl : VE 101 : VE was stopped  
2007-01-16T02:37:58+0100 vzctl : VE 101 : VE is unmounted  
-----
```

I did a clean (debian 3.1) installation on the host system but the problems still the same.
Please help!
