
Subject: [PATCH 1/4] add init logger support to vzctl
Posted by [dietmar](#) on Tue, 20 Sep 2011 05:17:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Dietmar Maurer <dietmar@proxmox.com>

Signed-off-by: Dietmar Maurer <dietmar@proxmox.com>

include/res.h | 1 +
include/vzctl_param.h | 1 +
src/lib/config.c | 10 ++++++
src/lib/env.c | 80 +++
4 files changed, 86 insertions(+), 6 deletions(-)

diff --git a/include/res.h b/include/res.h

index 2ad3d5b..e70be48 100644

--- a/include/res.h

+++ b/include/res.h

@@ -57,6 +57,7 @@ typedef struct {

int onboot;
unsigned long *bootorder;
int wait;

+ int initlog;

} misc_param;

struct mod_action;

diff --git a/include/vzctl_param.h b/include/vzctl_param.h

index ff520da..9245b6a 100644

--- a/include/vzctl_param.h

+++ b/include/vzctl_param.h

@@ -136,6 +136,7 @@

#define PARAM_BOOTORDER 364

#define PARAM_PCI_ADD 365

#define PARAM_PCI_DEL 366

+#define PARAM_INITLOG 367

#define PARAM_LINE "e:p:f:t:i:l:k:a:b:n:x:h"

#endif

diff --git a/src/lib/config.c b/src/lib/config.c

index baef108..bcbfbd5 100644

--- a/src/lib/config.c

+++ b/src/lib/config.c

@@ -62,6 +62,7 @@ static vps_config config[] = {

{"LOG_LEVEL", NULL, PARAM_LOGLEVEL},

{"LOGFILE", NULL, PARAM_LOGFILE},

{"VERBOSE", NULL, PARAM_VERBOSE},

+{"INITLOG", NULL, PARAM_INITLOG},

```

{"IPTABLES", NULL, PARAM_IPTABLES},
/* UB */
@@ -121,6 +122,8 @@ static vps_config config[] = {
{"CPULIMIT", NULL, PARAM_CPULIMIT},
{"CPUS", NULL, PARAM_VCPUS},
{"CPUMASK", NULL, PARAM_CPUMASK},
+/* misc param */
+{"INITLOG", NULL, PARAM_INITLOG},
/* create param */
{"ONBOOT", NULL, PARAM_ONBOOT},
{"CONFIGFILE", NULL, PARAM_CONFIG},
@@ -1273,6 +1276,9 @@ static int store_misc(vps_param *old_p, vps_param *vps_p,
vps_config *conf,

ret = 0;
switch (conf->id) {
+ case PARAM_INITLOG:
+ ret = conf_store_yesno(conf_h, conf->name, misc->initlog);
+ break;
case PARAM_ONBOOT:
ret = conf_store_yesno(conf_h, conf->name, misc->onboot);
break;
@@ -1887,6 +1893,9 @@ static int parse(envid_t veid, vps_param *vps_p, char *val, int id)
case PARAM_LOGGING:
ret = conf_parse_yesno(&vps_p->log.enable, val);
break;
+ case PARAM_INITLOG:
+ ret = conf_parse_yesno(&vps_p->res.misc.initlog, val);
+ break;
case PARAM_LOGLEVEL:
if (parse_int(val, &int_id))
return ERR_INVALID;
@@ -2710,6 +2719,7 @@ static void merge_misc(misc_param *dst, misc_param *src)
MERGE_INT(onboot)
MERGE_P(bootorder)
MERGE_INT(wait)
+ MERGE_INT(initlog)
}

static void merge_dq(dq_param *dst, dq_param *src)
diff --git a/src/lib/env.c b/src/lib/env.c
index 5e53657..135286f 100644
--- a/src/lib/env.c
+++ b/src/lib/env.c
@@ -23,6 +23,7 @@
#include <signal.h>
#include <fcntl.h>

```

```

#include <sys/types.h>
#include <sys/stat.h>
#include <sys/wait.h>
#include <sys/stat.h>
#include <string.h>
@@ -318,7 +319,7 @@ static int _env_create(vps_handler *h, envid_t veid, int wait_p, int err_p,
    int fd, ret;
    vps_res *res;
    char *argv[] = {"init", "-z", " ", NULL};
- char *envp[] = {"HOME=/", "TERM=linux", NULL};
+ char *envp[] = {"HOME=/", "TERM=linux", NULL, NULL};

    res = (vps_res *) data;
    memset(&create_param, 0, sizeof(create_param));
@@ -425,12 +426,65 @@ try:
    */
    if (read(wait_p, &ret, sizeof(ret)) == 0)
        return 0;
- if ((fd = open("/dev/null", O_RDWR)) != -1) {
-     dup2(fd, 0);
-     dup2(fd, 1);
-     dup2(fd, 2);
- }
+
+     logger(10, 0, "Starting init");
+
+ if (((fd = open("/dev/null", O_RDWR)) != -1) && (fd == STDIN_FILENO)) {
+
+     dup2(fd, 1); // STDOUT = /dev/null
+     dup2(fd, 2); // STDERR = /dev/null
+
+     if (res->misc.initlog == 1) {
+         int pid;
+
+         if (!(mkfifo ("/var/log/init.fifo", 0600) == 0) || (errno == EEXIST))) {
+             logger(-1, errno, "unable to create init fifo");
+             return 0;
+         }
+
+         // create new /dev/console ==> /var/log/init.fifo
+         unlink ("/dev/console");
+         symlink ("/var/log/init.fifo", "/dev/console");
+
+         pid = fork();
+
+         if (pid == -1) {
+             logger(-1, errno, "unable to fork init-logger");
+             return 0;
+         }
+     }
+ }

```

```

+ }
+
+ if (!pid) {
+
+     close(wait_p); close(err_p);
+
+     /* Note: open fifo RDWR to avoid EOF */
+     close(STDIN_FILENO);
+     open("/var/log/init.fifo", O_RDWR);
+
+     close(STDOUT_FILENO);
+     open("/var/log/init.log", O_CREAT|O_WRONLY|O_TRUNC);
+
+     close(STDERR_FILENO);
+     dup2(STDOUT_FILENO, STDERR_FILENO);
+
+     execl("/sbin/init-logger", NULL);
+     exit (-1);
+ }
+
+ close(STDOUT_FILENO);
+ if (open("/var/log/init.fifo", O_WRONLY) == -1) {
+     logger(-1, errno, "open init.fifo failed");
+     return 0;
+ }
+
+ close(STDERR_FILENO);
+ dup2(STDOUT_FILENO, STDERR_FILENO);
+
+ // tell init to use /var/log/init.fifo
+ envp[2] = "CONSOLE=/var/log/init.fifo";
+ }
+ }
+
+ execve("/sbin/init", argv, envp);
+ execve("/etc/init", argv, envp);
+ execve("/bin/init", argv, envp);
@@ -446,6 +500,20 @@ static int vz_real_env_create(vps_handler *h, envid_t veid, vps_res
*res,
{
    int ret, pid;

+    char ildest[4096];
+
+    *ildest = 0;
+    strcat (ildest, res->fs.root);
+    strcat (ildest, "/sbin/init");
+

```

```

+     *ildest = 0;
+     strcat (ildest, res->fs.root);
+     strcat (ildest, "/sbin/init-logger");
+     if (cp_file (ildest, "/usr/lib/vzctl/scripts/init-logger") != 0) {
+         logger(-1, 0, "Unable to copy init-logger");
+         return VZ_RESOURCE_ERROR;
+     }
+
+     if ((ret = vz_chroot(res->fs.root)))
+         return ret;
+     if ((ret = vz_setluid(veid)))

```

--

1.5.6.5
