
Subject: [PATCH v6 0/8] SUNRPC: make rpcbind clients allocated and destroyed dynamically

Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 10:16:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

This patch-set was created in context of clone of git branch:

<git://git.linux-nfs.org/projects/trondm/nfs-2.6.git>

and rebased on tag "v3.1".

2 Trond:

Nothing changed against previous patch-set we discussed already.

If no other issues will appear against it, hoping for soon commit.

If git repo, mentioned above, is not suitable for development purposes, please, reply with the right one.

v6:

1) Fixes in rpcb_clients management.

v4:

1) creation and destruction on rpcbind clients now depends on service program versions "vs_hidden" flag.

This patch is required for further RPC layer virtualization, because rpcbind clients have to be per network namespace.

To achieve this, we have to untie network namespace from rpcbind clients sockets.

The idea of this patch set is to make rpcbind clients non-static. I.e. rpcbind clients will be created during first RPC service creation, and destroyed when last RPC service is stopped.

With this patch set rpcbind clients can be virtualized easily.

The following series consists of:

Stanislav Kinsbursky (8):

SUNRPC: introduce helpers for reference counted rpcbind clients

SUNRPC: use rpcbind reference counting helpers

SUNRPC: introduce svc helpers for preparing rpcbind infrastructure

SUNRPC: setup rpcbind clients if service requires it

SUNRPC: cleanup service destruction

NFSd: call svc rpcbind cleanup explicitly

SUNRPC: remove rpcbind clients creation during service registering

SUNRPC: remove rpcbind clients destruction on module cleanup

```
fs/nfsd/nfssvc.c      |  2 +
include/linux/sunrpc/clnt.h |  2 +
include/linux/sunrpc/svc.h |  1
```

```
net/sunrpc/rpcb_clnt.c | 89 ++++++-----  
net/sunrpc/sunrpc_syms.c | 3 -  
net/sunrpc/svc.c | 48 ++++++-----  
6 files changed, 109 insertions(+), 36 deletions(-)
```

--
Signature

Subject: [PATCH v6 3/8] SUNRPC: introduce svc helpers for preparing rpcbind infrastructure

Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 10:17:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

This helpers will be used only for those services, that will send portmapper registration calls.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
--  
include/linux/sunrpc/clnt.h | 2 ++  
net/sunrpc/rpcb_clnt.c | 2 +-  
net/sunrpc/svc.c | 35 ++++++-----  
3 files changed, 38 insertions(+), 1 deletions(-)
```

```
diff --git a/include/linux/sunrpc/clnt.h b/include/linux/sunrpc/clnt.h  
index db7bcaf..1eb437d 100644  
--- a/include/linux/sunrpc/clnt.h  
+++ b/include/linux/sunrpc/clnt.h  
@@ -135,6 +135,8 @@ void rpc_shutdown_client(struct rpc_clnt *);  
void rpc_release_client(struct rpc_clnt *);  
void rpc_task_release_client(struct rpc_task *);
```

```
+int rpcb_create_local(void);  
+void rpcb_put_local(void);  
int rpcb_register(u32, u32, int, unsigned short);  
int rpcb_v4_register(const u32 program, const u32 version,  
    const struct sockaddr *address,
```

```
diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c  
index 7e5a0f8..dba2331 100644  
--- a/net/sunrpc/rpcb_clnt.c  
+++ b/net/sunrpc/rpcb_clnt.c
```

```
@@ -321,7 +321,7 @@ out:  
 * Returns zero on success, otherwise a negative errno value  
 * is returned.  
 */
```

```
-static int rpcb_create_local(void)  
+int rpcb_create_local(void)
```

```
{
 static DEFINE_MUTEX(rpcb_create_local_mutex);
 int result = 0;
diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
index 6a69a11..d2d61bf 100644
--- a/net/sunrpc/svc.c
+++ b/net/sunrpc/svc.c
@@ -354,6 +354,41 @@ svc_pool_for_cpu(struct svc_serv *serv, int cpu)
    return &serv->sv_pools[pidx % serv->sv_nrpools];
}

+static int svc_rpcb_setup(struct svc_serv *serv)
+{
+ int err;
+
+ err = rpcb_create_local();
+ if (err)
+    return err;
+
+ /* Remove any stale portmap registrations */
+ svc_unregister(serv);
+ return 0;
+}
+
+static void svc_rpcb_cleanup(struct svc_serv *serv)
+{
+ svc_unregister(serv);
+ rpcb_put_local();
+}
+
+static int svc_uses_rpcbind(struct svc_serv *serv)
+{
+ struct svc_program *progp;
+ unsigned int i;
+
+ for (progp = serv->sv_program; progp; progp = progp->pg_next) {
+    for (i = 0; i < progp->pg_nvers; i++) {
+       if (progp->pg_vers[i] == NULL)
+          continue;
+       if (progp->pg_vers[i]->vs_hidden == 0)
+          return 1;
+    }
+ }
+
+ return 0;
+}

/*

```

Subject: [PATCH v6 2/8] SUNRPC: use rpcbind reference counting helpers

Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 10:17:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

All is simple: we just increase users counter if rpcbind clients has been created already. Otherwise we create them and set users counter to 1.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

net/sunrpc/rpcb_clnt.c | 12 +++++-----
1 files changed, 4 insertions(+), 8 deletions(-)

```
diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c  
index 9fcdb42..7e5a0f8 100644  
--- a/net/sunrpc/rpcb_clnt.c  
+++ b/net/sunrpc/rpcb_clnt.c  
@@ -259,9 +259,7 @@ static int rpcb_create_local_unix(void)  
    clnt4 = NULL;  
}
```

```
- /* Protected by rpcb_create_local_mutex */  
- rpcb_local_clnt = clnt;  
- rpcb_local_clnt4 = clnt4;  
+ rpcb_set_local(clnt, clnt4);
```

out:

```
    return result;  
@@ -313,9 +311,7 @@ static int rpcb_create_local_net(void)  
    clnt4 = NULL;  
}
```

```
- /* Protected by rpcb_create_local_mutex */  
- rpcb_local_clnt = clnt;  
- rpcb_local_clnt4 = clnt4;  
+ rpcb_set_local(clnt, clnt4);
```

out:

```
    return result;  
@@ -330,11 +326,11 @@ static int rpcb_create_local(void)  
    static DEFINE_MUTEX(rpcb_create_local_mutex);  
    int result = 0;
```

```
- if (rpcb_local_clnt)  
+ if (rpcb_get_local())
```

```
return result;

mutex_lock(&rpcb_create_local_mutex);
- if (rpcb_local_clnt)
+ if (rpcb_get_local())
    goto out;

if (rpcb_create_local_unix() != 0)
```

Subject: [PATCH v6 1/8] SUNRPC: introduce helpers for reference counted rpcbind clients

Posted by Stanislav Kinsbursky on Tue, 25 Oct 2011 10:17:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

v6:

- 1) added write memory barrier to rpcb_set_local to make sure, that rpcbind clients become valid before rpcb_users assignment
- 2) explicitly set rpcb_users to 1 instead of incrementing it (looks clearer from my pov).

v5: fixed races with rpcb_users in rpcb_get_local()

This helpers will be used for dynamical creation and destruction of rpcbind clients.

Variable rpcb_users is actually a counter of lauched RPC services. If rpcbind clients has been created already, then we just increase rpcb_users.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
net/sunrpc/rpcb_clnt.c | 54 ++++++=====
1 files changed, 54 insertions(+), 0 deletions(-)
```

```
diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c
index e45d2fb..9fcdb42 100644
--- a/net/sunrpc/rpcb_clnt.c
+++ b/net/sunrpc/rpcb_clnt.c
@@ -114,6 +114,9 @@ static struct rpc_program rpcb_program;
static struct rpc_clnt * rpcb_local_clnt;
static struct rpc_clnt * rpcb_local_clnt4;

+DEFINE_SPINLOCK(rpcb_clnt_lock);
+unsigned int rpcb_users;
+
struct rpcbind_args {
    struct rpc_xprt * r_xprt;
```

```

@@ -161,6 +164,57 @@ static void rpcb_map_release(void *data)
    kfree(map);
}

+static int rpcb_get_local(void)
+{
+ int cnt;
+
+ spin_lock(&rpcb_clnt_lock);
+ if (rpcb_users)
+ rpcb_users++;
+ cnt = rpcb_users;
+ spin_unlock(&rpcb_clnt_lock);
+
+ return cnt;
+}
+
+void rpcb_put_local(void)
+{
+ struct rpc_clnt *clnt = rpcb_local_clnt;
+ struct rpc_clnt *clnt4 = rpcb_local_clnt4;
+ int shutdown;
+
+ spin_lock(&rpcb_clnt_lock);
+ if (--rpcb_users == 0) {
+ rpcb_local_clnt = NULL;
+ rpcb_local_clnt4 = NULL;
+ }
+ shutdown = !rpcb_users;
+ spin_unlock(&rpcb_clnt_lock);
+
+ if (shutdown) {
+ /*
+ * cleanup_rpcb_clnt - remove xprtsock's sysctls, unregister
+ */
+ if (clnt4)
+ rpc_shutdown_client(clnt4);
+ if (clnt)
+ rpc_shutdown_client(clnt);
+ }
+ return;
+}
+
+static void rpcb_set_local(struct rpc_clnt *clnt, struct rpc_clnt *clnt4)
+{
+ /* Protected by rpcb_create_local_mutex */
+ rpcb_local_clnt = clnt;
+ rpcb_local_clnt4 = clnt4;

```

```

+ smp_wmb();
+ rpcb_users = 1;
+ dprintk("RPC:      created new rpcb local clients (rpcb_local_clnt: "
+ "%p, rpcb_local_clnt4: %p)\n", rpcb_local_clnt,
+ rpcb_local_clnt4);
+}
+
/*
 * Returns zero on success, otherwise a negative errno value
 * is returned.

```

Subject: [PATCH v6 4/8] SUNRPC: setup rpcbind clients if service requires it
 Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 10:17:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

New function ("svc_uses_rpcbind") will be used to detect, that new service will send portmapper register calls. For such services we will create rpcbind clients and remove all stale portmap registrations.

Also, svc_rpcb_cleanup() will be set as sv_shutdown callback for such services in case of this field wasn't initialized earlier. This will allow to destroy rpcbind clients when no other users of them left.

Note: Currently, any creating service will be detected as portmap user. Probably, this is wrong. But now it depends on program versions "vs_hidden" flag.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

net/sunrpc/svc.c | 11 ++++++++-
 1 files changed, 9 insertions(+), 2 deletions(-)

```

diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
index d2d61bf..918edc3 100644
--- a/net/sunrpc/svc.c
+++ b/net/sunrpc/svc.c
@@ -454,8 +454,15 @@ __svc_create(struct svc_program *prog, unsigned int bufsize, int
npools,
    spin_lock_init(&pool->sp_lock);
}

- /* Remove any stale portmap registrations */
- svc_unregister(serv);
+ if (svc_uses_rpcbind(serv)) {
+     if (svc_rpcb_setup(serv) < 0) {
+         kfree(serv->sv_pools);
+         kfree(serv);

```

```
+    return NULL;
+ }
+ if (!serv->sv_shutdown)
+     serv->sv_shutdown = svc_rpcb_cleanup;
+ }

return serv;
}
```

Subject: [PATCH v6 5/8] SUNRPC: cleanup service destruction
Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 10:17:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

svc_unregister() call have to be removed from svc_destroy() since it will be called in sv_shutdown callback.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
net/sunrpc/svc.c |  1 -
1 files changed, 0 insertions(+), 1 deletions(-)
```

```
diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
index 918edc3..407462f 100644
--- a/net/sunrpc/svc.c
+++ b/net/sunrpc/svc.c
@@ -530,7 +530,6 @@ svc_destroy(struct svc_serv *serv)
 if (svc_serv_is_pooled(serv))
     svc_pool_map_put();

- svc_unregister(serv);
- kfree(serv->sv_pools);
- kfree(serv);
}
```

Subject: [PATCH v6 6/8] NFSd: call svc rpcbind cleanup explicitly
Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 10:17:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

We have to call svc_rpcb_cleanup() explicitly from nfsd_last_thread() since this function is registered as service shutdown callback and thus nobody else will do it for us.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

fs/nfsd/nfssvc.c | 2 ++
include/linux/sunrpc/svc.h | 1 +
net/sunrpc/svc.c | 3 +-
3 files changed, 5 insertions(+), 1 deletions(-)

```
diff --git a/fs/nfsd/nfssvc.c b/fs/nfsd/nfssvc.c
index dc5a1bf..52cd976 100644
--- a/fs/nfsd/nfssvc.c
+++ b/fs/nfsd/nfssvc.c
@@ -256,6 +256,8 @@ static void nfsd_last_thread(struct svc_serv *serv)
    nfsd_serv = NULL;
    nfsd_shutdown();

+    svc_rpcb_cleanup(serv);
+
+    printk(KERN_WARNING "nfsd: last server has exited, flushing export "
+          "cache\n");
    nfsd_export_flush();
diff --git a/include/linux/sunrpc/svc.h b/include/linux/sunrpc/svc.h
index 223588a..5e71a30 100644
--- a/include/linux/sunrpc/svc.h
+++ b/include/linux/sunrpc/svc.h
@@ -401,6 +401,7 @@ struct svc_procedure {
/*
 * Function prototypes.
 */
+void svc_rpcb_cleanup(struct svc_serv *serv);
struct svc_serv *svc_create(struct svc_program *, unsigned int,
                           void (*shutdown)(struct svc_serv *));
struct svc_rqst *svc_prepare_thread(struct svc_serv *serv,
diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
index 407462f..252552a 100644
--- a/net/sunrpc/svc.c
+++ b/net/sunrpc/svc.c
@@ -367,11 +367,12 @@ static int svc_rpcb_setup(struct svc_serv *serv)
    return 0;
}

-static void svc_rpcb_cleanup(struct svc_serv *serv)
+void svc_rpcb_cleanup(struct svc_serv *serv)
{
    svc_unregister(serv);
    rpcb_put_local();
}
+EXPORT_SYMBOL_GPL(svc_rpcb_cleanup);

static int svc_uses_rpcbind(struct svc_serv *serv)
```

{

Subject: [PATCH v6 7/8] SUNRPC: remove rpcbind clients creation during service registering

Posted by Stanislav Kinsbursky on Tue, 25 Oct 2011 10:17:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

We don't need this code since rpcbind clients are creating during RPC service creation.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

net/sunrpc/rpcb_clnt.c | 9 -----
1 files changed, 0 insertions(+), 9 deletions(-)

```
diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c
index dba2331..088e4e2 100644
--- a/net/sunrpc/rpcb_clnt.c
+++ b/net/sunrpc/rpcb_clnt.c
@@ -432,11 +432,6 @@ int rpcb_register(u32 prog, u32 vers, int prot, unsigned short port)
    struct rpc_message msg = {
        .rpc_argp = &map,
    };
-int error;
-
- error = rpcb_create_local();
-if (error)
- return error;

    dprintk("RPC:      %sregistering (%u, %u, %d, %u) with local "
           "rpcbind\n", (port ? "" : "un"),
@@ -572,11 +567,7 @@ int rpcb_v4_register(const u32 program, const u32 version,
    struct rpc_message msg = {
        .rpc_argp = &map,
    };
-int error;

- error = rpcb_create_local();
-if (error)
- return error;
if (rpcb_local_clnt4 == NULL)
    return -EPROTONOSUPPORT;
```

Subject: [PATCH v6 8/8] SUNRPC: remove rpcbind clients destruction on module

cleanup

Posted by Stanislav Kinsbursky on Tue, 25 Oct 2011 10:17:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Rpcbind clients destruction during SUNRPC module removing is obsolete since now those clients are destroying during last RPC service shutdown.

Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>

```
net/sunrpc/rpcb_clnt.c | 12 -----
net/sunrpc/sunrpc_syms.c | 3 ---
2 files changed, 0 insertions(+), 15 deletions(-)
```

```
diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c
index 088e4e2..c2054ae 100644
--- a/net/sunrpc/rpcb_clnt.c
+++ b/net/sunrpc/rpcb_clnt.c
@@ -1101,15 +1101,3 @@ static struct rpc_program rpcb_program = {
    .version = rpcb_version,
    .stats = &rpcb_stats,
};

-
-/**
- * cleanup_rpcb_clnt - remove xprtsock's sysctls, unregister
- *
- */
-void cleanup_rpcb_clnt(void)
-{
- if (rpcb_local_clnt4)
-    rpc_shutdown_client(rpcb_local_clnt4);
- if (rpcb_local_clnt)
-    rpc_shutdown_client(rpcb_local_clnt);
-}

diff --git a/net/sunrpc/sunrpc_syms.c b/net/sunrpc/sunrpc_syms.c
index 9d08091..8ec9778 100644
--- a/net/sunrpc/sunrpc_syms.c
+++ b/net/sunrpc/sunrpc_syms.c
@@ -61,8 +61,6 @@ static struct pernet_operations sunrpc_net_ops = {

extern struct cache_detail unix_gid_cache;

-extern void cleanup_rpcb_clnt(void);
-

static int __init
init_sunrpc(void)
{
@@ -102,7 +100,6 @@ out:
static void __exit
```

```
cleanup_sunrpc(void)
{
- cleanup_rpcb_clnt();
rpcauth_remove_module();
cleanup_socket_xprt();
svc_cleanup_xprt_sock();
```

Subject: Re: [PATCH v6 1/8] SUNRPC: introduce helpers for reference counted
rpcbind clients

Posted by [Trond Myklebust](#) on Tue, 25 Oct 2011 11:16:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, 2011-10-25 at 14:16 +0300, Stanislav Kinsbursky wrote:

```
> v6:
> 1) added write memory barrier to rpcb_set_local to make sure, that rpcbind
> clients become valid before rpcb_users assignment
> 2) explicitly set rpcb_users to 1 instead of incrementing it (looks clearer from
> my pov).
>
> v5: fixed races with rpcb_users in rpcb_get_local()
>
> This helpers will be used for dynamical creation and destruction of rpcbind
> clients.
> Variable rpcb_users is actually a counter of lauched RPC services. If rpcbind
> clients has been created already, then we just increase rpcb_users.
>
> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
>
> ---
> net/sunrpc/rpcb_clnt.c | 54 ++++++=====
> 1 files changed, 54 insertions(+), 0 deletions(-)
>
> diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c
> index e45d2fb..9fcdb42 100644
> --- a/net/sunrpc/rpcb_clnt.c
> +++ b/net/sunrpc/rpcb_clnt.c
> @@ -114,6 +114,9 @@ static struct rpc_program rpcb_program;
> static struct rpc_clnt * rpcb_local_clnt;
> static struct rpc_clnt * rpcb_local_clnt4;
>
> +DEFINE_SPINLOCK(rpcb_clnt_lock);
> +unsigned int rpcb_users;
> +
> struct rpcbind_args {
>   struct rpc_xprt * r_xprt;
>
> @@ -161,6 +164,57 @@ static void rpcb_map_release(void *data)
```

```

> kfree(map);
> }
>
> +static int rpcb_get_local(void)
> +{
> + int cnt;
> +
> + spin_lock(&rpcb_clnt_lock);
> + if (rpcb_users)
> + rpcb_users++;
> + cnt = rpcb_users;
> + spin_unlock(&rpcb_clnt_lock);
> +
> + return cnt;
> +}
> +
> +void rpcb_put_local(void)
> +{
> + struct rpc_clnt *clnt = rpcb_local_clnt;
> + struct rpc_clnt *clnt4 = rpcb_local_clnt4;
> + int shutdown;
> +
> + spin_lock(&rpcb_clnt_lock);
> + if (--rpcb_users == 0) {
> + rpcb_local_clnt = NULL;
> + rpcb_local_clnt4 = NULL;
> +}
> + shutdown = !rpcb_users;
> + spin_unlock(&rpcb_clnt_lock);
> +
> + if (shutdown) {
> + /*
> + * cleanup_rpcb_clnt - remove xprtsock's sysctls, unregister
> + */
> + if (clnt4)
> + rpc_shutdown_client(clnt4);
> + if (clnt)
> + rpc_shutdown_client(clnt);
> +}
> + return;

```

I'm removing this before applying...

```

> +}
> +

```

--
Trond Myklebust

Subject: Re: [PATCH v6 1/8] SUNRPC: introduce helpers for reference counted
rpcbind clients

Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 12:41:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

> On Tue, 2011-10-25 at 14:16 +0300, Stanislav Kinsbursky wrote:

```
>> v6:  
>> 1) added write memory barrier to rpcb_set_local to make sure, that rpcbind  
>> clients become valid before rpcb_users assignment  
>> 2) explicitly set rpcb_users to 1 instead of incrementing it (looks clearer from  
>> my pov).  
>>  
>> v5: fixed races with rpcb_users in rpcb_get_local()  
>>  
>> This helpers will be used for dynamical creation and destruction of rpcbind  
>> clients.  
>> Variable rpcb_users is actually a counter of lauched RPC services. If rpcbind  
>> clients has been created already, then we just increase rpcb_users.  
>>  
>> Signed-off-by: Stanislav Kinsbursky<skinsbursky@parallels.com>  
>>  
>> ---  
>> net/sunrpc/rpcb_clnt.c | 54 ++++++-----  
>> 1 files changed, 54 insertions(+), 0 deletions(-)  
>>  
>> diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c  
>> index e45d2fb..9fcdb42 100644  
>> --- a/net/sunrpc/rpcb_clnt.c  
>> +++ b/net/sunrpc/rpcb_clnt.c  
>> @@ -114,6 +114,9 @@ static struct rpc_program rpcb_program;  
>> static struct rpc_clnt * rpcb_local_clnt;  
>> static struct rpc_clnt * rpcb_local_clnt4;  
>>  
>> +DEFINE_SPINLOCK(rpcb_clnt_lock);  
>> +unsigned int rpcb_users;  
>> +  
>> struct rpcbind_args {  
>>   struct rpc_xprt * r_xprt;  
>>  
>> @@ -161,6 +164,57 @@ static void rpcb_map_release(void *data)
```

```

>> kfree(map);
>> }
>>
>> +static int rpcb_get_local(void)
>> +{
>> + int cnt;
>> +
>> + spin_lock(&rpcb_clnt_lock);
>> + if (rpcb_users)
>> + rpcb_users++;
>> + cnt = rpcb_users;
>> + spin_unlock(&rpcb_clnt_lock);
>> +
>> + return cnt;
>> +}
>> +
>> +void rpcb_put_local(void)
>> +{
>> + struct rpc_clnt *clnt = rpcb_local_clnt;
>> + struct rpc_clnt *clnt4 = rpcb_local_clnt4;
>> + int shutdown;
>> +
>> + spin_lock(&rpcb_clnt_lock);
>> + if (--rpcb_users == 0) {
>> + rpcb_local_clnt = NULL;
>> + rpcb_local_clnt4 = NULL;
>> +}
>> + shutdown = !rpcb_users;
>> + spin_unlock(&rpcb_clnt_lock);
>> +
>> + if (shutdown) {
>> + /*
>> + * cleanup_rpcb_clnt - remove xprtsock's sysctls, unregister
>> + */
>> + if (clnt4)
>> + rpc_shutdown_client(clnt4);
>> + if (clnt)
>> + rpc_shutdown_client(clnt);
>> +}
>> + return;
>
> I'm removing this before applying...
>
Sorry, but I don't understand what exactly you are removing, and why?

>> +}
>> +
>

```

--
Best regards,
Stanislav Kinsbursky

Subject: Re: [PATCH v6 1/8] SUNRPC: introduce helpers for reference counted
rpcbind clients

Posted by [Trond Myklebust](#) on Tue, 25 Oct 2011 12:45:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, 2011-10-25 at 16:41 +0400, Stanislav Kinsbursky wrote:

```
> > On Tue, 2011-10-25 at 14:16 +0300, Stanislav Kinsbursky wrote:  
> >> v6:  
> >> 1) added write memory barrier to rpcb_set_local to make sure, that rpcbind  
> >> clients become valid before rpcb_users assignment  
> >> 2) explicitly set rpcb_users to 1 instead of incrementing it (looks clearer from  
> >> my pow).  
> >>  
> >> v5: fixed races with rpcb_users in rpcb_get_local()  
> >>  
> >> This helpers will be used for dynamical creation and destruction of rpcbind  
> >> clients.  
> >> Variable rpcb_users is actually a counter of lauched RPC services. If rpcbind  
> >> clients has been created already, then we just increase rpcb_users.  
> >>  
> >> Signed-off-by: Stanislav Kinsbursky<skinsbursky@parallels.com>  
> >>  
> >> ---  
> >> net/sunrpc/rpcb_clnt.c | 54 ++++++-----  
> >> 1 files changed, 54 insertions(+), 0 deletions(-)  
> >>  
> >> diff --git a/net/sunrpc/rpcb_clnt.c b/net/sunrpc/rpcb_clnt.c  
> >> index e45d2fb..9fcdb42 100644  
> >> --- a/net/sunrpc/rpcb_clnt.c  
> >> +++ b/net/sunrpc/rpcb_clnt.c  
> >> @@ -114,6 +114,9 @@ static struct rpc_program rpcb_program;  
> >> static struct rpc_clnt * rpcb_local_clnt;  
> >> static struct rpc_clnt * rpcb_local_clnt4;  
> >>  
> >> +DEFINE_SPINLOCK(rpcb_clnt_lock);  
> >> +unsigned int rpcb_users;  
> >> +  
> >> struct rpcbind_args {  
> >>     struct rpc_xprt * r_xprt;  
> >>
```

```

> >> @@ -161,6 +164,57 @@ static void rpcb_map_release(void *data)
> >>   kfree(map);
> >> }
> >>
> >> +static int rpcb_get_local(void)
> >> +{
> >> + int cnt;
> >> +
> >> + spin_lock(&rpcb_clnt_lock);
> >> + if (rpcb_users)
> >> + rpcb_users++;
> >> + cnt = rpcb_users;
> >> + spin_unlock(&rpcb_clnt_lock);
> >> +
> >> + return cnt;
> >> +}
> >> +
> >> +void rpcb_put_local(void)
> >> +{
> >> + struct rpc_clnt *clnt = rpcb_local_clnt;
> >> + struct rpc_clnt *clnt4 = rpcb_local_clnt4;
> >> + int shutdown;
> >> +
> >> + spin_lock(&rpcb_clnt_lock);
> >> + if (--rpcb_users == 0) {
> >> +   rpcb_local_clnt = NULL;
> >> +   rpcb_local_clnt4 = NULL;
> >> + }
> >> + shutdown = !rpcb_users;
> >> + spin_unlock(&rpcb_clnt_lock);
> >> +
> >> + if (shutdown) {
> >> +   /* 
> >> +   * cleanup_rpcb_clnt - remove xprtsock's sysctls, unregister
> >> +   */
> >> +   if (clnt4)
> >> +     rpc_shutdown_client(clnt4);
> >> +   if (clnt)
> >> +     rpc_shutdown_client(clnt);
> >> + }
> >> + return;
> >
> > I'm removing this before applying...
> >
> > Sorry, but I don't understand what exactly you are removing, and why?

```

The empty 'return' at the end of a void function: it is 100% redundant...

--
Trond Myklebust
Linux NFS client maintainer

NetApp
Trond.Myklebust@netapp.com
www.netapp.com

Subject: Re: [PATCH v6 1/8] SUNRPC: introduce helpers for reference counted
rpcbind clients

Posted by [Stanislav Kinsbursky](#) on Tue, 25 Oct 2011 13:25:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

>
> The empty 'return' at the end of a void function: it is 100%
> redundant...
>

O, yes, of course. Sorry.

--
Best regards,
Stanislav Kinsbursky

Subject: Re: [PATCH v6 4/8] SUNRPC: setup rpcbind clients if service requires it

Posted by [bfields](#) on Thu, 27 Oct 2011 21:27:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, Oct 25, 2011 at 02:17:08PM +0300, Stanislav Kinsbursky wrote:
> New function ("svc_uses_rpcbind") will be used to detect, that new service will
> send portmapper register calls. For such services we will create rpcbind
> clients and remove all stale portmap registrations.
> Also, svc_rpcb_cleanup() will be set as sv_shutdown callback for such services
> in case of this field wasn't initialized earlier. This will allow to destroy
> rpcbind clients when no other users of them left.
>
> Note: Currently, any creating service will be detected as portmap user.
> Probably, this is wrong. But now it depends on program versions "vs_hidden"
> flag.
>
> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
>

```

> ---
> net/sunrpc/svc.c | 11 ++++++----
> 1 files changed, 9 insertions(+), 2 deletions(-)
>
> diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
> index d2d61bf..918edc3 100644
> --- a/net/sunrpc/svc.c
> +++ b/net/sunrpc/svc.c
> @@ -454,8 +454,15 @@ __svc_create(struct svc_program *prog, unsigned int bufsize, int
npoools,
>     spin_lock_init(&pool->sp_lock);
> }
>
> - /* Remove any stale portmap registrations */
> - svc_unregister(serv);
> + if (svc_uses_rpcbind(serv)) {
> +     if (svc_rpcb_setup(serv) < 0) {
> +         kfree(serv->sv_pools);
> +         kfree(serv);
> +         return NULL;

```

Nit: could we convert this (and the previous failure to allocate sv_pools) to the usual pattern of collecting the cleanup at the end and jumping to it with a goto?

Looks fine otherwise.

--b.

```

> +
> + if (!serv->sv_shutdown)
> +     serv->sv_shutdown = svc_rpcb_cleanup;
> +
>
> + return serv;
> }
>
```

Subject: Re: [PATCH v6 5/8] SUNRPC: cleanup service destruction
 Posted by [bfields](#) on Thu, 27 Oct 2011 21:30:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, Oct 25, 2011 at 02:17:18PM +0300, Stanislav Kinsbursky wrote:
 > svc_unregister() call have to be removed from svc_destroy() since it will be
 > called in sv_shutdown callback.

It would be clearer that you're *moving* this if this were merged with

the following patch. And without doing that the series isn't quite bisectable, unless I'm missing something.

--b.

```
>
> Signed-off-by: Stanislav Kinsbursky <skinsbursky@parallels.com>
>
> ---
> net/sunrpc/svc.c | 1 -
> 1 files changed, 0 insertions(+), 1 deletions(-)
>
> diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
> index 918edc3..407462f 100644
> --- a/net/sunrpc/svc.c
> +--- b/net/sunrpc/svc.c
> @@ -530,7 +530,6 @@ svc_destroy(struct svc_serv *serv)
>     if (svc_serv_is_pooled(serv))
>         svc_pool_map_put();
>
> - svc_unregister(serv);
>     kfree(serv->sv_pools);
>     kfree(serv);
> }
>
```

Subject: Re: [PATCH v6 4/8] SUNRPC: setup rpcbind clients if service requires it
Posted by [Stanislav Kinsbursky](#) on Fri, 28 Oct 2011 09:27:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
> On Tue, Oct 25, 2011 at 02:17:08PM +0300, Stanislav Kinsbursky wrote:
>> New function ("svc_uses_rpcbind") will be used to detect, that new service will
>> send portmapper register calls. For such services we will create rpcbind
>> clients and remove all stale portmap registrations.
>> Also, svc_rpcb_cleanup() will be set as sv_shutdown callback for such services
>> in case of this field wasn't initialized earlier. This will allow to destroy
>> rpcbind clients when no other users of them left.
>>
>> Note: Currently, any creating service will be detected as portmap user.
>> Probably, this is wrong. But now it depends on program versions "vs_hidden"
>> flag.
>>
>> Signed-off-by: Stanislav Kinsbursky<skinsbursky@parallels.com>
>>
>> ---
>> net/sunrpc/svc.c | 11 +++++++----
```

```
>> 1 files changed, 9 insertions(+), 2 deletions(-)
>>
>> diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
>> index d2d61bf..918edc3 100644
>> --- a/net/sunrpc/svc.c
>> +++ b/net/sunrpc/svc.c
>> @@ -454,8 +454,15 @@ __svc_create(struct svc_program *prog, unsigned int bufsize, int
npools,
>>     spin_lock_init(&pool->sp_lock);
>> }
>>
>> /* Remove any stale portmap registrations */
>> - svc_unregister(serv);
>> + if (svc_uses_rpcbind(serv)) {
>> +     if (svc_rpcb_setup(serv)< 0) {
>> +         kfree(serv->sv_pools);
>> +         kfree(serv);
>> +         return NULL;
>
> Nit: could we convert this (and the previous failure to allocate
> sv_pools) to the usual pattern of collecting the cleanup at the end and
> jumping to it with a goto?
>
```

Sure, we can. I will implement this "goto pattern", is you insist.

> Looks fine otherwise.

```
>
> --b.
>
>> + }
>> + if (!serv->sv_shutdown)
>> + serv->sv_shutdown = svc_rpcb_cleanup;
>> + }
>>
>>     return serv;
>> }
>>
```

--
Best regards,
Stanislav Kinsbursky

Subject: Re: [PATCH v6 5/8] SUNRPC: cleanup service destruction
Posted by [Stanislav Kinsbursky](#) on Fri, 28 Oct 2011 09:49:03 GMT

> On Tue, Oct 25, 2011 at 02:17:18PM +0300, Stanislav Kinsbursky wrote:
>> svc_unregister() call have to be removed from svc_destroy() since it will be
>> called in sv_shutdown callback.
>
> It would be clearer that you're *moving* this if this were merged with
> the following patch. And without doing that the series isn't quite
> bisectable, unless I'm missing something.
>

Yes, you are right. Will resend new version soon.

> --b.
>
>>
>> Signed-off-by: Stanislav Kinsbursky<skinsbursky@parallels.com>
>>
>> ---
>> net/sunrpc/svc.c | 1 -
>> 1 files changed, 0 insertions(+), 1 deletions(-)
>>
>> diff --git a/net/sunrpc/svc.c b/net/sunrpc/svc.c
>> index 918edc3..407462f 100644
>> --- a/net/sunrpc/svc.c
>> +++ b/net/sunrpc/svc.c
>> @@ -530,7 +530,6 @@ svc_destroy(struct svc_serv *serv)
>> if (svc_serv_is_pooled(serv))
>> svc_pool_map_put();
>>
>> - svc_unregister(serv);
>> kfree(serv->sv_pools);
>> kfree(serv);
>> }
>>

--
Best regards,
Stanislav Kinsbursky
