Subject: Incorrect Crontab times set Posted by samix on Mon, 30 Jan 2012 19:56:11 GMT

View Forum Message <> Reply to Message

Hey,

I made a template of a openvz container using the document here wiki.openvz.org/Creating\_a\_CentOS\_5.0\_Template

When I created VM's using this template all the cron times changed and each container had a different cron time than the image as well as different from each other.

Cron file in the image cat /tmp/50/etc/cron.d/atop # start atop daily at midnight 0 0 \* \* \* root /etc/cron.daily/atop

And now the same file in the container that were created using this template container 111 # start atop daily at midnight 32 1 \* \* \* root /etc/atop/atop.daily container 112 # start atop daily at midnight 6 3 \* \* \* root /etc/atop/atop.daily container 113 # start atop daily at midnight 40 1 \* \* \* root /etc/atop/atop.daily container 114 # start atop daily at midnight 18 1 \* \* \* root /etc/atop/atop.daily container 115 # start atop daily at midnight 9 2 \* \* \* root /etc/atop/atop.daily container 116 # start atop daily at midnight 25 1 \* \* \* root /etc/atop/atop.daily container 117 # start atop daily at midnight 43 2 \* \* \* root /etc/atop/atop.daily container 118 # start atop daily at midnight 29 1 \* \* \* root /etc/atop/atop.daily

Is this a know problem? a bug? Any ideas what can I do to rectify this, because now I am wondering that many other files may have also changed just like this and I will come to know only when something breaks..

Subject: Re: Incorrect Crontab times set

Posted by samix on Tue, 31 Jan 2012 13:24:03 GMT

View Forum Message <> Reply to Message

I figured out, this is because of the postcreate.sh script, but I think this is wrong, and that this feature should be optional and not mandatory.

I have a setup where we run completely identical servers and the cron times need to be same on all of them, apart from other stuff.

Normally we create our own image and then using puppet create other containers, due to the postcreate.sh script, the cron times in the newly created containers change and we have to again manually set the cron times on all the containers, which defeats the entire purpose of creating a custom image and automated deploy.

I think openvz designers should consider this and make this feature optional.

Subject: Re: Incorrect Crontab times set

Posted by Ales on Tue, 31 Jan 2012 14:25:40 GMT

View Forum Message <> Reply to Message

I suggest opening a bugreport with the request for the added functionality.

I believe this is a wanted feature in general. If you look at it from the perspective of server load, distributing cron times makes sense. So most HN admins wouldn't want cron to be run at exactly the same time on all the VMs. But having a switch to disable this for cases such as yours also makes sense, IMHO.

Subject: Re: Incorrect Crontab times set

Posted by samix on Tue, 31 Jan 2012 14:49:31 GMT

View Forum Message <> Reply to Message

Yes, in case of VPS based hosting this would be a very good feature, thank's for you input, I have raised a bug report here bugzilla.openvz.org/show\_bug.cgi?id=2174