
Subject: venet ip question

Posted by [Gerhard Gappmeier](#) on Tue, 28 Feb 2012 16:32:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

I currently have two OpenVZ machines with same configuration.

CT0 has two network devices:

eth0: internal private subnet

eth1: internet

The containers can have internal and/or external IPs.

Access is controlled by iptables in CT0.

I only use IP based venet devices currently.

The problem is I run out of external IPs and want to use the external IPs of CT0 (eth1) for new containers.

Is this possible? I'm not sure how venet IPs can be routed over eth1 when eth1 has no IP.

--

mit freundlichen Grüßen / best regards

Gerhard Gappmeier

ascolab GmbH - automation systems communication laboratory

Tel.: +49 9131 691 123

Fax: +49 9131 691 128

Web: <http://www.ascolab.com>

GPG-KeyId: 5AAC50C4

GPG-Fingerprint: 967A 15F1 2788 164D CCA3 6C46 07CD 6F82 5AAC 50C4

--

ascolab GmbH

Geschäftsführer: Gerhard Gappmeier, Matthias Damm, Uwe Steinkrauß

Sitz der Gesellschaft: Am Weichselgarten 7 . 91058 Erlangen . Germany

Registernummer: HRB 9360

Registergericht: Amtsgericht Fürth

Subject: Re: venet ip question

Posted by [kir](#) on Tue, 28 Feb 2012 22:07:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Feb 28, 2012 9:41 PM, "Gerhard Gappmeier" <gerhard.gappmeier@ascolab.com> wrote:

>

> Hi
>
> I currently have two OpenVZ machines with same configuration.
> CT0 has two network devices:
> eth0: internal private subnet
> eth1: internet
>
> The containers can have internal and/or external IPs.
> Access is controlled by iptables in CT0.
> I only use IP based venet devices currently.
>
> The problem is I run out of external IPs and want to use the external IPs
of CT0 (eth1) for new containers.
>
> Is this possible? I'm not sure how venet IPs can be routed over eth1 when
eth1 has no IP.

Assuming you have multiple IPs on eth1 and you want those to be used for
some of your containers, you need to

- 1 remove those IPs from eth1
- 2 add those IPs to containers

Speaking of routing, it depends on your setup. If eth1 still have an
address in the same IP network as your CTs, you are fine.

>
>
> --
> mit freundlichen Grüßen / best regards
>
> Gerhard Gappmeier
> ascolab GmbH - automation systems communication laboratory
> Tel.: +49 9131 691 123
> Fax: +49 9131 691 128
> Web: <http://www.ascolab.com>
> GPG-KeyId: 5AAC50C4
> GPG-Fingerprint: 967A 15F1 2788 164D CCA3 6C46 07CD 6F82 5AAC 50C4
>
> --
> ascolab GmbH
> Geschäftsführer: Gerhard Gappmeier, Matthias Damm, Uwe Steinkrauß
> Sitz der Gesellschaft: Am Weichselgarten 7 • 91058 Erlangen • Germany
> Registernummer: HRB 9360
> Registergericht: Amtsgericht Fürth
>
>
