Subject: ploop sanity check Posted by jjs - mainphrame on Sat, 17 Mar 2012 00:21:44 GMT View Forum Message <> Reply to Message

On a Centos 6 test machine, I installed kernel 2.6.32-042stab052.8, ploop-1.0 & ploop-lib-1.0 and attempted to follow along with http://wiki.openvz.org/Ploop/readme.

I've had no success in creating a ploop image:

root@mrmber ~]# ploop init -s 1g -f raw /ploop.image Creating raw delta /ploop.image size=2097152 sectors add snapshot {5fbaabe3-6958-40FF-92a7-860e329aab41} Storing /DiskDescriptor.xml Can't resolve : No such file or directory [root@mrmber ~]#

I'd be curious if anyone has gotten farther, and am curious as to what I might be lacking

Regards,

jjs

Subject: Re: ploop sanity check Posted by kir on Sat, 17 Mar 2012 04:27:41 GMT View Forum Message <> Reply to Message

On 03/17/2012 04:21 AM, jjs - mainphrame wrote:

- > On a Centos 6 test machine, I installed kernel 2.6.32-042stab052.8,
- > ploop-1.0 & ploop-lib-1.0 and attempted to follow along with
- > http://wiki.openvz.org/Ploop/readme.

>

> I've had no success in creating a ploop image:

>

> root@mrmber ~]# ploop init -s 1g -f raw /ploop.image

(as a side node, I do not recommend using raw images, they can not be shrunk and have some other limitations)

- > Creating raw delta /ploop.image size=2097152 sectors
- > add snapshot {5fbaabe3-6958-40FF-92a7-860e329aab41}
- > Storing /DiskDescriptor.xml
- > Can't resolve : No such file or directory

My congratulations, you have found a bug! :)

I have fixed it in git (http://git.openvz.org/?p=ploop;a=commit;h=2e06c26)

In the meanwhile please create an image in a subdirectory, not in root directory, i.e. something like /tmp/ploop.img should work.

```
> [root@mrmber ~]#
>
> I'd be curious if anyone has gotten farther, and am curious as to what
> I might be lacking
>
> Regards,
>
> jjs
```

Subject: Re: ploop sanity check Posted by jjs - mainphrame on Sat, 17 Mar 2012 05:58:33 GMT View Forum Message <> Reply to Message

Thank you Kir, good workaround, I can create the ploop device somewhere other than / and will continue testing.

Joe

On Fri, Mar 16, 2012 at 9:27 PM, Kir Kolyshkin <kir@openvz.org> wrote:

```
> On 03/17/2012 04:21 AM, jjs - mainphrame wrote:
```

```
>> On a Centos 6 test machine, I installed kernel 2.6.32-042stab052.8,
```

```
>> ploop-1.0 & ploop-lib-1.0 and attempted to follow along with
```

```
>> http://wiki.openvz.org/Ploop/**readme<http://wiki.openvz.org/Ploop/readme>
```

>> .

```
>> l've had no success in creating a ploop image:
```

```
>>
```

```
>> root@mrmber ~]# ploop init -s 1g -f raw /ploop.image
```

>>

>

> (as a side node, I do not recommend using raw images, they can not be

> shrunk and have some other limitations)

>

>

> Creating raw delta /ploop.image size=2097152 sectors

```
>> add snapshot {5fbaabe3-6958-40FF-92a7-**860e329aab41}
```

```
>> Storing /DiskDescriptor.xml
```

```
>> Can't resolve : No such file or directory
```

```
>>
```

```
>
```

```
> My congratulations, you have found a bug! :)
>
> I have fixed it in git (http://git.openvz.org/?p=**
> ploop;a=commit;h=2e06c26<http://git.openvz.org/?p=ploop;a=commit;h=2e06c26>
>)
>
> In the meanwhile please create an image in a subdirectory, not in root
> directory, i.e. something like /tmp/ploop.img should work.
>
>
> [root@mrmber ~]#
>>
>> I'd be curious if anyone has gotten farther, and am curious as to what I
>> might be lacking
>>
>> Regards,
>>
>> jjs
>>
>
>
```

Subject: Re: ploop sanity check Posted by kir on Sat, 17 Mar 2012 07:34:46 GMT View Forum Message <> Reply to Message

>

> Thank you Kir, good workaround, I can create the ploop device somewhere other than / and will continue testing.

Good! I suggest you to compile ploop and vzctl from git and try to use it. It (mostly) works for me already.

> Joe
> Joe
> > On Fri, Mar 16, 2012 at 9:27 PM, Kir Kolyshkin <kir@openvz.org> wrote:
>> >> On 03/17/2012 04:21 AM, jjs - mainphrame wrote:
>>> >> On a Centos 6 test machine, I installed kernel 2.6.32-042stab052.8, ploop-1.0 & ploop-lib-1.0 and attempted to follow along with
http://wiki.openvz.org/Ploop/readme.
>>>

>>> I've had no success in creating a ploop image: >>> >>> root@mrmber ~]# ploop init -s 1g -f raw /ploop.image >> >> >> (as a side node, I do not recommend using raw images, they can not be shrunk and have some other limitations) >> >> >>> Creating raw delta /ploop.image size=2097152 sectors >>> add snapshot {5fbaabe3-6958-40FF-92a7-860e329aab41} >>> Storing /DiskDescriptor.xml >>> Can't resolve : No such file or directory >> >> >> My congratulations, you have found a bug! :) >> >> I have fixed it in git (http://git.openvz.org/?p=ploop;a=commit;h=2e06c26 ) >> >> In the meanwhile please create an image in a subdirectory, not in root directory, i.e. something like /tmp/ploop.img should work. >> >> >>> [root@mrmber ~]# >>> >>> I'd be curious if anyone has gotten farther, and am curious as to what I might be lacking >>> >>> Regards, >>> >>> jjs >> >> > > <jjs@mainphrame.com> > Thank you Kir, good workaround, I can create the ploop device somewhere > other than / and will continue testing. > > Joe

>

> On Fri, Mar 16, 2012 at 9:27 PM, Kir Kolyshkin <kir@openvz.org> wrote:

>

>> On 03/17/2012 04:21 AM, jjs - mainphrame wrote:

>> >>> On a Centos 6 test machine, I installed kernel 2.6.32-042stab052.8, >>> ploop-1.0 & ploop-lib-1.0 and attempted to follow along with >>> http://wiki.openvz.org/Ploop/\*\*readme<http://wiki.openvz.org/Ploop/readme> >>> . >>> >>> I've had no success in creating a ploop image: >>> >>> root@mrmber ~]# ploop init -s 1g -f raw /ploop.image >>> >> >> (as a side node, I do not recommend using raw images, they can not be >> shrunk and have some other limitations) >> >> >> Creating raw delta /ploop.image size=2097152 sectors >>> add snapshot {5fbaabe3-6958-40FF-92a7-\*\*860e329aab41} >>> Storing /DiskDescriptor.xml >>> Can't resolve : No such file or directory >>> >> >> My congratulations, you have found a bug! :) >> >> I have fixed it in git (http://git.openvz.org/?p=\*\* >> ploop;a=commit;h=2e06c26<http://git.openvz.org/?p=ploop;a=commit;h=2e06c26> >>) >> >> In the meanwhile please create an image in a subdirectory, not in root >> directory, i.e. something like /tmp/ploop.img should work. >> >> >> [root@mrmber ~]# >>> >>> I'd be curious if anyone has gotten farther, and am curious as to what I >>> might be lacking >>> >>> Regards, >>> >>> jjs >>> >> >> >