

---

Posted by [mkrentovski](#) on Tue, 07 Aug 2012 16:06:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
iptables -t nat -I PREROUTING -i gre0 -p tcp -j DNAT --to 172.16.0.95:3128
```

```
IPTABLES="iptables_filter iptables_mangle ipt_limit ipt_multiport ipt_tos ipt_TOS ipt_REJECT  
iptables_TCPMSS ipt_tcpmss ipt_ttl ipt_LOG ipt_length ip_conntrack ip_conntrack_ftp ip_conntrack_irc  
ip_conntrack ipt_state ipt_helper iptables_nat ip_nat_ftp ip_nat_irc"
```

---

---

Posted by [RXL\\_](#) on Mon, 20 Aug 2012 17:55:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
$/sbin/iptables -j DNAT --help
```

```
...
```

```
DNAT v1.3.5 options:
```

```
--to-destination <ipaddr>[-<ipaddr>][:port-port]
```

```
Address to map destination to.
```

(You can use this more than once)

---

---

Posted by [mkrentovski](#) on Mon, 20 Aug 2012 18:04:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

--to-destination.

---