
Subject: [VZCTL PATCH] dists: add distribution config file for Alpine Linux
Posted by [William Pitcock](#) on Thu, 09 Aug 2012 04:22:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Alpine Linux is a lightweight distribution built on top of uClibc and Busybox, with Debian-like network configuration.

Signed-off-by: William Pitcock <william.pitcock@enzu.com>

```
etc/dists/Makefile.am | 6 ++++-  
etc/dists/alpine.conf | 27 ++++++  
2 files changed, 32 insertions(+), 1 deletion(-)  
create mode 100644 etc/dists/alpine.conf
```

```
diff --git a/etc/dists/Makefile.am b/etc/dists/Makefile.am  
index c61af48..5d02f91 100644
```

```
--- a/etc/dists/Makefile.am  
+++ b/etc/dists/Makefile.am  
@@ -40,6 +40,9 @@ SUSE_7x_VER = 7.3  
SUSE_8x_VER = 8.0 8.1 8.2  
UBUNTU_6x_VER = 6.06
```

```
+alpine:
```

```
+ $(INSTALL_DATA) $(srcdir)/alpine.conf $(DESTDIR)$(distconfdir)/alpine.conf  
+
```

```
altlinux:
```

```
$(INSTALL_DATA) $(srcdir)/altlinux.conf \  
$(DESTDIR)$(distconfdir)/altlinux.conf  
@@ -132,7 +135,8 @@ ubuntu:  
$(INSTALL_DATA) $(srcdir)/debian.conf \  
$(DESTDIR)$(distconfdir)/ubuntu.conf
```

```
-install-data-hook: altlinux \  
+install-data-hook: alpine \  
+  
+ altlinux \  
+ arch \  
+ centos \  
+ debian \  
diff --git a/etc/dists/alpine.conf b/etc/dists/alpine.conf
```

```
new file mode 100644
```

```
index 0000000..efa7c23  
--- /dev/null  
+++ b/etc/dists/alpine.conf  
@@ -0,0 +1,27 @@  
+# Copyright (C) 2012 Enzu Inc.  
+#  
+# This program is free software; you can redistribute it and/or modify  
+# it under the terms of the GNU General Public License as published by
```

```
diff --git a/etc/dists/alpine.conf b/etc/dists/alpine.conf
```

```
new file mode 100644
```

```
index 0000000..efa7c23
```

```
--- /dev/null
```

```
+++ b/etc/dists/alpine.conf
```

```
@@ -0,0 +1,27 @@
```

```
+# Copyright (C) 2012 Enzu Inc.
```

```
+#
```

```
+# This program is free software; you can redistribute it and/or modify
```

```
+# it under the terms of the GNU General Public License as published by
```

```
+# the Free Software Foundation; either version 2 of the License, or
+# (at your option) any later version.
+#
+# This program is distributed in the hope that it will be useful,
+# but WITHOUT ANY WARRANTY; without even the implied warranty of
+# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
+# GNU General Public License for more details.
+#
+# You should have received a copy of the GNU General Public License
+# along with this program; if not, write to the Free Software
+# Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
+#
+# This configuration file is meant to be used with
+# the Alpine distribution kit.
+#
+
+ADD_IP=debian-add_ip.sh
+DEL_IP=debian-del_ip.sh
+SET_HOSTNAME=debian-set_hostname.sh
+SET_DNS=set_dns.sh
+SET_USERPASS=set_userpass.sh
+SET_UGID_QUOTA=set_ugid_quota.sh
+POST_CREATE=postcreate.sh
--
1.7.11.3
```

Subject: Re: [VZCTL PATCH] dists: add distribution config file for Alpine Linux
Posted by [kir](#) on Tue, 18 Sep 2012 14:42:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 08/09/2012 08:22 AM, William Pitcock wrote:

> Alpine Linux is a lightweight distribution built on top of uClibc and Busybox, with
> Debian-like network configuration.

>

> Signed-off-by: William Pitcock <william.pitcock@enzu.com>

Thank you,

Added to git:

<http://git.openvz.org/?p=vzctl;a=commit;h=1263c47>

Will appear in vzctl-4.0

> ---

> etc/dists/Makefile.am | 6 +++++-

> etc/dists/alpine.conf | 27 ++++++++++++++++++++++++++++++++++++++

> 2 files changed, 32 insertions(+), 1 deletion(-)

```

> create mode 100644 etc/dists/alpine.conf
>
> diff --git a/etc/dists/Makefile.am b/etc/dists/Makefile.am
> index c61af48..5d02f91 100644
> --- a/etc/dists/Makefile.am
> +++ b/etc/dists/Makefile.am
> @@ -40,6 +40,9 @@ SUSE_7x_VER = 7.3
> SUSE_8x_VER = 8.0 8.1 8.2
> UBUNTU_6x_VER = 6.06
>
> +alpine:
> + $(INSTALL_DATA) $(srcdir)/alpine.conf $(DESTDIR)$(distconfdir)/alpine.conf
> +
> altlinux:
> $(INSTALL_DATA) $(srcdir)/altlinux.conf \
> $(DESTDIR)$(distconfdir)/altlinux.conf
> @@ -132,7 +135,8 @@ ubuntu:
> $(INSTALL_DATA) $(srcdir)/debian.conf \
> $(DESTDIR)$(distconfdir)/ubuntu.conf
>
> -install-data-hook: altlinux \
> +install-data-hook: alpine \
> + altlinux \
> arch \
> centos \
> debian \
> diff --git a/etc/dists/alpine.conf b/etc/dists/alpine.conf
> new file mode 100644
> index 0000000..efa7c23
> --- /dev/null
> +++ b/etc/dists/alpine.conf
> @@ -0,0 +1,27 @@
> +# Copyright (C) 2012 Enzu Inc.
> +#
> +# This program is free software; you can redistribute it and/or modify
> +# it under the terms of the GNU General Public License as published by
> +# the Free Software Foundation; either version 2 of the License, or
> +# (at your option) any later version.
> +#
> +# This program is distributed in the hope that it will be useful,
> +# but WITHOUT ANY WARRANTY; without even the implied warranty of
> +# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
> +# GNU General Public License for more details.
> +#
> +# You should have received a copy of the GNU General Public License
> +# along with this program; if not, write to the Free Software
> +# Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
> +#

```

```
> +# This configuration file is meant to be used with
> +# the Alpine distribution kit.
> +#
> +
> +ADD_IP=debian-add_ip.sh
> +DEL_IP=debian-del_ip.sh
> +SET_HOSTNAME=debian-set_hostname.sh
> +SET_DNS=set_dns.sh
> +SET_USERPASS=set_userpass.sh
> +SET_UGID_QUOTA=set_ugid_quota.sh
> +POST_CREATE=postcreate.sh
```
