

---

Posted by [Vgrishin](#) on Fri, 12 Oct 2012 14:23:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

(2.6.18-164.15.1.el5.028stab068.9PAE)"

more grub.conf

```
# grub.conf generated by anaconda
#
# Note that you do not have to rerun grub after making changes to this file
```

```
# NOTICE: You have a /boot partition. This means that
# all kernel and initrd paths are relative to /boot/, eg.
# root (hd0,0)
# kernel /vmlinuz-version ro root=/dev/sda3
# initrd /initrd-version.img
#boot=/dev/sda
default=0
timeout=5
splashimage=(hd0,0)/grub/splash.xpm.gz
hiddenmenu
title OpenVZ (2.6.18-308.el5.028stab099.3PAE)
    root (hd0,0)
    kernel /vmlinuz-2.6.18-308.el5.028stab099.3PAE ro root=LABEL=/ selinux=0
    initrd /initrd-2.6.18-308.el5.028stab099.3PAE.img
title CentOS (2.6.18-164.15.1.el5.028stab068.9PAE)
    root (hd0,0)
    kernel /vmlinuz-2.6.18-164.15.1.el5.028stab068.9PAE ro root=LABEL=/
    initrd /initrd-2.6.18-164.15.1.el5.028stab068.9PAE.img
title CentOS (2.6.18-164.15.1.el5PAE)
    root (hd0,0)
    kernel /vmlinuz-2.6.18-164.15.1.el5PAE ro root=LABEL=/
    initrd /initrd-2.6.18-164.15.1.el5PAE.img
title CentOS (2.6.18-128.el5PAE)
    root (hd0,0)
    kernel /vmlinuz-2.6.18-128.el5PAE ro root=LABEL=/
    initrd /initrd-2.6.18-128.el5PAE.img
```